



ADACOM S.A. Certification Practice Statement for Qualified Certificates

Version 3.8.3

Effective Date: 1 June 2012



ADACOM S.A.
25 Kreontos Street
10442 Athens
Greece

phone number: +30 210 5193740
www.adacom.com

ADACOM Certification Practices Statement for Qualified Certificates

© 2012 Symantec Corporation. All rights reserved.

Published date: June, 2012

Important – Acquisition Notice

On August 9, 2010, Symantec Corporation completed the acquisition of VeriSign Inc's Authentication division. As a result Symantec is now the registered owner of this Certificate Practices Statement document and the PKI Services described within this document.

However a hybrid of references to both "VeriSign" and "Symantec" shall be evident within this document for a period of time until it is operationally practical to complete the re-branding of the Certification Authorities and services. Any references to VeriSign as a corporate entity should be strictly considered to be legacy language that solely reflects the history of ownership. Symantec may continue use of the "VeriSign" brand name.

Trademark Notices

ADACOM is the registered mark of ADACOM SA. Symantec, the Symantec logo, and the Checkmark Logo are the registered trademarks of Symantec Corporation or its affiliates in the U.S. and other countries. The VeriSign logo, VeriSign Trust and other related marks are the trademarks or registered marks of VeriSign, Inc. or its affiliates or subsidiaries in the U.S. and other countries and licensed by Symantec Corporation. Other names may be trademarks of their respective owners.

Without limiting the rights reserved above, and except as licensed below, no part of this publication may be reproduced, stored in or introduced into a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), without prior written permission of ADACOM S.A.

Notwithstanding the above, permission is granted to reproduce and distribute this ADACOM Certification Practice Statement on a nonexclusive, royalty-free basis, provided that (i) the foregoing copyright notice and the beginning paragraphs are prominently displayed at the beginning of each copy, and (ii) this document is accurately reproduced in full, complete with attribution of the document to ADACOM S.A.

Requests for any other permission to reproduce this ADACOM Certification Practices Statement (as well as requests for copies from ADACOM S.A.) must be addressed to ADACOM S.A., 25 Kreontos street, 10442, Sepolia, Greece Attn: Practices Development. Tel: +30 210 5193740 Fax: +30 210 5193555 Net: practices@adacom.com .

Table of Contents

1.	INTRODUCTION	9
1.1	Overview	10
1.2	Document name and Identification	11
1.3	PKI Participants	12
1.3.1	Certification Authorities	12
1.3.2	Registration Authorities	12
1.3.3	Subscribers	13
1.3.4	Relying Parties	13
1.3.5	Other Participants	13
1.4	Certificate Usage	14
1.4.1	Appropriate Certificate Usages	14
1.4.2	Restricted Applications	14
1.4.3	Prohibited Certificate Uses	15
1.5	Policy Administration	15
1.5.1	Organization Administering the Document	15
1.5.2	Contact Person	15
1.5.3	Person Determining CP Suitability for the Policy	16
1.5.4	CPS Approval Procedure	16
1.6	Definitions and Acronyms	16
2.	PUBLICATION AND REPOSITORY RESPONSIBILITIES	17
2.1	Repositories	17
2.2	Publication of Certificate Information	17
2.3	Time or Frequency of Publication	18
2.4	Access Controls on Repositories	18
3.	IDENTIFICATION AND AUTHENTICATION	19
3.1	Naming	19
3.1.1	Type of Names	19
3.1.2	Need for Names to be Meaningful	20
3.1.3	Anonymity or pseudonymity of Subscribers	21
3.1.4	Rules for Interpreting Various Name Forms	21
3.1.5	Uniqueness of Names	21
3.1.6	Recognition, Authentication, and Role of Trademarks	21
3.2	Initial Identity Validation	21
3.2.1	Method to Prove Possession of Private Key	21
3.2.2	Authentication of Individual Identity	21
3.2.3	Non-Verified Subscriber information	22
3.2.4	Validation of Authority	22
3.3	Identification and Authentication for Re-key Requests	22
3.3.1	Identification and Authentication for Routine Re-key	22
3.3.2	Identification and Authentication for Re-key After Revocation	23
3.4	Identification and Authentication for Revocation Request	23
4.	CERTIFICATE LIFE-CYCLE OPERATIONAL	24
4.1	Certificate Application	24
4.1.1	Who Can Submit a Certificate Application?	24
4.1.2	Enrollment Process and Responsibilities	24
4.2	Certificate Application Processing	25
4.2.1	Performing Identification and Authentication Functions	25
4.2.2	Approval or Rejection of Certificate Applications	25
4.2.3	Time to Process Certificate Applications	25
4.3	Certificate Issuance	25
4.3.1	CA Actions during Certificate Issuance	25
4.3.2	Notifications to Subscriber by the CA of Issuance of Certificate	25
4.4	Certificate Acceptance	26
4.4.1	Conduct Constituting Certificate Acceptance	26

4.4.2	Publication of the Certificate by the CA	26
4.4.3	Notification of Certificate Issuance by the CA to Other Entities	26
4.5	Key Pair and Certificate Usage	26
4.5.1	Subscriber Private Key and Certificate Usage	26
4.5.2	Relying Party Public Key and Certificate Usage	26
4.6	Certificate Renewal.....	27
4.6.1	Circumstances for Certificate Renewal	27
4.6.2	Who May Request Renewal	27
4.6.3	Processing Certificate Renewal Requests	27
4.6.4	Notification of New Certificate Issuance to Subscriber.....	27
4.6.5	Conduct Constituting Acceptance of a Renewal Certificate.....	27
4.6.6	Publication of the Renewal Certificate by the CA	27
4.6.7	Notification of Certificate Issuance by the CA to Other Entities	27
4.7	Certificate Re-Key.....	28
4.7.1	Circumstances for Certificate Re-Key	28
4.7.2	Who May Request Certification of a New Public Key.....	28
4.7.3	Processing Certificate Re-Keying Requests.....	28
4.7.4	Notification of New Certificate Issuance to Subscriber.....	28
4.7.5	Conduct Constituting Acceptance of a Re-Keyed Certificate	28
4.7.6	Publication of the Re-Keyed Certificate by the CA	28
4.7.7	Notification of Certificate Issuance by the CA to Other Entities	29
4.8	Certificate Modification	29
4.8.1	Circumstances for Certificate Modification	29
4.8.2	Who May Request Certificate Modification.....	29
4.8.3	Processing Certificate Modification Requests	29
4.8.4	Notification of New Certificate Issuance to Subscriber.....	29
4.8.5	Conduct Constituting Acceptance of Modified Certificate	29
4.8.6	Publication of the Modified Certificate by the CA	29
4.8.7	Notification of Certificate Issuance by the CA to Other Entities	29
4.9	Certificate Revocation and Suspension	30
4.9.1	Circumstances for Revocation.....	30
4.9.2	Who Can Request Revocation	31
4.9.3	Procedure for Revocation Request	31
4.9.4	Revocation Request Grace Period	31
4.9.5	Time within Which CA Must Process the Revocation Request.....	31
4.9.6	Revocation Checking Requirements for Relying Parties.....	32
4.9.7	CRL Issuance Frequency	32
4.9.8	Maximum Latency for CRLs	32
4.9.9	On-Line Revocation/Status Checking Availability	32
4.9.10	On-Line Revocation Checking Requirements	32
4.9.11	Other Forms of Revocation Advertisements Available	33
4.9.12	Special Requirements regarding Key Compromise	33
4.9.13	Circumstances for Suspension.....	33
4.9.14	Who Can Request Suspension	33
4.9.15	Procedure for Suspension Request.....	33
4.9.16	Limits on Suspension Period	33
4.10	Certificate Status Services.....	33
4.10.1	Operational Characteristics	33
4.10.2	Service Availability.....	33
4.10.3	Optional Features	33
4.11	End of Subscription.....	33
4.12	Key Escrow and Recovery.....	34
4.12.1	Key Escrow and Recovery Policy and Practices	34
4.12.2	Session Key Encapsulation and Recovery Policy and Practices	34
5.	FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS.....	35
5.1	Physical Controls	35

5.1.1	Site Location and Construction.....	35
5.1.2	Physical Access.....	35
5.1.3	Power and Air Conditioning.....	36
5.1.4	Water Exposures.....	36
5.1.5	Fire Prevention and Protection.....	36
5.1.6	Media Storage.....	36
5.1.7	Waste Disposal.....	36
5.1.8	Off-Site Backup.....	36
5.2	Procedural Controls.....	36
5.2.1	Trusted Roles.....	36
5.2.2	Number of Persons Required per Task.....	37
5.2.3	Identification and Authentication for Each Role.....	37
5.2.4	Roles Requiring Separation of Duties.....	38
5.3	Personnel Controls.....	38
5.3.1	Qualifications, Experience, and Clearance Requirements.....	38
5.3.2	Background Check Procedures.....	38
5.3.3	Training Requirements.....	39
5.3.4	Retraining Frequency and Requirements.....	39
5.3.5	Job Rotation Frequency and Sequence.....	39
5.3.6	Sanctions for Unauthorized Actions.....	39
5.3.7	Independent Contractor Requirements.....	40
5.3.8	Documentation Supplied to Personnel.....	40
5.4	Audit Logging Procedures.....	40
5.4.1	Types of Events Recorded.....	40
5.4.2	Frequency of Processing Log.....	41
5.4.3	Retention Period for Audit Log.....	41
5.4.4	Protection of Audit Log.....	41
5.4.5	Audit Log Backup Procedures.....	41
5.4.6	Audit Collection System (Internal vs. External).....	41
5.4.7	Notification to Event-Causing Subject.....	41
5.4.8	Vulnerability Assessments.....	41
5.5	Records Archival.....	42
5.5.1	Types of Records Archived.....	42
5.5.2	Retention Period for Archive.....	42
5.5.3	Protection of Archive.....	42
5.5.4	Archive Backup Procedures.....	42
5.5.5	Requirements for Time-Stamping of Records.....	43
5.5.6	Archive Collection System.....	43
5.5.7	Procedures to Obtain and Verify Archive Information.....	43
5.6	Key Changeover.....	43
5.7	Compromise and Disaster Recovery.....	43
5.7.1	Incident and Compromise Handling Procedures.....	43
5.7.2	Computing Resources, Software, and/or Data Are Corrupted.....	44
5.7.3	Entity Private Key Compromise Procedures.....	44
5.7.4	Business Continuity Capabilities After a Disaster.....	44
5.8	CA or RA Termination.....	46
5.9	Data Security.....	47
5.9.1	Objectives.....	47
5.9.2	Risk Assessment.....	47
5.9.3	Security Plan.....	47
6.	TECHNICAL SECURITY CONTROLS.....	48
6.1	Key Pair Generation and Installation.....	48
6.1.1	Key Pair Generation.....	48
6.1.2	Private Key Delivery to Subscriber.....	48
6.1.3	Public Key Delivery to Certificate Issuer.....	48
6.1.4	CA Public Key Delivery to Relying Parties.....	48

6.1.5	Key Sizes	49
6.1.6	Public Key Parameters Generation and Quality Checking	49
6.2	Private Key Protection and Cryptographic Module Engineering Controls	49
6.2.1	Cryptographic Module Standards and Controls	49
6.2.2	Private Key (m out of n) Multi-Person Control	50
6.2.3	Private Key Escrow	50
6.2.4	Private Key Backup	50
6.2.5	Private Key Archival	50
6.2.6	Private Key Transfer Into or From a Cryptographic Module	51
6.2.7	Private Key Storage on Cryptographic Module	51
6.2.8	Method of Activating Private Key	51
6.2.9	Method of Deactivating Private Key	52
6.2.10	Method of Destroying Private Key	52
6.2.11	Cryptographic Module Rating	52
6.3	Other Aspects of Key Pair Management	53
6.3.1	Public Key Archival	53
6.3.2	Certificate Operational Periods and Key Pair Usage Periods	53
6.4	Activation Data	54
6.4.1	Activation Data Generation and Installation	54
6.4.2	Activation Data Protection	54
6.4.3	Other Aspects of Activation Data	54
6.5	Computer Security Controls	55
6.5.1	Specific Computer Security Technical Requirements	55
6.5.2	Computer Security Rating	55
6.6	Life Cycle Technical Controls	55
6.6.1	System Development Controls	55
6.6.2	Security Management Controls	56
6.6.3	Life Cycle Security Controls	56
6.7	Network Security Controls	56
6.8	Time-Stamping	56
7.	CERTIFICATE, CRL, AND OCSP PROFILES	57
7.1	Certificate Profile	57
7.1.1	Version Number(s)	57
7.1.2	Certificate Extensions	57
7.1.3	Algorithm Object Identifiers	59
7.1.4	Name Forms	59
7.1.5	Name Constraints	59
7.1.6	Certificate Policy Object Identifier	60
7.1.7	Usage of Policy Constraints Extension	60
7.1.8	Policy Qualifiers Syntax and Semantics	60
7.1.9	Processing Semantics for the Critical Certificate Policies Extension	60
7.2	CRL Profile	60
7.2.1	Version Number(s)	61
7.2.2	CRL and CRL Entry Extensions	61
7.3	OCSP Profile	61
7.3.1	Version Number(s)	61
7.3.2	OCSP Extensions	61
8.	COMPLIANCE AUDIT AND OTHER ASSESSMENTS	62
8.1	Frequency and Circumstances of Assessment	62
8.2	Identity/Qualifications of Assessor	62
8.3	Topics Covered by Assessment	63
8.4	Actions Taken as a Result of Deficiency	63
8.5	Communications of Results	63
9.	OTHER BUSINESS AND LEGAL MATTERS	64
9.1	Fees	64
9.1.1	Certificate Issuance or Renewal Fees	64

9.1.2	Certificate Access Fees	64
9.1.3	Revocation or Status Information Access Fees	64
9.1.4	Fees for Other Services.....	64
9.1.5	Refund Policy.....	64
9.2	Financial Responsibility	65
9.2.1	Insurance Coverage	65
9.2.2	Other Assets	65
9.3	Confidentiality of Business Information	65
9.3.1	Scope of Confidential Information	65
9.3.2	Information Not Within the Scope of Confidential Information.....	65
9.3.3	Responsibility to Protect Confidential Information	65
9.4	Privacy of Personal Information.....	65
9.4.1	Privacy Plan.....	65
9.4.2	Information Treated as Private	66
9.4.3	Information Not Deemed Private	66
9.4.4	Responsibility to Protect Private Information.....	66
9.4.5	Notice and Consent to Use Private Information	66
9.4.6	Disclosure Pursuant to Judicial or Administrative Process	66
9.4.7	Disclosure Upon Owner's Request.....	66
9.4.8	Other Information Disclosure Circumstances	66
9.5	Intellectual Property rights	67
9.5.1	Property Rights in Certificates and Revocation Information.....	67
9.5.2	Property Rights in the CPS.....	67
9.5.3	Property Rights in Names.....	67
9.5.4	Property Rights in Keys and Key Material	67
9.6	Representations and Warranties	68
9.6.1	CA Representations and Warranties	68
9.6.2	RA Representations and Warranties	68
9.6.3	Subscriber Representations and Warranties.....	68
9.6.4	Relying Party Representations and Warranties	69
9.6.5	Representations and Warranties of Other Participants	69
9.7	Disclaimers of Warranties.....	69
9.8	Obligations for CAs issuing Qualified Certificates	69
9.9	Limitations of Liability.....	70
9.10	Indemnities	71
9.10.1	Indemnification by Subscribers.....	71
9.10.2	Indemnification by Relying Parties	71
9.11	Term and Termination	71
9.11.1	Term.....	71
9.11.2	Termination.....	71
9.11.3	Effect of Termination and Survival.....	71
9.12	Individual Notices and Communications with Participants	72
9.13	Amendments.....	72
9.13.1	Procedure for Amendment.....	72
9.13.2	Notification Mechanism and Period	72
9.13.3	Circumstances under Which OID Must be Changed.....	73
9.14	Dispute Resolution Provisions.....	73
9.14.1	Disputes among Symantec, Affiliates, and Customers	73
9.14.2	Disputes with End-User Subscribers or Relying Parties	73
9.15	Governing Law.....	73
9.16	Compliance with Applicable Law	73
9.17	Miscellaneous Provisions	73
9.17.1	Entire Agreement.....	73
9.17.2	Assignment	74
9.17.3	Severability	74
9.17.4	Enforcement (Attorney's Fees and Waiver of Rights)	74

9.17.5 Force Majeure.....	74
9.18 Other Provisions	74
Appendix A. Table of Acronyms and definitions.....	75
Table of Acronyms	75
Definitions.....	75

1. INTRODUCTION

This document is the ADACOM Certification Practice Statement for Qualified Certificates (“CPS”). It states the practices that ADACOM certification authorities (“CAs”) employ in providing certification services for Qualified Certificates in accordance with the European and Greek law that include, but are not limited to, issuing, managing, revoking, and renewing Qualified Certificates in accordance with the specific requirements of the Symantec Trust Network Certificate Policies (“CP”) and the Symantec Trust Network European Directive Policies (“EDP”) that supplements the CP.

The CP is the principal statement of policy governing the Symantec Trust Network (STN). It establishes the business, legal, and technical requirements for approving, issuing, managing, using, revoking, and renewing, digital Certificates within the STN and providing associated trust services. These requirements, called the “STN Standards,” protect the security and integrity of the STN, apply to all STN Participants, and thereby provide assurances of uniform trust throughout the STN. More information concerning the STN and STN Standards is available in the CP.¹

In addition the Symantec Trust Network European Directive Policies (“EDP”) supplements the “CP” with additional information as to how the STN meets specific policy requirements set forth by the European Telecommunications Standards Institute (“ETSI”). The purpose of the EDP is to facilitate compliance with the Directive 1999/93/EC of the European Parliament and of the Council of 13 December 1999 on a Community framework for Electronic Signatures (the “Directive”).

1 The Directive is intended to facilitate the use of Electronic Signatures and establishes requirements for “Qualified Certificates” that support certain types of Electronic Signatures. The EDP also describes the two certificate policies set forth in the European Telecommunications Standards Institute (“ETSI”) Technical Specification 101 456 (the “ETSI Policy Document Policy Document”).

2 The EDP defines two policies that supplement the CP referring to Qualified Certificates, referred to here as “Directive Level 1” (“DL1”) and “Directive Level 2” (“DL2”). DL1 and DL2 correspond, respectively, to the “QCP public” certificate policy and “QCP public + SSCD” certificate policy defined in the ETSI Policy Document.

3 Finally, the EDP supplements the certificate profile developed by ETSI (the “Qualified Certificate Profile”), which defines a technical format for Certificates that meet the requirements of the directive (“Qualified Certificates”). Certification Authorities issuing Qualified Certificates can use the Qualified Certificate Profile to assist them in issuing certificates that comply with annex I and II of the Directive. A copy of the EDP can be found at

<https://www.adacom.com/repository/edp>.

ADACOM has authority over a portion of the STN called its “Sub-domain” of the STN. ADACOM’s Sub-domain includes entities subordinate to it such as its Customers, Subscribers, and Relying Parties.

While the CP and EDP set forth requirements that STN Participants must meet, this CPS describes how ADACOM meets these requirements within ADACOM’s Sub-domain of the STN. More specifically, this CPS describes the practices that ADACOM employs for:

- Securely managing the core infrastructure that supports the STN, and
- Issuing, managing, revoking, and renewing STN Qualified Certificates

¹ The current version of STN CP, can be found at <https://www.adacom.com/repository>

within ADACOM's Sub-domain of the STN, in accordance with the requirements of the CP, the EDP and its STN Standards.

This CPS conforms to the Internet Engineering Task Force (IETF) RFC 3647 for Certificate Policy and Certification Practice Statement construction.

1.1 Overview

ADACOM is a "Processing Center," as described in CP § 1.1.2.1.2, which means ADACOM has established a secure facility housing, among other things, CA systems, including the cryptographic modules holding the private keys used for the issuance of Certificates. ADACOM acts as a CA in the STN and performs all Certificate lifecycle services of issuing, managing, revoking, and renewing Certificates. It also provides CA key management and Certificate lifecycle services on behalf of its Enterprise Customers or the Enterprise Customers of the Service Centers subordinate to ADACOM. ADACOM also offers Certificates in three lines of business:

- Consumer (Class 1 client Retail Certificates, Qualified Certificates and Class 3 Administrator Certificates),
- Web Site (Secure Server ID and Secure Server Pro), and
- Enterprise (providing Managed PKI services).

Web Site Certificates (Secure Server ID and Secure Server Pro) are offered by ADACOM in a special cooperation with Symantec and not under an ADACOM CA. For this line of business the Symantec CPS shall apply as published on <http://www.symauth.com/repository/cps/>.

This CPS is specifically applicable to:

- Symantec's Public Primary Certification Authority (PCA), being the Root Certification Authority for ADACOM Qualified Certificates,
- ADACOM Infrastructure CAs, and ADACOM Administrative CAs supporting the Symantec Trust Network, and the management of the Qualified Certificates issued by ADACOM,
- ADACOM's Public CAs, consist the certificate chain for ADACOM Qualified Certificates.

More generally, the CPS also governs the use of STN services regarding Qualified Certificates within ADACOM's Sub-domain of the STN by all individuals and entities within ADACOM's Sub-domain (collectively, "ADACOM Sub-domain Participants").

Private CAs and hierarchies managed by ADACOM are outside the scope of this CPS. The practices relating to services provided by other Affiliates or services provided by Symantec to other Affiliates are beyond the scope of this CPS. The CAs managed by other Affiliates are also outside the scope of this CPS.

The STN includes four classes of Certificates, Classes 1-4, as well as the two distinct policies DL1 and DL2 for Qualified Certificates (with or without a Secure Signature Creation Device - SSCD). The CP is a single document that defines these certificate policies, one for each of the Classes, and sets STN Standards for each Class. EDP is the document that defines the two certificate policies for Qualified Certificates (DL1 and DL2).

ADACOM offers the following types of certificates within its Sub-domain of the STN:

- Class 1
- Class 2 (For the Managed PKI users)
- Qualified Certificates (two distinct policies, DL1 and DL2)

This CPS describes how ADACOM meets the CP and EDP requirements for the Qualified Certificates it issues within its Sub-domain. Thus, the CPS, as a single document, covers practices and procedures concerning the issuance and management of the Qualified Certificate provided by ADACOM.

ADACOM may publish Certificate Practices Statements that are supplemental to this CPS in order to comply with the specific policy requirements of the applicable legislation, or other industry standards and requirements. These supplemental certificate practices shall be made available to subscribers for the certificates issued under the supplemental policies and their relying parties.

The CPS is only one of a set of documents relevant to ADACOM's Sub-domain of the STN. These other documents include:

- Ancillary confidential security and operational documents² that supplement the CP and CPS by providing more detailed requirements, such as:
 - The Symantec Physical Security Policy, which sets forth security principles governing the STN infrastructure,
 - The Symantec Security and Audit Requirements Guide, which describes detailed requirements for Symantec and Affiliates concerning personnel, physical, telecommunications, logical, and cryptographic key management security, and
 - Key Ceremony Reference Guide, which presents detailed key management operational requirements.
 - The ADACOM Physical Security Policy which sets forth security principles governing ADACOM Sub-domain,
 - The ADACOM Information System Security Policy that states the requirements for Information System infrastructure in order to operate securely and according to relative legislative and contractual requirements.
 - ADACOM Cryptographic Key Management Policy, which presents detailed key management operational requirements.
- Ancillary agreements imposed by ADACOM. These agreements bind Customers, Subscribers, and Relying Parties of ADACOM. Among other things, the agreements flow down STN Standards to these STN Participants and, in some cases, state specific practices for how they must meet STN Standards.

In many instances, the CPS refers to these ancillary documents for specific, detailed practices implementing STN Standards where including the specifics in the CPS could compromise the security of ADACOM's Sub-domain of the STN.

1.2 Document name and Identification

This document is the ADACOM Certification Practice Statement for Qualified Certificates. STN Certificates contain object identifier values corresponding to the applicable STN Class of Certificate. Therefore, ADACOM has not assigned this CPS an object identifier value.

Certificate Policy Object Identifiers are used in accordance with Section 7.1.6.

² Although these documents are not publicly available their specifications are included in Symantec's Annual WebTrust for Certification authorities audit and may be made available to customer under special Agreement

1.3 PKI Participants

1.3.1 Certification Authorities

The term Certification Authority (CA) is an umbrella term that refers to all entities authorized to issue public key certificates within the STN. The CA term encompasses a subcategory of issuers called Primary Certification Authorities (PCA). PCAs act as roots of four domains³, one for each class of Certificate. Each PCA is a Symantec entity. Subordinate to the PCAs are ADACOM Certification Authorities that issue Certificates to end-user Subscribers or other CAs. ADACOM owns, among others, an Issuing CA used for managing the Qualified Certificates.

ADACOM enterprise customers may operate their own CAs as a subordinate CA to a Symantec PCA. Such a customer enters into a contractual relationship with ADACOM to abide by all the requirements of the STN CP and the ADACOM CPS. These subordinate CAs may, however implement a more restrictive practices based on their internal requirements. Especially, when these subordinate CAs manage Qualified Certificates they are bound to comply with all the requirements set forth in the STN EDP.

One STN CA technically outside the three hierarchies under each of the PCAs is the Secure Server Certification Authority. This CA does not have a superior CA, such as a root or a PCA. Rather, the Secure Server CA acts as its own root and has issued itself a self-signed root Certificate. It also issues Certificates to end-user Subscribers. Thus, the Secure Server Hierarchy consists only of the Secure Server CA. The Secure Server CA issues Secure Server IDs, which are deemed to be Class 3 Organizational Certificates.

The Secure Server CA employs lifecycle practices that are substantially similar with those of other Class 3 CAs within the STN. Thus, Symantec has approved and designated the Secure Server Certification Authority as a Class 3 CA within the STN. The Certificates it issues are considered to provide assurances of trustworthiness comparable to other Class 3 organizational Certificates.

In this CPS, references to CAs refer to CAs that comprise the certificate chain of ADACOM Qualified Certificates. More specifically these CAs are:

- (Symantec) Class 2 Public Primary Certification Authority – G2, as Root CA,
- ADACOM Class 2 CA, as Intermediate CA, and
- ADACOM Qualified Certificate Services CA, as Issuing CA.

1.3.2 Registration Authorities

A Registration Authority is an entity that performs identification and authentication of certificate applicants for end-user certificates, initiates or passes along revocation requests for certificates for end-user certificates, and approves applications for renewal or re-keying certificates on behalf of a STN CA. ADACOM acts as an RA for the Qualified Certificates it issues.

Third parties, who enter into a contractual relationship with ADACOM, may operate their own RA and authorize the issuance of certificates by an ADACOM CA. Third party RAs must abide by all the requirements of the STN CP, the ADACOM CPS and the terms of their enterprise services agreement with ADACOM. RAs may, however implement more restrictive practices based on their internal requirements.⁴ For Qualified Certificates, this is not an applicable option.

³ Class 4 certificates are not currently issued by the STN

⁴ An example of a third party RA is a customer of Managed PKI services customer.

ADACOM may enter into a contractual relationship with one or more third parties, in order to outsource part of RA responsibilities, especially regarding the validation of the Subscriber. In this case, the third party constitutes a Local Registration Authority (LRA). LRA performs its responsibilities in accordance with and is bound by the contractual terms and this CPS, as well.

1.3.3 Subscribers

Subscribers under the STN include all end users (including entities) of certificates issued by a STN CA. A subscriber is the entity named as the end-user Subscriber of a certificate. End-user Subscribers may be individuals or organizations. For Qualified Certificates, end-user Subscribers may be only legally eligible individuals, in accordance with the Greek law.

In some cases certificates are issued directly to individuals or entities for their own use. However, there commonly exist other situations where the party requiring a certificate is different from the subject to whom the credential applies. For example, an organization may require certificates for its employees to allow them to represent the organization in electronic transactions/business. In such situations the entity subscribing for the issuance of certificates (i.e. paying for them, either through subscription to a specific service, or as the issuer itself) is different from the entity which is the subject of the certificate (generally, the holder of the credential). Two different terms are used in this CPS to distinguish between these two roles: "Subscriber", is the entity which contracts with ADACOM for the issuance of credentials and; "Subject", is the person to whom the credential is bound. The Subscriber bears ultimate responsibility for the use of the credential but the Subject is the individual that is authenticated when the credential is presented.

When 'Subject' is used, it is to indicate a distinction from the Subscriber. When "Subscriber" is used it may mean just the Subscriber as a distinct entity but may also use the term to embrace the two. The context of its use in this CPS will invoke the correct understanding.

CAs are technically also subscribers of certificates within the STN, either as a PCA issuing a self signed Certificate to itself, or as a CA issued a Certificate by a superior CA. References to "end entities" and "subscribers" in this CPS, however, apply only to end-user Subscribers of Qualified Certificates.

1.3.4 Relying Parties

A Relying Party is an individual or entity that acts in reliance of a certificate and/or a digital signature issued under the STN. A Relying party may, or may not also be a Subscriber within the STN.

1.3.5 Other Participants

Not applicable.

1.4 Certificate Usage

1.4.1 Appropriate Certificate Usages

Individual Certificates are normally used by individuals to sign and encrypt e-mail and to authenticate to applications (client authentication). While the most common usages for ADACOM Qualified individual certificates are included in Table 1 below, a DL1 or DL2 certificate may be used for other purposes, provided that a Relying Party is able to reasonably rely on that certificate and the usage is not otherwise prohibited by law, the STN CP, the STN EDP, this CPS and the Subscriber Agreement.

DL1 Certificates may be used to support digital signatures, where the applications making use of the digital signatures require Electronic Signatures that “are not [to be] denied legal effectiveness and admissibility as evidence in legal proceedings” in accordance with article 5(2) of the Directive. The uses for DL1 Certificates correspond to the uses for certificates identified in the QCP public Certificate policy in the ETSI Policy Document.

DL2 Certificates may be used to support digital signatures where the applications making use of the digital signatures require Advanced Electronic Signatures that “satisfy the requirements of a signature in relation to data in electronic form in the same manner as a hand-written signature satisfies those requirements in relation to paper based data” in accordance with article 5(1) of the Directive. The uses for DL2 Certificates correspond to the uses for Certificates identified in the QCP public+ SSCD Certificate policy in the ETSI Policy Document.

DL1 and DL2 Certificates are **High assurance Certificates** that provide a high level of assurance of the identity of the Subscriber.

Certificate Class	Assurance Level		Usage		
	Low assurance level	High assurance Level	Signing	Encryption	Client Authentication
DL1 Certificates		✓	✓	✓	✓
DL2 Certificates		✓	✓	✓	✓

Table 1 - Individual Certificate Usage

1.4.2 Restricted Applications

In addition Subscribers and/or Subjects of DL2 Certificates shall use an SSCD to create digital signatures only in connection with the use of an SSCD.

1.4.3 Prohibited Certificate Uses

Certificates shall be used only to the extent the use is consistent with applicable law, and in particular shall be used only to the extent permitted by applicable export or import laws.

Symantec Certificates are not designed, intended, or authorized for use or resale as control equipment in hazardous circumstances or for uses requiring fail-safe performance such as the operation of nuclear facilities, aircraft navigation or communication systems, air traffic control systems, or weapons control systems, where failure could lead directly to death, personal injury, or severe environmental damage.

DL1 and DL2 Certificates are intended for client applications and shall not be used as server or organizational Certificates or as CA Certificates.

CA Certificates may not be used for any functions except CA functions.

Symantec and ADACOM periodically rekey Intermediate CAs. Third party applications or platforms that have an Intermediate CA embedded as a root certificate may not operate as designed after the Intermediate CA has been rekeyed. ADACOM therefore does not warrant the use of Intermediate CAs as root certificates and recommends that Intermediate CAs not be embedded into applications and/or platforms as root certificates. ADACOM recommends the use of PCA Roots as root certificates.

1.5 Policy Administration

1.5.1 Organization Administering the Document

ADACOM S.A.
25, Kreontos Street
10442, Athens
Greece

Attn: Practices Development – CPS
phone number: +30 210 5193740
fax number: +30 210 5193555
practices@adacom.com

1.5.2 Contact Person

The Certificate Policy Manager
ADACOM Practices Development Group
25, Kreontos Street,
10442, Athens,
Greece

Attn: Practices Development – CPS
ADACOM phone number +30 210 5193740
ADACOM fax number: +30 210 5193555
practices@adacom.com

1.5.3 Person Determining CP Suitability for the Policy

The organization identified in Section 1.5.2 is responsible for determining whether this CPS and other documents in the nature of certification practice statements that supplement or are subordinate to this CPS are suitable under the STN CP, the STN EDP and this CPS.

1.5.4 CPS Approval Procedure

Approval of this CPS and subsequent amendments are made by the ADACOM Practices Development Group (APDG) and the Policy Management Authority (PMA). Amendments are either in the form of a document containing an amended form of the CPS or an update notice. Amended versions or updates are linked to the Practices Updates and Notices section of the ADACOM Repository located at:

<https://www.adacom.com.repository/updates>.

Updates supersede any designated or conflicting provisions of the referenced version of the CPS.

1.6 *Definitions and Acronyms*

See Appendix A for a table of acronyms and definitions.

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1 Repositories

ADACOM is responsible for the repository functions for its own CAs. ADACOM publishes the issued DL1 or DL2 Certificates in the repository in accordance with CPS § 2.2.

Upon revocation of an end-user Subscriber's Certificate, ADACOM publishes notice of such revocation in the repository. ADACOM issues Certificate Revocation Lists (CRLs) for its own CAs, pursuant to the provisions of this CPS. In addition, Enterprise Customers who have contracted for Online Certificate Status Protocol ("OCSP") services, ADACOM provides OCSP services pursuant to the provisions of this CPS.

2.2 Publication of Certificate Information

ADACOM maintains a web-based repository that permits Relying Parties to make online inquiries regarding revocation and other Certificate status information. ADACOM provides Relying Parties with information on how to find the appropriate repository to check Certificate status and, if OCSP (Online Certificate Status Protocol) is available, how to find the right OCSP responder.

ADACOM publishes the Certificates it issues on behalf of its own CAs. Upon revocation of an end-user Subscriber's Certificate, ADACOM publishes notice of such revocation in the repository. In addition, ADACOM issues Certificate Revocation Lists (CRLs) and, if available, provides OCSP services for its own CAs.

ADACOM will at all times publish in the repository section of its web site, a current version of:

- The STN CP
- The STN EDP
- This CPS
- Subscriber Agreements
- Relying Party Agreements
- It's Privacy Policy

ADACOM is responsible for the repository function for ADACOM CAs

ADACOM publishes certain CA information in the repository section of ADACOM's web site at <http://www.adacom.com/repository> as described below.

ADACOM publishes Certificates in accordance with Table 2 below.

Certificate Type	Publication Requirements
Symantec PCA	Available to Relying Parties through inclusion in current browser software.
ADACOM Intermediate and Issuing CA Certificates	Available to Relying Parties as part of a Certificate Chain that can be obtained with the end-user Subscriber Certificate through the query functions described below.

Certificate Type	Publication Requirements
End-User Subscriber Certificates	Available to relying parties through query functions in the ADACOM repository at: https://www.adacom.com/repository . Also available through query of the ADACOM LDAP directory server at directory.adacom.com .

Table 2 – Certificate Publication Requirements

2.3 Time or Frequency of Publication

Updates to this CPS are published in accordance with Section 9.13. Updates to Subscriber Agreements and Relying Party Agreements are published as necessary. Certificates are published upon issuance. Certificate status information is published in accordance with the provisions of this CPS.

2.4 Access Controls on Repositories

Information published in the repository portion of the ADACOM web site is publicly-accessible information. Read only access to such information is unrestricted. ADACOM requires persons to agree to a Relying Party Agreement as a condition to accessing Certificates, Certificate status information, or CRLs. ADACOM has implemented logical and physical security measures to prevent unauthorized persons from adding, deleting, or modifying repository entries according to the applicable ADACOM security policies.

3. IDENTIFICATION AND AUTHENTICATION

3.1 Naming

Unless where indicated otherwise in the STN CP, the STN EDP, this CPS or the content of the digital certificate, names appearing in Certificates issued under STN are authenticated.

3.1.1 Type of Names

While the STN is currently owned by Symantec Corporation, legacy certificates have been issued in the name of the former owner. Any legacy certificate that indicates the Organization (O) as “VeriSign, Inc.” and Organizational Unit (OU) as “VeriSign Trust Network” shall mean Symantec Corporation and the Symantec Trust Network, respectively.

ADACOM CA Certificates contain X.501 Distinguished Names in the Issuer and Subject fields. ADACOM CA Distinguished Names consist of the components specified in Table 3a below.

Attribute	Value					
	Issuer Field			Subject Field		
	Root CA	Intermediate CA	Issuing CA	Root CA	Intermediate CA	Issuing CA
Country (C) =	US	US	GR	US		GR
Organization (O) =	Symantec Corporation	Symantec Corporation	ADACOM S.A	Symantec Corporation	ADACOM S.A	ADACOM S.A
Organizational Unit (OU) =	<ul style="list-style-type: none"> Symantec Trust Network Class 2 Public Primary Certification Authority – G2 	<ul style="list-style-type: none"> Symantec Trust Network Class 2 Public Primary Certification Authority – G2 	Symantec Trust Network	<ul style="list-style-type: none"> Symantec Trust Network Class 2 Public Primary Certification Authority – G2 	Symantec Trust Network	<ul style="list-style-type: none"> Class 2 Onsite Individual Subscriber CA Terms of use at https://sec.adacom.com/rpa(c)03 Symantec Trust Network
Common Name (CN) =	-----	-----	Adacom Class 2 CA	-----	Adacom Class 2 CA	ADACOM Qualified Certificate Services CA

Table 3a – Distinguished Name Attributes in CA Certificates⁵

⁵ Legacy names of CAs in operation.

ADACOM new Qualified Services CA Distinguished Names consist of the components specified in Table 3b below.

Attribute	Value
Country (C) =	GR
Organization (O) =	ADACOM S.A
Organizational Unit (OU) =	<ul style="list-style-type: none"> • Class 2 Managed PKI Individual Subscriber CA • Symantec Trust Network
Common Name (CN) =	ADACOM Qualified Services CA

Table 3b – Distinguished Name Attributes in new CA Certificates

End-user Subscriber Certificates contain an X.501 distinguished name in the Subject name field and consist of the components specified in Table 4 below.

Attribute	Value
Country (C) =	2 letter ISO country code of the end user
Organization (O) =	The Organization attribute is used as follows: <ul style="list-style-type: none"> • ADACOM S.A.
Organizational Unit (OU) =	ADACOM end-user Subscriber Certificates may contain multiple OU attributes. Such attributes may contain one or more of the following: <ul style="list-style-type: none"> • Subscriber organizational unit (for individual Certificates that have an organization affiliation) • Terms of use at https://www.adacom.com/rpa • Text to describe the type of Certificate.
Common Name (CN) =	This attribute includes: <ul style="list-style-type: none"> • The OCSP Responder Name (for OCSP Responder Certificates) • Full Name of the end user
E-Mail Address (E) =	E-mail address of the end user

Table 4 – Distinguished Name Attributes in End User Subscriber Certificates

The Common Name (CN=) component of the Subject distinguished name of end-user Subscriber Certificates is authenticated. The common name value included in the Subject distinguished name of individual Certificates represents the individual's real personal name.

3.1.2 Need for Names to be Meaningful

DL1 and DL2 Certificates contain names with commonly understood semantics permitting the determination of the identity of the individual that is the Subject of the Certificate.

ADACOM CA certificates contain names with commonly understood semantics permitting the determination of the identity of the CA that is the Subject of the Certificate.

3.1.3 Anonymity or pseudonymity of Subscribers

For ADACOM Qualified Certificates (DL1 or DL2), the use of pseudonyms is not permitted.

3.1.4 Rules for Interpreting Various Name Forms

No stipulation.

3.1.5 Uniqueness of Names

ADACOM ensures that Subject Distinguished Names of Subscriber are unique within the domain of a specific CA through automated components of the Subscriber enrollment process. It is possible for a Subscriber to have two or more certificates with the similar Subject Distinguished Name.

3.1.6 Recognition, Authentication, and Role of Trademarks

Certificate Applicants are prohibited from using names in their Certificate Applications that infringe upon the Intellectual Property Rights of others. ADACOM, however, does not verify whether a Certificate Applicant has Intellectual Property Rights in the name appearing in a Certificate Application or arbitrates, mediates or otherwise resolves any dispute concerning the ownership of any domain name, trade name, trademark, or service mark. ADACOM is entitled, without liability to any Certificate Applicant, to reject or suspend any Certificate Application because of such dispute.

3.2 Initial Identity Validation

3.2.1 Method to Prove Possession of Private Key

The certificate applicant must demonstrate that it rightfully holds the private key corresponding to the public key to be listed in the Certificate. The method to prove possession of a private key shall be PKCS #10, another cryptographically equivalent demonstration or another ADACOM-approved and Symantec-approved method.

3.2.2 Authentication of Individual Identity

For DL1 and DL2 Certificates the authentication of identity is based on the personal (physical) presence of the Certificate Applicant before an agent of the ADACOM, or before a notary public or other official with comparable authority within the Certificate Applicant's jurisdiction. ADACOM representatives, notary or other official authority, check the identity of the Certificate Applicant against a well-organized document of identification issued photographic identification, such as an identification card or a passport. When the authentication is based on the personal (physical) presence of the Certificate Applicant before an agent of the ADACOM, ADACOM attests a copy of the Applicant's identification card or a passport for archiving purposes. When the authentication is based on the personal (physical) presence of the Certificate Applicant before a notary public or other official with comparable authority, the Applicant has to submit to ADACOM or the equivalent RA, an attested copy of his/her identification card or passport, referring the attestation date.

The attestation of the identification card or the passport must be in the Greek, English, French or German language. In case of an identification card or a passport issued in other than the above

languages, the attestation must be in one of those languages or accompanied by an official translation in one of the above mentioned languages.

3.2.3 Non-Verified Subscriber information

Non-verified subscriber information includes the Organization Unit (OU) attributes.

3.2.4 Validation of Authority

Whenever an individual's name is associated with an Organization name in a certificate in such a way to indicate the individual's affiliation or authorization to act on behalf of the Organization ADACOM RA:

- Determines that the organization exists by using at least one third party identity proofing service or database, or alternatively, organizational documentation issued by or filed with the applicable government that confirms the existence of the organization, and
- Uses information contained in the business records or databases of business information (employee or customer directories) of an RA approving certificates to its own affiliated individuals or confirms by telephone, confirmatory postal mail, or comparable procedure to the organization, the employment with the Organization of the individual submitting the Certificate Application and, when appropriate, his/her authority to act on behalf of the Organization.

3.3 Identification and Authentication for Re-key Requests

Prior to the expiration of an existing Subscriber's Certificate, it is necessary for the Subscriber to obtain a new certificate to maintain continuity of Certificate usage. ADACOM generally requires that the Subscriber generate a new key pair to replace the expiring key pair (technically defined as "rekey"). However, in certain cases (i.e., for web server certificates) Subscribers may request a new certificate for an existing key pair (technically defined as "renewal").

Generally speaking, both "Rekey" and "Renewal" are commonly described as "Certificate Renewal", focusing on the fact that the old Certificate is being replaced with a new Certificate and not emphasizing whether or not a new key pair is generated. For DL1 and DL2 Certificates this distinction is not important as a new key pair is always generated as part of ADACOM's end-user Subscriber Certificate replacement process.

3.3.1 Identification and Authentication for Routine Re-key

As a condition of approving the renewal of a Qualified Certificate, ADACOM or the equivalent RA checks that the information used to verify the identity of the Subject is still valid. Re-key procedures ensure that the person seeking to rekey an end-user Subscriber Certificate is in fact the Subscriber of the Certificate.

The Subscriber submits a rekey application to ADACOM or the equivalent RA by submitting his existing certificate (digitally signing), and the RA, reconfirms in such way the identity of the Subscriber. One acceptable procedure is through the use of a Challenge Phrase (or the equivalent thereof), or proof of possession of the private key. Subscribers choose and submit with their enrollment information a Challenge Phrase. Upon renewal of a Certificate, if a Subscriber correctly submits the Subscriber's Challenge Phrase (or the equivalent thereof) with the Subscriber's reenrollment information, and the enrollment information (including Corporate and Technical contact information) has not changed, a renewal Certificate is automatically issued.

For DL1 and DL2 certificates, the personal (physical) presence of the Certificate Applicant before an agent of ADACOM, or before a notary public or other official with comparable authority within the Certificate Applicant's jurisdiction, is not required, unless the verified registration data included in the certificate or the identification documents (identification card or a passport) that had been submitted at the initial application have changed.

3.3.2 Identification and Authentication for Re-key After Revocation

Re-key after revocation is not permitted if the revocation occurred because:

- The Certificate was issued to a person other than the one named as the Subject of the Certificate, or
- The Certificate was issued without the authorization of the person or entity named as the Subject of such Certificate, or
- ADACOM discovers or has reason to believe that a material fact in the Certificate Application is false.
- For any other reason deemed necessary by Symantec or ADACOM to protect the STN.

Renewal of a Certificate following revocation must ensure that the person seeking renewal is, in fact, the Subscriber. The requirements for the identification and authentication of an original Certificate Application are used for renewing a Certificate following revocation.

3.4 Identification and Authentication for Revocation Request

Prior to the revocation of a Certificate, ADACOM verifies that the revocation has been requested by the Certificate's Subscriber, the entity that approved the Certificate Application.

Acceptable procedures for authenticating the revocation requests of a Subscriber include one or more of the following:

- Having the Subscriber submit the Subscriber's Challenge Phrase and revoking the Certificate automatically if it matches the Challenge Phrase on record
- Receiving a message from the Subscriber that requests revocation and contains a digital signature verifiable with reference to the Certificate to be revoked
- Communication with the Subscriber providing reasonable assurances, ensuring that the person or organization requesting revocation is, in fact the Subscriber or has the dully authorization to do so. Such communication, depending on the circumstances, may include one or more of the following: telephone, facsimile, e-mail, postal mail, or courier service.

ADACOM Administrators are entitled to request the revocation of end-user Subscriber Certificates within ADACOM's Sub-domain. ADACOM authenticates the identity of Administrators via access control using SSL and client authentication before permitting them to perform revocation functions, or another STN-approved procedure.

4. CERTIFICATE LIFE-CYCLE OPERATIONAL

4.1 Certificate Application

4.1.1 Who Can Submit a Certificate Application?

Application for Qualified Certificate may submit the natural (physical) person, who is the subject of the Certificate, provided that he/she is an adult and legally eligible according to the Greek law.

4.1.2 Enrollment Process and Responsibilities

4.1.2.1 End-user Certificate Subscribers

All end-user Certificate Subscribers manifest assent to the relevant Subscriber Agreement that contains representations and warranties described in Section 9.6.3 and undergo an enrollment process consisting of:

- Completing and signing a Certificate Application and providing true and correct information
- Generating, or arranging to have generated, a key pair
- Delivering his, her, or its public key, directly or through an RA, to ADACOM
- Demonstrating possession of the private key corresponding to the public key delivered to ADACOM.

The enrollment process for Qualified Certificates is in accordance with CP § 4.1.1, subject to the following clarifications:

- The Subscriber Agreements, to which Certificate Applicants manifest assent, are communicated in accordance with EDP § 2.1.1, 2.1.2
- The Certificate Applicant shall present evidence of identity consistent with EDP § 3.1.9 and
- The enrollment information provided in the Certificate Application includes a physical address, or other attributes, that enable ADACOM to contact the Certificate Applicant.

Records retained in accordance with CPS § 5.4.1. include the information used to authenticate the Certificate Applicant's identity (including any reference number on the documentation used for authentication and any limitations on its validity) and a record of the signed subscriber agreement in electronic form, wherein the Subscriber inter alia consents to the keeping of a record by the CA of information used in registration and include all other consents required in ETSI Policy Document.

In the case of an application for rekeying:

- Any changes in the terms of the Subscriber Agreement following the previous enrollment or re-enrollment are communicated in accordance with EDP § 2.1.1, 2.1.2 and
- Records retained under CPS § 5.5.1 also include the Subscriber's assent to any such changes.

4.1.2.2 CA and RA Certificates

ADACOM may issue additional RA certificates for the issuance DL1 and DL2 certificates.

4.2 Certificate Application Processing

4.2.1 Performing Identification and Authentication Functions

ADACOM RA performs identification and authentication of all required Subscriber information in terms of Section 3.2.

4.2.2 Approval or Rejection of Certificate Applications

ADACOM RA approves an application for a certificate only if the following criteria are met:

- Successful identification and authentication of all required Subscriber information in terms of Section 3.2
- Payment has been received

ADACOM RA rejects a certificate application if:

- Identification and authentication of all required Subscriber information in terms of Section 3.2 cannot be completed, or
- The Subscriber fails to furnish supporting documentation upon request
- The Subscriber fails to respond to notices within a specified time, or
- Payment has not been received, or
- The RA believes that issuing a certificate to the Subscriber may bring the STN into disrepute.

4.2.3 Time to Process Certificate Applications

ADACOM begins processing certificate applications within a reasonable time of receipt. A certificate application remains active until rejected.

4.3 Certificate Issuance

4.3.1 CA Actions during Certificate Issuance

A Certificate is created and issued following the approval of a Certificate Application by ADACOM or following receipt of an RA's request to issue the Certificate. ADACOM creates and issues to a Certificate Applicant a Certificate based on the information in a Certificate Application following approval of such Certificate Application.

The Qualified Certificates generated and issued in accordance with CP § 4.2.1 are issued by systems utilizing safeguards against forgery detailed in CP § 6 and EDP § 6 and that ensure that the Certificate is issued to the Certificate Applicant, or applicant for renewal or rekeying, holding the private key corresponding to the public key in the Certificate to be issued.

The issuance of Certificates under CPS § 3.3 is, as a technical matter, rekeying rather than a recertification of a previously-certified public key.

4.3.2 Notifications to Subscriber by the CA of Issuance of Certificate

ADACOM either directly or through the RA, notifies Subscribers that they have created such Certificates, and provides Subscribers with access to the Certificates by notifying them that their Certificates are available. Certificates are made available to end-user Subscribers, by informing them via an e-mail message sent to the Subscriber to download the Certificate from a web site.

4.4 Certificate Acceptance

4.4.1 Conduct Constituting Certificate Acceptance

The following conduct constitutes certificate acceptance:

- Downloading a Certificate constitutes the Subscriber's acceptance of the Certificate
- Failure of the Subscriber to object to the certificate or its content constitutes certificate acceptance.

4.4.2 Publication of the Certificate by the CA

ADACOM publishes the Certificates it issues in a publicly accessible repository.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities

Not applicable.

4.5 Key Pair and Certificate Usage

4.5.1 Subscriber Private Key and Certificate Usage

Use of the private key corresponding to the public key in the certificate is only permitted once the Subscriber has agreed to the Subscriber agreement and accepted the certificate. The certificate shall be used lawfully in accordance with ADACOM's Subscriber Agreement the terms of the STN CP and this CPS. Certificate use must be consistent with the KeyUsage field extensions included in the certificate.

Subscribers shall protect their private keys from unauthorized use and shall discontinue use of the private key following expiration or revocation of the certificate.

4.5.2 Relying Party Public Key and Certificate Usage

Relying parties shall assent to the terms of the ADACOM relying party agreement as a condition of relying on the certificate.

Reliance on a certificate must be reasonable under the circumstances. If the circumstances indicate a need for additional assurances, the Relying Party must obtain such assurances for such reliance to be deemed reasonable.

Before any act of reliance, Relying Parties shall independently assess:

- The appropriateness of the use of a Certificate for any given purpose and determine that the Certificate will, in fact, be used for an appropriate purpose that is not prohibited or otherwise restricted by this CPS. ADACOM is not responsible for assessing the appropriateness of the use of a Certificate.
- That the certificate is being used in accordance with the KeyUsage field extensions included in the certificate.
- The status of the certificate and all the CAs in the chain that issued the certificate. If any of the Certificates in the Certificate Chain have been revoked, the Relying Party is solely responsible to investigate whether reliance on a digital signature performed by an end-

user Subscriber Certificate prior to revocation of a Certificate in the Certificate chain is reasonable. Any such reliance is made solely at the risk of the Relying party.

Assuming that the use of the Certificate is appropriate, Relying Parties shall utilize the appropriate software and/or hardware to perform digital signature verification or other cryptographic operations they wish to perform, as a condition of relying on Certificates in connection with each such operation. Such operations include identifying a Certificate Chain and verifying the digital signatures on all Certificates in the Certificate Chain.

4.6 Certificate Renewal

Not applicable. Certificate renewal is the issuance of a new certificate to the subscriber without changing the public key or any other information in the certificate. Certificate renewal is not supported for DL1 and DL2 certificates.

4.6.1 Circumstances for Certificate Renewal

Not applicable.

4.6.2 Who May Request Renewal

Not applicable.

4.6.3 Processing Certificate Renewal Requests

Not applicable.

4.6.4 Notification of New Certificate Issuance to Subscriber

Not applicable.

4.6.5 Conduct Constituting Acceptance of a Renewal Certificate

Not applicable.

4.6.6 Publication of the Renewal Certificate by the CA

Not applicable.

4.6.7 Notification of Certificate Issuance by the CA to Other Entities

Not applicable.

4.7 Certificate Re-Key

Certificate rekey is the application for the issuance of a new certificate that certifies the new public key. For DL1 and DL2 Certificates, rekey is supported.

4.7.1 Circumstances for Certificate Re-Key

Prior to the expiration of an existing Subscriber's Certificate, it is necessary for the Subscriber to Re-key the certificate to maintain continuity of Certificate usage. A certificate may also be re-keyed after expiration.

4.7.2 Who May Request Certification of a New Public Key

Only the subscriber for an individual certificate may request certificate rekey.

4.7.3 Processing Certificate Re-Keying Requests

Re-key procedures ensure that the person seeking to renew an end-user Subscriber Certificate is in fact the Subscriber (or authorized by the Subscriber) of the Certificate.

The Subscriber submits a rekey application to ADACOM RA by submitting his existing certificate (digitally signing), and ADACOM RA, reconfirms the identity of the Subscriber in accordance with the identification and authentication requirements, as described in Section 3.3.1.

One acceptable procedure is through the use of a Challenge Phrase (or the equivalent thereof), or proof of possession of the private key. Subscribers choose and submit with their enrollment information a Challenge Phrase (or the equivalent thereof). Upon re-key of a Certificate, if a Subscriber correctly submits the Subscriber's Challenge Phrase (or the equivalent thereof) with the Subscriber's reenrollment information, and the enrollment information has not changed, a re-key Certificate is automatically issued.

Subject to the provisions of Section 3.3.1, after re-keying in this fashion, and on at least alternative instances of subsequent re-keying thereafter, ADACOM or an RA shall reconfirm the identity of the Subscriber in accordance with the requirements specified in this CPS for the authentication of an original Certificate Application.

4.7.4 Notification of New Certificate Issuance to Subscriber

Notification of issuance of a re-keyed certificate to the Subscriber is in accordance with Section 4.3.2.

4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate

Conduct constituting Acceptance of a re-keyed certificate is in accordance with Section 4.4.1.

4.7.6 Publication of the Re-Keyed Certificate by the CA

The re-keyed certificate is published in ADACOM's publicly accessible repository.

4.7.7 Notification of Certificate Issuance by the CA to Other Entities

Not applicable.

4.8 Certificate Modification

4.8.1 Circumstances for Certificate Modification

Certificate modification refers to the application for the issuance of a new certificate due to changes in the information in an existing certificate (other than the subscriber's public key).

Certificate modification is considered a Certificate Application in terms of Section 4.1.

4.8.2 Who May Request Certificate Modification

See Section 4.1.1.

4.8.3 Processing Certificate Modification Requests

ADACOM RA performs identification and authentication of all required Subscriber information in terms of Section 3.2.

4.8.4 Notification of New Certificate Issuance to Subscriber

See Section 4.3.2.

4.8.5 Conduct Constituting Acceptance of Modified Certificate

See Section 4.4.1.

4.8.6 Publication of the Modified Certificate by the CA

See Section 4.4.2.

4.8.7 Notification of Certificate Issuance by the CA to Other Entities

See Section 4.4.3.

4.9 Certificate Revocation and Suspension

4.9.1 Circumstances for Revocation

The ADACOM Subscriber's agreement provides this obligation or/and right to the parties to request revocation of a Certificate. Only in the circumstances listed below, will an end-user Subscriber certificate be revoked by ADACOM (or by the Subscriber) and published on a CRL. Upon request from a subscriber who can no longer use (or no longer wishes to use) a certificate for a reason other than one mentioned below, ADACOM will flag the certificate as inactive in its database but will not publish the certificate on a CRL.

An end-user Subscriber Certificate is revoked if:

- ADACOM or a Subscriber has reason to believe or strongly suspects that there has been a Compromise of a Subscriber's private key,
- ADACOM has reason to believe that the Subscriber has materially breached a material obligation, representation, or warranty under the applicable Subscriber Agreement,
- The Subscriber Agreement with the Subscriber has been terminated,
- ADACOM has reason to believe that the Certificate was issued in a manner not materially in accordance with the procedures required by this CPS, the Certificate, was issued to a person other than the one named as the Subject of the Certificate, or the Certificate was issued without the authorization of the person named as the Subject of such Certificate,
- ADACOM has reason to believe that a material fact in the Certificate Application is false,
- ADACOM determines that a material prerequisite to Certificate Issuance was neither satisfied nor waived,
- the Subscriber loses the legal eligibility, is declared in absence or death, taking into consideration that each certificate is non-transferable in any case,
- a final court judgment requires the relevant revocation or cancellation
- the private key of the CA has been compromised.
- The information within the Certificate, other than Non-verified Subscriber Information, is incorrect or has changed, or when the Subscriber uses the Certificate in a specific capacity, loses the said capacity (indicatively, in case of retirement of an employee to whom such a certificate has been issued in his/her capacity as an employee serving for a certain agency or in a certain position) or in any case where any data included in the certificate are altered,
- Hellenic Telecommunication & Post Commission finds out, as part of the exercise of its supervisory and inspecting authority, that the Qualified Certificate includes false or inaccurate information with regard to Annex I of Presidential Decree No. 150/2001,
- The Subscriber identity has not been successfully re-verified in accordance with section 6.3.2,
- The Subscriber has not submitted payment when due, or
- The continued use of that certificate is harmful to the STN.

When considering whether certificate usage is harmful to the STN, ADACOM considers, among other things, the following:

- The nature and number of complaints received
- The identity of the complainant(s)
- Relevant legislation in force
- Responses to the alleged harmful use from the Subscriber

ADACOM may also revoke an Administrator Certificate if the Administrator's authority to act as Administrator has been terminated or otherwise has ended.

ADACOM Subscriber Agreements require end-user Subscribers to immediately notify ADACOM of a known or suspected compromise of its private key.

After the approval of a revocation request by the CA, the revoked certificate cannot be re-entered into force.

4.9.2 Who Can Request Revocation

Individual Subscribers or a duly authorized person by them, can request the revocation of their own individual Certificates.

ADACOM is entitled to request or initiate the revocation of the Certificates issued to its own CAs. ADACOM is entitled to request or initiate the revocation of the Certificates issued to its own RAs for Qualified Certificates.

4.9.3 Procedure for Revocation Request

4.9.3.1 Procedure for Requesting the Revocation of an End-User Subscriber Certificate

An end-user Subscriber requesting revocation is required to communicate the request to ADACOM by e-mail at customer-support@adacom.com or by telephone at +30 210 9577255 who in turn will initiate revocation of the certificate promptly. Communication of such revocation request shall be in accordance with CPS § 3.4

4.9.3.2 Procedure for Requesting the Revocation of a CA or RA Certificate

ADACOM may initiate CA or RA Certificate revocation.

4.9.4 Revocation Request Grace Period

Revocation requests shall be submitted as promptly as possible within a commercially reasonable time.

4.9.5 Time within Which CA Must Process the Revocation Request

ADACOM takes commercially reasonable steps to process revocation requests without delay.

Right after the approval of a revocation request, the CA informs the subject of the certificate for the revocation via e-mail for this event.

4.9.6 Revocation Checking Requirements for Relying Parties

Relying Parties shall check the status of Certificates on which they wish to rely. One method by which Relying Parties may check Certificate status is by consulting the most recent CRL from the CA that issued the Certificate on which the Relying Party wishes to rely. Alternatively, Relying Parties may meet this requirement by checking Certificate status using the ADACOM web-based repository or by using OCSP (if available). CAs shall provide Relying Parties with information on how to find the appropriate CRL, web-based repository, or OCSP responder (where available) to check for revocation status.

4.9.7 CRL Issuance Frequency

CRLs for end-user Subscriber Certificates are issued at least once per day. CRLs for CA Certificates are issued at least annually, but also whenever a CA Certificate is revoked. If a Certificate listed in a CRL expires, it may be removed from later-issued CRLs after the Certificate's expiration.

4.9.8 Maximum Latency for CRLs

CRLs are posted to the repository within a commercially reasonable time after generation. This is generally done automatically within minutes of generation.

4.9.9 On-Line Revocation/Status Checking Availability

Online revocation and other Certificate status information are available via a web-based repository and, where offered, OCSP. In addition to publishing CRLs, ADACOM provides Certificate status information through query functions in the ADACOM repository.

Certificate status information is available through the ADACOM Repository at the following URLs:

- For CN=ADACOM Qualified Services CA:
<https://onsite.adacom.com/services/AdacomSAQualifiedServices/client/search.htm>
- For CN=ADACOM Qualified Certificate Services CA:
<https://onsite.adacom.com/services/ADACOMSAQCServices/client/search.htm>

ADACOM also provides OCSP Certificate status information. Enterprise Customers who contract for OCSP services may check Certificate status through the use of OCSP. The URL for the relevant OCSP Responder is communicated to the Enterprise Customer.

4.9.10 On-Line Revocation Checking Requirements

A relying party must check the status of a certificate on which he/she/it wishes to rely. If a Relying Party does not check the status of a Certificate on which the Relying Party wishes to rely by consulting the most recent relevant CRL, the Relying Party shall check Certificate status by consulting the ADACOM repository or by requesting Certificate status using the applicable OCSP responder (where OCSP services are available).

4.9.11 Other Forms of Revocation Advertisements Available

Not applicable.

4.9.12 Special Requirements regarding Key Compromise

ADACOM uses commercially reasonable efforts to notify potential Relying Parties if it discovers, or have reason to believe, that there has been a Compromise of the private key of one of its own CAs.

4.9.13 Circumstances for Suspension

Not applicable.

4.9.14 Who Can Request Suspension

Not applicable.

4.9.15 Procedure for Suspension Request

Not applicable.

4.9.16 Limits on Suspension Period

Not applicable.

4.10 Certificate Status Services

4.10.1 Operational Characteristics

The Status of public certificates is available via CRL at ADACOM's website, LDAP directory and via an OCSP responder (where available).

4.10.2 Service Availability

Certificate Status Services are available 24x7 without scheduled interruption.

4.10.3 Optional Features

OCSP is an optional status service feature that is not available for all products and must be specifically enabled for other products.

4.11 End of Subscription

A subscriber may end a subscription for an ADACOM certificate by:

- Allowing his/her/its certificate to expire without re-keying that certificate,
- Revoking of his/her/its certificate before certificate expiration without replacing the certificates.

4.12 Key Escrow and Recovery

Not applicable. CA private keys and end-user Subscriber signature private keys are not escrowed.

4.12.1 Key Escrow and Recovery Policy and Practices

Not applicable.

4.12.2 Session Key Encapsulation and Recovery Policy and Practices

Not applicable.

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

5.1 *Physical Controls*

ADACOM has implemented the ADACOM Physical Security Policy which supports the security requirements of this CPS. Compliance with these policies is included in ADACOM's audit requirements described in Section 8. The ADACOM Physical Security Policy contains sensitive security information and is only available upon agreement with ADACOM. An overview of the requirements is described below.

5.1.1 Site Location and Construction

ADACOM CA and RA operations are conducted within a physically protected environment that deters, prevents, and detects unauthorized use of, access to, or disclosure of sensitive information and systems whether covert or overt.

ADACOM also maintains disaster recovery facilities for its CA operations. ADACOM's disaster recovery facilities comply with the Off-site Storage Security Requirements set forth in the "ADACOM Disaster Recovery Plan for the Interim Offsite Storage of Cryptographic Materials" and the "ADACOM Disaster Recovery Plan".

5.1.2 Physical Access

ADACOM CA systems are protected by seven tiers of physical security, with access to the lower tier required before gaining access to the higher tier.

Progressively restrictive physical access privileges control access to each tier. Sensitive CA operational activity, any activity related to the lifecycle of the certification process such as authentication, verification, and issuance, occur within very restrictive physical tiers. Access to each tier requires the use of a proximity card employee badge. Physical access is automatically logged and video recorded. Some tiers enforce individual access control through the concurrent use of proximity cards and biometrics (two factor authentication). Unescorted personnel, including untrusted employees or visitors, are not allowed into such secured areas.

The physical security system includes tiers for key management security which serves to protect both online and offline storage of Cryptographic Signing Unit (CSUs) and keying material. Areas used to create and store cryptographic material enforce dual control, each through the concurrent use of proximity cards and biometrics. Online CSUs are protected through the use of locked cabinets. Offline CSUs are protected through the use of locked safes, cabinets and containers. Access to CSUs and keying material is restricted in accordance with ADACOM's segregation of duties requirements. The opening and closing of cabinets or containers in these tiers is logged for audit purposes.

5.1.3 Power and Air Conditioning

ADACOM's secure facilities are equipped with primary and backup:

- Power systems to ensure continuous, uninterrupted access to electric power and
- Heating/ ventilation/ air conditioning systems to control temperature and relative humidity.

5.1.4 Water Exposures

ADACOM has taken reasonable precautions to minimize the impact of water exposure to ADACOM systems.

5.1.5 Fire Prevention and Protection

ADACOM has taken reasonable precautions to prevent and extinguish fires or other damaging exposure to flame or smoke. ADACOM's fire prevention and protection measures have been designed to comply with local fire safety regulations.

5.1.6 Media Storage

All media containing production software and data, audit, archive, or backup information is stored within ADACOM facilities and in a secure off-site storage facility with appropriate physical and logical access controls designed to limit access to authorized personnel and protect such media from accidental damage (e.g., water, fire, and electromagnetic).

5.1.7 Waste Disposal

Sensitive documents and materials are shredded before disposal. Media used to collect or transmit sensitive information are rendered unreadable before disposal. Cryptographic devices are physically destroyed or zeroized in accordance the manufacturers' guidance prior to disposal. Other waste is disposed of in accordance with ADACOM's normal waste disposal requirements.

5.1.8 Off-Site Backup

ADACOM performs routine backups of critical system data, audit log data, and other sensitive information. Offsite backup media are stored in a physically secure manner using a secure off-site storage facility in accordance with "ADACOM Disaster Recovery Plan".

5.2 Procedural Controls

5.2.1 Trusted Roles

Trusted Persons include all employees that have access to or control authentication or cryptographic operations that may materially affect:

- The validation of information in Certificate Applications;
- The acceptance, rejection, or other processing of Certificate Applications, revocation requests, renewal requests, or enrollment information;

- The issuance, or revocation of Certificates, including personnel having access to restricted portions of its repository;
- The handling of Subscriber information or requests.

Trusted Persons include, but are not limited to:

- Customer service personnel,
- Cryptographic business operations personnel,
- Security personnel,
- System administration personnel,
- Designated engineering personnel, and
- Executives that are designated to manage infrastructural trustworthiness.

ADACOM considers the categories of personnel identified in this section as Trusted Persons having a Trusted Position. Persons seeking to become Trusted Persons by obtaining a Trusted Position must successfully complete the screening requirements set out in this CPS.

Independent contractors and consultants that have access to or control authentication or cryptographic operations, are allowed to conduct these operations only to the extent they are escorted and directly supervised by Trusted Persons at all times.

5.2.2 Number of Persons Required per Task

ADACOM has established, maintains, and enforces rigorous control procedures to ensure the segregation of duties based on job responsibility and to ensure that multiple Trusted Persons are required to perform sensitive tasks.

Policy and control procedures are in place to ensure segregation of duties based on job responsibilities. The most sensitive tasks, such as access to and management of CA cryptographic hardware (cryptographic signing unit or CSU) and associated key material, require multiple Trusted Persons.

These internal control procedures are designed to ensure that at a minimum, two trusted personnel are required to have either physical or logical access to the device. Access to CA cryptographic hardware is strictly enforced by multiple Trusted Persons throughout its lifecycle, from incoming receipt and inspection to final logical and/or physical destruction. Once a module is activated with operational keys, further access controls are invoked to maintain split control over both physical and logical access to the device. Persons with physical access to modules do not hold "Secret Shares" and vice versa.

The validation and issuance of Qualified Certificates require the participation of at least 2 Trusted Persons, or a combination of at least one trusted person and an automated validation and issuance process.

5.2.3 Identification and Authentication for Each Role

For all personnel seeking to become Trusted Persons, verification of identity is performed through the personal (physical) presence of such personnel before Trusted Persons performing ADACOM HR or security functions and a check of well-recognized forms of identification (e.g., passports and identification cards). Identity is further confirmed through the background checking procedures in CPS § 5.3.1.

ADACOM ensures that personnel have achieved Trusted Status and departmental approval has been given before such personnel are:

- Issued access devices and granted access to the required facilities;
- Issued electronic credentials to access and perform specific functions on ADACOM CA, RA, or other IT systems.

5.2.4 Roles Requiring Separation of Duties

Roles requiring Separation of duties include (but are not limited to):

- The validation of information in Certificate Applications;
- The acceptance, rejection, or other processing of Certificate Applications, revocation requests, or renewal requests, or enrollment information;
- The issuance, or revocation of Certificates, including personnel having access to restricted portions of the repository;
- The handling of Subscriber information or requests;
- The generation, issuing or destruction of a CA certificate;
- The loading of a CA on production.

5.3 Personnel Controls

Personnel seeking to become Trusted Persons must present proof of the requisite background, qualifications, and experience needed to perform their prospective job responsibilities competently and satisfactorily, as well as proof of any government clearances, if any, necessary to perform certification services under government contracts. Background checks are repeated at least every 5 years for personnel holding Trusted Positions.

5.3.1 Qualifications, Experience, and Clearance Requirements

ADACOM requires that personnel seeking to become Trusted Persons present proof of the requisite background, qualifications, and experience needed to perform their prospective job responsibilities competently and satisfactorily.

5.3.2 Background Check Procedures

Prior to commencement of employment in a Trusted Role, ADACOM conducts background checks which include the following:

- Check of previous employment and professional reference (if available);
- Confirmation of the highest or most relevant educational degree obtained;
- Search of national criminal records;
- Check of financial records.

To the extent that any of the requirements imposed by this section cannot be met due to a prohibition or limitation in local law or other circumstances, ADACOM will utilize a substitute investigative technique permitted by law that provides substantially similar information.

The factors revealed in a background check that may be considered grounds for rejecting candidates for Trusted Positions or for taking action against an existing Trusted Person generally include (but are not limited to) the following:

- Misrepresentations made by the candidate or Trusted Person;
- Highly unfavorable or unreliable professional references;
- Certain criminal convictions, and
- Indications of a lack of financial responsibility.

Reports containing such information are evaluated by human resources and security personnel, who determine the appropriate course of action in light of the type, magnitude, and frequency of the behavior uncovered by the background check. Such actions may include measures up to and including the cancellation of offers of employment made to candidates for Trusted Positions or the termination of existing Trusted Persons.

The use of information revealed in a background check to take such actions is subject to the applicable laws.

5.3.3 Training Requirements

ADACOM provides its personnel with training upon hire as well as the requisite on-the-job training needed for them to perform their job responsibilities competently and satisfactorily. ADACOM maintains records of such training. ADACOM periodically reviews and enhances its training programs as necessary.

ADACOM's training programs are tailored to the individual's responsibilities and include the following as relevant:

- Basic PKI concepts,
- Job responsibilities,
- ADACOM security and operational policies and procedures,
- Use and operation of deployed hardware and software,
- Incident and Compromise reporting and handling, and
- Disaster recovery and business continuity procedures.

5.3.4 Retraining Frequency and Requirements

ADACOM provides refresher training and updates to their personnel to the extent and frequency required to ensure that such personnel maintain the required level of proficiency to perform their job responsibilities competently and satisfactorily.

5.3.5 Job Rotation Frequency and Sequence

Not applicable.

5.3.6 Sanctions for Unauthorized Actions

Appropriate disciplinary actions are taken for unauthorized actions or other violations of ADACOM policies and procedures. Disciplinary actions may include measures up to and including termination and are commensurate with the frequency and severity of the unauthorized actions.

5.3.7 Independent Contractor Requirements

In limited circumstances, independent contractors or consultants may be used to fill Trusted Positions. Any such contractor or consultant is held to the same functional and security criteria that apply to ADACOM employees in a comparable position.

Independent contractors and consultants who have not completed or passed the background check procedures specified in CPS § 5.3.2 are permitted access to ADACOM 's secure facilities only to the extent they are escorted and directly supervised by Trusted Persons at all times.

5.3.8 Documentation Supplied to Personnel

ADACOM provides its employees the requisite training and other documentation needed to perform their job responsibilities competently and satisfactorily.

5.4 Audit Logging Procedures

5.4.1 Types of Events Recorded

ADACOM manually or automatically logs the following significant events:

- CA key life cycle management events, including:
 - Key generation, backup, storage, recovery, archival, and destruction
 - Cryptographic device life cycle management events.
- CA and Subscriber certificate life cycle management events, including:
 - Certificate Applications, renewal, rekey, and revocation
 - Successful or unsuccessful processing of requests
 - Generation and issuance of Certificates and CRLs.
- Security-related events including:
 - Successful and unsuccessful PKI system access attempts
 - PKI and security system actions performed by ADACOM personnel
 - Security sensitive files or records read, written or deleted
 - Security profile changes
 - System crashes, hardware failures and other anomalies
 - Firewall and router activity
 - CA facility visitor entry/exit.

Log entries include the following elements:

- Date and time of the entry
- Serial or sequence number of entry, for automatic journal entries
- Identity of the entity making the journal entry
- Description/Kind of entry.

ADACOM RAs log Certificate Application information including:

- Kind of identification document(s) presented by the Certificate Applicant
- Record of unique identification data, numbers, or a combination thereof (e.g., Certificate Applicant's identification card number) of identification documents, if applicable
- Storage location of copies of applications and identification documents
- Identity of entity accepting the application
- Method used to validate identification documents, if any
- Name of receiving CA or submitting RA, if applicable.

5.4.2 Frequency of Processing Log

The CA system and audit logs are continuously monitored to provide real time alerts of significant security and operational events. In addition, ADACOM reviews its audit logs for suspicious or unusual activity in response to alerts generated based on irregularities and incidents within ADACOM CA and RA systems

Audit log processing consists of a review of the audit logs and documentation for all significant events in an audit log summary. Audit log reviews include a verification that the log has not been tampered with, an inspection of all log entries, and an investigation of any alerts or irregularities in the logs. Actions taken based on audit log reviews are also documented.

5.4.3 Retention Period for Audit Log

Audit logs shall be retained onsite for at least two (2) months after processing and thereafter archived in accordance with Section 5.5.2.

5.4.4 Protection of Audit Log

Audit logs are protected with an electronic audit log system that includes mechanisms to protect the log files from unauthorized viewing, modification, deletion, or other tampering.

5.4.5 Audit Log Backup Procedures

Incremental backups of audit logs are created daily and full backups are performed weekly.

5.4.6 Audit Collection System (Internal vs. External)

Automated audit data is generated and recorded at the application, network and operating system level. Manually generated audit data is recorded by ADACOM personnel.

5.4.7 Notification to Event-Causing Subject

Where an event is logged by the audit collection system, no notice is required to be given to the individual, organization, device, or application that caused the event.

5.4.8 Vulnerability Assessments

Events in the audit process are logged, in part, to monitor system vulnerabilities. Logical security vulnerability assessments (“LSVAs”) are performed, reviewed, and revised following an examination of these monitored events. LSVAs are based on real-time automated logging data and are performed on a daily, monthly, and annual basis. An annual LSVA will be an input into an entity’s annual Compliance Audit.

5.5 Records Archival

5.5.1 Types of Records Archived

ADACOM archives:

- All audit data collected in terms of Section 5.4
- Certificate application information
- Documentation supporting certificate applications
- Certificate lifecycle information e.g., revocation, rekey and renewal application information

ADACOM retains the following evidence relating to the identity of Subscribers in connection with Certificate Applications for Qualified Certificates:

- The types of documents presented by Certificate Applicants in connection with their Certificate Applications;
- A record of unique identification data, numbers, or a combination thereof (e.g., a Certificate Applicant's passport or national identification card number) of identification documents, if applicable;
- The identity of the entity that receives and accepts Certificate Applications; and
- A validation plan showing the methods used to validate identification documents.

In addition, ADACOM, retains records of the storage location of Certificate Applications and identification documents.

5.5.2 Retention Period for Archive

Records associated with a Qualified Certificate are retained for at least a time period of thirty (30) years after the date of revocation or expiry of that Qualified Certificate. For legal purposes, the Qualified Certificate itself is retained during this period.

5.5.3 Protection of Archive

ADACOM protects the archive so that only authorized Trusted Persons are able to obtain access to the archive. The archive is protected against unauthorized viewing, modification, deletion, or other tampering by storage within a Trustworthy System. The media holding the archive data and the applications required to process the archive data shall be maintained to ensure that the archive data can be accessed for the time period set forth in this CPS.

5.5.4 Archive Backup Procedures

ADACOM incrementally backs up electronic archives of its issued Certificate information on a daily basis and performs full backups on a weekly basis. Copies of paper-based records shall be maintained using an off-site secure facility.

5.5.5 Requirements for Time-Stamping of Records

Certificates, CRLs, and other revocation database entries contain time and date information. Such time information is not cryptographic-based.

5.5.6 Archive Collection System

ADACOM archive collection systems are internal.

5.5.7 Procedures to Obtain and Verify Archive Information

Only authorized Trusted Personnel are able to obtain access to the archive. The integrity of the information is verified when it is restored.

5.6 Key Changeover

ADACOM CA key pairs are retired from service at the end of their respective maximum lifetimes as defined in this CPS. ADACOM CA Certificates may be renewed as long as the cumulative certified lifetime of the CA key pair does not exceed the maximum CA key pair lifetime. New CA key pairs are generated as necessary, for example to replace CA key pairs that are being retired, to supplement existing, active key pairs and to support new services.

Prior to the expiration of the CA Certificate for a Superior CA, key changeover procedures are enacted to facilitate a smooth transition for entities within the Superior CA's hierarchy from the old Superior CA key pair to new CA key pair(s). ADACOM's CA key changeover process requires that:

- A Superior CA ceases to issue new Subordinate CA Certificates no later than 60 days before the point in time ("Stop Issuance Date") where the remaining lifetime of the Superior CA key pair equals the approved Certificate Validity Period for the specific type(s) of Certificates issued by Subordinate CAs in the Superior CA's hierarchy.
- Upon successful validation of Subordinate CA (or end-user Subscriber) Certificate requests received after the "Stop Issuance Date," Certificates will be signed with a new CA key pair.

The Superior CA continues to issue CRLs signed with the original Superior CA private key until the expiration date of the last Certificate issued using the original key pair has been reached.

5.7 Compromise and Disaster Recovery

5.7.1 Incident and Compromise Handling Procedures

Backups of the following CA information are kept in off-site storage and made available in the event of a Compromise or disaster: Certificate Application data, audit data, and database records for all Certificates issued. Back-ups of CA private keys are generated and maintained in accordance with CP § 6.2.4. ADACOM maintains backups of the foregoing CA information for their own CAs.

5.7.2 Computing Resources, Software, and/or Data Are Corrupted

In the event of the corruption of computing resources, software, and/or data, such an occurrence is reported to ADACOM Security and ADACOM's incident handling procedures are enacted. Such procedures require appropriate escalation, incident investigation, and incident response. If necessary, ADACOM's key compromise or disaster recovery procedures will be enacted.

5.7.3 Entity Private Key Compromise Procedures

Upon the suspected or known Compromise of a ADACOM CA, ADACOM infrastructure or Customer CA private key, ADACOM's Key Compromise Response procedures are enacted by the ADACOM Security Incident Response Team (ASIRT). This team, which includes Security, Cryptographic Business Operations, Production Services personnel, and other ADACOM management representatives, assesses the situation, develops an action plan, and implements the action plan with approval from ADACOM executive management.

If CA Certificate revocation is required, the following procedures are performed:

- The Certificate's revoked status is communicated to Relying Parties through the ADACOM repository in accordance with CPS § 4.4.9,
- Commercially reasonable efforts will be made to provide additional notice of the revocation to all affected STN Participants, and
- The CA will generate a new key pair in accordance with CPS § 4.7, except where the CA is being terminated in accordance with CPS § 4.9.

5.7.4 Business Continuity Capabilities After a Disaster

5.7.4.1 Symantec

Symantec has created and maintains business continuity plans so that in the event of a business disruption, critical business functions may be resumed. Symantec maintains a Disaster Recovery Facility (DRF) located at a Symantec-owned facility geographically separate from the primary Production Facility. The DRF is a hardened facility designed to federal government and military specifications and is also specifically equipped to meet Symantec's security standards.

In the event of a natural or man-made disaster requiring permanent cessation of operations from Symantec's primary facility, the Corporate Symantec Business Continuity Team and the Symantec Authentication Operations Incident Management Team will coordinate with cross functional management teams to make the decision to formally declare a disaster situation and manage the incident. Once a disaster situation is declared, restoration of Symantec's Production services functionality at the DRF will be initiated.

Symantec has developed a Disaster Recovery Plan (DRP) for its managed PKI services. The DRP identifies conditions for activating the plan and what constitutes an acceptable system outage and recovery time. The DRP defines the procedures for the teams to reconstitute Symantec STN operations using backup data and backup copies of the STN keys. Additionally, Symantec's DRP includes:

- Frequency for taking backup copies of essential business information and software,
- Requirement to store critical cryptographic materials (i.e., secure cryptographic device and activation materials) at an alternate location,
- Separation distance of the Disaster recovery site to the CA's main site,
- Procedures for securing the Disaster facility during the period of time following a disaster and prior to restoring a secure environment either at the original or a remote site,

Symantec's DRP identifies administrative requirements including:

- maintenance schedule for the plan;
- Awareness and education requirements;
- Responsibilities of the individuals; and
- Regular testing of contingency plans.

The target recovery time for restoring critical Production service functionality is no greater than 24 hours.

Symantec conducts at least one disaster recovery test per calendar year to ensure functionality of services at the DRF. Formal Business Continuity Exercises are also conducted yearly in coordination with the Corporate Symantec Business Continuity Team where procedures for additional types of scenarios (e.g. pandemic, earthquake, flood, power outage) are tested and evaluated.

Symantec takes significant steps to develop, maintain, and test sound business recovery plans, and Symantec's planning for a disaster or significant business disruption is consistent with many of the best practices established within the industry.

Symantec maintains redundant hardware and backups of its CA and infrastructure system software at its disaster recovery facility. In addition, CA private keys are backed up and maintained for disaster recovery purposes in accordance with CPS § 6.2.4.

Symantec maintains offsite backups of important CA information for Symantec CAs as well as the CAs of Service Centers, and Enterprise Customers, within Symantec's Sub-domain. Such information includes, but is not limited to: Certificate Application data, audit data (per Section 4.5), and database records for all Certificates issued.

5.7.4.2 ADACOM

ADACOM has developed, implemented and tested a disaster recovery plan to mitigate the effects of any kind of natural or man-made disaster. This plan is regularly tested, verified, and updated to be operational in the event of a disaster.

Detailed disaster recovery plans are in place to address the restoration of information systems services and key business functions. ADACOM's disaster recovery site has implemented the physical security protections and operational controls required by the Symantec "Security and Audit Requirements Guide" to provide for a secure and sound backup operational setup.

In the event of a natural or man-made disaster requiring temporary or permanent cessation of operations from ADACOM's primary facility, ADACOM's disaster recovery process is initiated by the ADACOM team in charge.

ADACOM has the capability to restore or recover operations with top priority with, at a minimum, support for the following functions:

- Certificate issuance,
- Certificate revocation and
- publication of revocation information

ADACOM's disaster recovery equipment is protected by physical security protections comparable to the physical security tiers specified in CPS § 5.1.1.

ADACOM's disaster recovery plan has been designed to provide full recovery following disaster occurring at ADACOM's primary site. ADACOM tests its equipment at its primary site to support CA/RA functions following all but a major disaster that would render the entire facility inoperable.

Where possible, operations are resumed at ADACOM's primary site as soon as possible following a major disaster.

ADACOM maintains backups of its CA and infrastructure system software at a secure offsite location. In addition, CA private keys are backed up and maintained for disaster recovery purposes in accordance with CPS § 6.2.4. Specifically, they are backed up, in accordance with "ADACOM Disaster Recovery Plan for the Interim Offsite Storage of Cryptographic Materials", which will allow for business resumption at a later date.

ADACOM also maintains offsite backups of important CA information for ADACOM CAs. Such information includes, but is not limited to: Certificate Application data, audit data (per CPS § 4.5), and database records for all Certificates issued.

5.8 CA or RA Termination

In the event that it is necessary for an ADACOM CA, to cease operation, ADACOM makes a commercially reasonable effort to notify Subscribers, Relying Parties, and other affected entities of such termination in advance of the CA termination. Where CA termination is required, ADACOM will activate the documented "ADACOM Termination Plan" to minimize disruption to Customers, Subscribers, and Relying Parties. This termination plan addresses the following, as applicable:

- Provision of notice to parties affected by the termination, such as Subscribers, Relying Parties, and Customers, informing them of the status of the CA,
- Handling the cost of such notice,
- The revocation of the Certificate issued to the CA by ADACOM,
- The preservation of the CA's archives and records for the time periods required in this CPS,
- The continuation of Subscriber and customer support services,
- The continuation of revocation services, such as the issuance of CRLs or the maintenance of online status checking services,
- The revocation of unexpired unrevoked Certificates of end-user Subscribers and subordinate CAs, if necessary,
- Refunding (if necessary) Subscribers whose unexpired unrevoked Certificates are revoked under the termination plan or provision, or alternatively, the issuance of replacement Certificates by a successor CA,
- Disposition of the CA's private key and the hardware tokens containing such private key,
- Provisions needed for the transition of the CA's services to a successor CA and
- Provision notice to the Greek Supervisory Authority.

In the event that it will be necessary for ADACOM to cease all operations, ADACOM will additionally follow all the necessary steps, provided in the relative Greek law. This includes, but not limited to:

- The submission of the ADACOM CA's archives and records to another contracting Certification Service Provider for Qualified Certificates, for the time periods required by the law.

5.9 Data Security

5.9.1 Objectives

ADACOM develops, implements, and maintains a comprehensive security program designed to:

1. Protect the confidentiality, integrity, and availability (CIA) of Certificate Data and Certificate Management Processes;
2. Protect against anticipated threats or hazards to the confidentiality, integrity, and availability of the Certificate Data and Certificate Management Processes;
3. Protect against unauthorized or unlawful access, use, disclosure, alteration, or destruction of any Certificate Data or Certificate Management Processes;
4. Protect against accidental loss or destruction of, or damage to, any Certificate Data or Certificate Management Processes; and
5. Comply with all other security requirements applicable to the CA by law.

5.9.2 Risk Assessment

ADACOM performs an annual Risk Assessment that:

1. Identifies foreseeable internal and external threats that could result in unauthorized access, disclosure, misuse, alteration, or destruction of any Certificate Data or Certificate Management Processes;
2. Assesses the likelihood and potential damage of these threats, taking into consideration the sensitivity of the Certificate Data and Certificate Management Processes; and
3. Assesses the sufficiency of the policies, procedures, information systems, technology, and other arrangements that the CA has in place to counter such threats.

5.9.3 Security Plan

Based on results of the annual Risk Assessment, ADACOM develops, implements, and maintains a Security Plan consisting of security procedures, measures, and products designed to achieve the objectives set forth above and to manage and control the risks identified during the Risk Assessment, commensurate with the sensitivity of the Certificate Data and Certificate Management Processes.

The Security Plan includes administrative, organizational, technical, and physical safeguards appropriate to the sensitivity of the Certificate Data and Certificate Management Processes. The Security Plan takes into account then-available technology and the cost of implementing the specific measures, and implements a reasonable level of security appropriate to the harm that might result from a breach of security and the nature of the data to be protected.

6. TECHNICAL SECURITY CONTROLS

6.1 Key Pair Generation and Installation

6.1.1 Key Pair Generation

CA key pair generation is performed by multiple pre-selected, trained and trusted individuals using Trustworthy Systems and processes that provide for the security and required cryptographic strength for the generated keys. For PCA and Issuing Root CAs, the cryptographic modules used or key generation meet the requirements of CC EAL 4+ and FIPS 140-1 level 3. For ADACOM CAs, the cryptographic modules used meet the requirements of at least CC EAL 4+ and FIPS 140-1 level 3.

All CA key pairs are generated in pre-planned Key Generation Ceremonies in accordance with the requirements of the Key Ceremony Reference Guide, the CA Key Management Tool User's Guide, and the Symantec Security and Audit Requirements Guide. The activities performed in each key generation ceremony are recorded, dated and signed by all individuals involved. These records are kept for audit and tracking purposes for a length of time deemed appropriate by ADACOM Management.

Generation of RA key pairs is generally performed by the RA using a CC EAL 4+ and FIPS 140-1 level 1 certified cryptographic module provided with their browser software. Generation of end-user Subscriber key pairs is performed by the Subscriber.

6.1.2 Private Key Delivery to Subscriber

End-user Subscriber key pairs are generated by the end-user Subscriber, thus private key delivery to a Subscriber is not applicable.

6.1.3 Public Key Delivery to Certificate Issuer

End-user Subscribers and RAs submit their public key to ADACOM for certification electronically through the use of a PKCS#10 Certificate Signing Request (CSR) or other digitally signed package in a session secured by Secure Sockets Layer (SSL).

6.1.4 CA Public Key Delivery to Relying Parties

ADACOM makes the CA Certificates for Symantec PCAs and its root CAs available to Subscribers and Relying Parties through their inclusion in web browser software. As new PCA and root CA Certificates are generated, ADACOM provides such new Certificates to the browser manufacturers for inclusion in new browser releases and updates.

ADACOM generally provides its own full certificate chain (including the issuing CA and any CAs in the chain) to the end-user Subscriber upon Certificate issuance.

Users, during the certificate pick-up process, automatically download and install into their computer, the intermediate and issuing CA's public keys. This is a process controlled by the PKI application. In any case if a user needs to verify and/or download the public key of the CA, he can do so by accessing the ADACOM's web-based repository (<https://www.adacom.com/repository>).

6.1.5 Key Sizes

Key pairs shall be of sufficient length to prevent others from determining the key pair's private key using cryptanalysis during the period of expected utilization of such key pairs. The ADACOM Standard for minimum key sizes is the use of key pairs equivalent in strength to 2048 bit RSA for PCAs and CAs⁶.

Symantec's third and fifth generation (G3 and G5) PCAs have 2048 bit RSA key pairs. ADACOM CAs for Qualified Certificates have 2048 bit RSA key pairs.

Symantec issues minimum key size equivalent in strength to 2048 bit RSA for RAs and end entity certificates key pairs.

All Classes of STN and ADACOM PCAs and CAs, and RAs and end entity certificates use either SHA-1 or SHA-2 for digital signature hash algorithm and certain versions of Symantec Processing Center support the use of SHA-256 and SHA-384 hash algorithms in end-entity Subscriber Certificates.

6.1.6 Public Key Parameters Generation and Quality Checking

Not applicable.

6.2 Private Key Protection and Cryptographic Module Engineering Controls

ADACOM has implemented a combination of physical, logical, and procedural controls to ensure the security of ADACOM CA private keys. Subscribers are required by contract to take necessary precautions to prevent the loss, disclosure, modification, or unauthorized use of private keys.

6.2.1 Cryptographic Module Standards and Controls

For PCA and Issuing Root CA key pair generation and CA private key storage, ADACOM uses hardware cryptographic modules that are certified at or meet the requirements of CC EAL 4+ and FIPS 140-1 Level 3. For the rest ADACOM CAs, hardware cryptographic modules that are certified at or meet the requirements stated in section § 6.1.1 of this CPS.

In addition to the provision set forth in this CPS, ADACOM distributes SSCDs to DL2 end-user Subscribers that meet the following requirements.

First, SSCDs, by appropriate technical and procedural means, ensure that at least:

- The private key within the SSCD can practically occur only once, and that its secrecy is reasonably assured,
- Such private key cannot, with reasonable assurance, be derived and the signature is protected against forgery using currently-available technology, and
- Such private key can be reliably be protected by the Subscriber against use by others.

⁶ CA trust is extended to Symantec's first and second generation (G1 and G2) legacy Trusted Roots with 1024 bit RSA key pairs for support of customer legacy platforms and 1024-bit RSA end-entity certificates may be issued with expiration on or before December 31, 2011. Additional individual exceptions may be permitted for affiliates of Symantec Corporation operating the Processing Center software capabilities in accordance with section 6.3.2 with prior approval to preserve business continuity of legacy applications beyond 2011.

Second, SSCDs do not alter the data to be signed or/and prevent such data from being presented to the signatory prior to the signature process.

Third, ADACOM ensures that the SSCDs have been determined to meet the requirements of the Hellenic Telecommunications & Post Commission (EETT). Specifically, the SSCD used by ADACOM are certified and meet the requirements of CC EAL 4+.

6.2.2 Private Key (m out of n) Multi-Person Control

ADACOM has implemented technical and procedural mechanisms that require the participation of multiple trusted individuals to perform sensitive CA cryptographic operations. ADACOM uses “Secret Sharing” to split the activation data needed to make use of a CA private key into separate parts called “Secret Shares” which are held by trained and trusted individuals called “Shareholders.” A threshold number of Secret Shares (m) out of the total number of Secret Shares created and distributed for a particular hardware cryptographic module (n) is required to activate a CA private key stored on the module.

The threshold number of shares needed to sign a CA certificate is three (3). Secret Shares are protected in accordance with this CPS.

6.2.3 Private Key Escrow

ADACOM CA and end user’s private keys are not escrowed.

6.2.4 Private Key Backup

ADACOM creates backup copies of CA private keys for routine recovery and disaster recovery purposes. Such keys are stored in encrypted form within hardware cryptographic modules and associated key storage devices. Cryptographic modules used for CA private key storage meet the requirements of this CPS. CA private keys are copied to backup hardware cryptographic modules in accordance with this CPS.

Modules containing onsite backup copies of CA private keys are subject to the requirements of this CPS. Modules containing disaster recovery copies of CA private keys are subject to the requirements of this CPS.

ADACOM does not store copies of RA private keys. For the backup of end-user Subscriber private keys, see Section 6.2.3 and Section 4.12.

6.2.5 Private Key Archival

Upon expiration of an ADACOM CA Certificate, the key pair associated with the certificate is securely retained for a period of at least 5 years using hardware cryptographic modules that meet the requirements of this CPS. These CA key pairs are not used for any signing events after their expiration date, unless the CA Certificate has been renewed in terms of this CPS.

ADACOM does not archive copies of RA and Subscriber private keys.

6.2.6 Private Key Transfer Into or From a Cryptographic Module

ADACOM generates CA key pairs on the hardware cryptographic modules in which the keys will be used. In addition, ADACOM makes copies of such CA key pairs for routine recovery and disaster recovery purposes. Where CA key pairs are backed up to another hardware cryptographic module, such key pairs are transported between modules in encrypted form.

6.2.7 Private Key Storage on Cryptographic Module

CA or RA private keys held on hardware cryptographic modules are stored in encrypted form.

6.2.8 Method of Activating Private Key

All ADACOM Sub-domain Participants shall protect the activation data for their private keys against loss, theft, modification, unauthorized disclosure, or unauthorized use.

6.2.8.1 Qualified Certificates' Private Keys

The STN Standards for private key protection is for Subscribers to take commercially reasonable measures for the physical protection of the Subscriber's workstation to prevent use of the workstation and its associated private key without the Subscriber's authorization. In addition, ADACOM recommends that Subscribers use a password in accordance with Section 6.4.1 or security of equivalent strength to authenticate the Subscriber before the activation of the private key, which includes, for instance, a password to operate the private key, a Windows logon or screen saver password, or a network logon password.

In addition to the above:

- For DL1 Certificates

Subscribers of DL1 Certificates have no requirement to use an SSCD in connection with the use and activation of their private keys,

- For DL2 Certificates

Subscribers of DL2 Certificates shall use an SSCD in connection with the use and activation of their private keys.

6.2.8.2 Administrators' Private Keys

The Standard for Administrators' private key protection requires them to:

- Use a smart card, biometric access device, password in accordance with Section 6.4.1, or security of equivalent strength to authenticate the Administrator before the activation of the private key, which includes, for instance, a password to operate the private key, a Windows logon or screen saver password, or a network logon password; and
- Take commercially reasonable measures for the physical protection of the Administrator's workstation to prevent use of the workstation and its associated private key without the Administrator's authorization.

ADACOM recommends that Administrators use a smart card, biometric access device, or security of equivalent strength along with the use of a password in accordance with Section 6.4.1 to authenticate the Administrator before the activation of the private key.

When deactivated, private keys are being kept in encrypted form only.

6.2.8.3 Private Keys Held by Processing Centers

An online CA's private key shall be activated by a threshold number of Shareholders, as defined in Section 6.2.2, supplying their activation data (stored on secure media). Once the private key is activated, the private key may be active for an indefinite period until it is deactivated when the CA goes offline. Similarly, a threshold number of Shareholders shall be required to supply their activation data in order to activate an offline CA's private key. Once the private key is activated, it shall be active only for one time.

6.2.9 Method of Deactivating Private Key

ADACOM CA private keys are deactivated upon removal from the token reader. ADACOM RA private keys (used for authentication to the RA application) are deactivated upon system log off. ADACOM RAs are required to log off their workstations when leaving their work area.

Client Administrators, RA, and end-user Subscriber private keys may be deactivated after each operation, upon logging off their system, or upon removal of a smart card from the smart card reader depending upon the authentication mechanism employed by the user. In all cases, end-user Subscribers have an obligation to adequately protect their private key(s) in accordance with this CPS.

6.2.10 Method of Destroying Private Key

At the conclusion of an ADACOM CA's operational lifetime, one or more copies of the CA private key are archived in accordance with CPS § 6.2.5. Remaining copies of the CA private key are securely destroyed. In addition, archived CA private keys are securely destroyed at the conclusion of their archive periods. CA key destruction activities require the participation of multiple trusted individuals.

Where required, ADACOM destroys CA private keys in a manner that reasonably ensures that there are no residuals remains of the key that could lead to the reconstruction of the key. This destruction may takes place only when the minimum required archiving period for the CAs, in accordance with section 5.5.5, passes after the revocation or expiry of the CA certificate. ADACOM utilizes the zeroization function of its hardware cryptographic modules and other appropriate means to ensure the complete destruction of CA private keys. When performed, CA key destruction activities are logged.

6.2.11 Cryptographic Module Rating

See Section 6.2.1.

6.3 Other Aspects of Key Pair Management

6.3.1 Public Key Archival

ADACOM CA, RA and end-user Subscriber Certificates are backed up and archived as part of ADACOM's routine backup procedures.

6.3.2 Certificate Operational Periods and Key Pair Usage Periods

The Operational Period of a Certificate ends upon its expiration or revocation. The Operational Period for key pairs is the same as the Operational Period for the associated Certificates, except that they may continue to be used for decryption and signature verification. The maximum Operational Periods for ADACOM Certificates for Certificates issued on or after the effective date of this CPS are set forth in Table 5 below.

In addition, ADACOM CAs stop issuing new Certificates at an appropriate date prior to the expiration of the CA's Certificate such that no Certificate issued by a Subordinate CA expires after the expiration of any Superior CA Certificates.

Certificate Issued By:	Validity Period
PCA self-signed (2048 bit)	30 years
PCA to Offline intermediate CA	15 years
Offline intermediate CA to online CA	10 years
Online CA to End-user Individual Subscriber	Normally up to 2 years, but under the conditions described below, up to 6 years ⁷ under the conditions described below with no option to renew or re-key. After 6 years new enrollment is required.

Table 5 – Certificate Operational Periods

Except as noted in this section, ADACOM Sub-domain Participants shall cease all use of their key pairs after their usage periods have expired.

Certificates issued by CAs to end-user Subscribers may have Operational Periods longer than two years, up to six years, if the following requirements are met:

- Protection of the Subscriber key pairs in relation to its operational environment for Organizational Certificates, operation within the enhanced protection of a data center and for Individual Certificates, the Subscribers' key pairs reside on a Secure Signature Creation Devices, such as a smart card,
- Subscribers are required to undergo reauthentication at least every 3 years under Section 3.2.2,
- Subscribers shall prove possession of the private key corresponding to the public key within the Certificate at least every 25 months under Section 3.2.2,
- If a Subscriber is unable to complete reauthentication procedures successfully or is unable to prove possession of such private key when required by the foregoing, the CA shall revoke the Subscriber's Certificate.

In terms of Section 6.3.2 of the STN CP, the Symantec PMA has approved an exception to extend a limited number CAs beyond the specified limits, in order to ensure uninterrupted PKI

⁷ If 6-year end-user subscriber certificates are issued, the online CA certificate's operational period will be 10 years with no option to renew. CA Re-key will be required after 5 years.

services during CA key pair migration. This exception can be applied to affiliates of Symantec Corporation operating the Processing Center software capabilities for infrastructure and Admin CAs only that are not associated with CAs issuing SSL certificates. This exception may not be used to extend a CA's validity beyond a 14 year total validity to a maximum of August 31, 2014, and shall not be made available after December 31, 2011.

6.4 Activation Data

6.4.1 Activation Data Generation and Installation

Activation data (Secret Shares) used to protect tokens containing ADACOM CA private keys is generated in accordance with the requirements of CPS § 6.2.2 and the Key Ceremony Reference Guide. The creation and distribution of Secret Shares is logged.

ADACOM RAs are required to select strong passwords to protect their private keys. ADACOM's password selection guidelines require that passwords:

- Be generated by the user
- Have at least eight characters
- Have at least one alphabetic and one numeric character
- Have at least one lower-case letter
- Not contain many occurrences of the same character
- Not be the same as the operator's profile name and
- Not contain a long substring of the user's profile name.

ADACOM RA uses and ADACOM strongly recommends end-user Subscribers choose, passwords that meet the same requirements. ADACOM also recommends the use of two factor authentication mechanisms (e.g., token and passphrase, biometric and token, or biometric and passphrase) for private key activation.

6.4.2 Activation Data Protection

ADACOM Shareholders are required to safeguard their Secret Shares and sign an agreement acknowledging their Shareholder responsibilities.

ADACOM RAs store their Administrator/RA private keys in encrypted form using password protection and their browser's "high security" option.

ADACOM RA and its Client Administrators store their private keys in encrypted form and protect their private keys through the use of a hardware token and/or strong passphrase. ADACOM strongly recommends that end-user Subscribers store their private keys in encrypted form and protect their private keys through the use of a hardware token and/or strong passphrase. The use of two factor authentication mechanisms (e.g., token and passphrase, biometric and token, or biometric and passphrase) is encouraged.

6.4.3 Other Aspects of Activation Data

6.4.3.1 Activation Data Transmission

To the extent activation data for private keys are transmitted, STN Participants shall protect the transmission using methods that protect against the loss, theft, modification, unauthorized disclosure, or unauthorized use of such private keys. To the extent Windows or network logon

user name/password combination is used as activation data for an end-user Subscriber, the passwords transferred across a network shall be protected against access by unauthorized users.

6.4.3.2 Activation Data Destruction

Activation data for CA private keys are decommissioned using methods that protect against the loss, theft, modification, unauthorized disclosure, or unauthorized use of the private keys protected by such activation data. After the record retention periods in Section 5.5.2 lapse, ADACOM destroys activation data by overwriting and/or physical destruction.

6.5 Computer Security Controls

ADACOM performs all CA and RA functions using Trustworthy Systems that meet the requirements of Symantec's Security and Audit Requirements Guide.

6.5.1 Specific Computer Security Technical Requirements

ADACOM ensures that the systems maintaining CA software and data files are Trustworthy Systems secure from unauthorized access. In addition, ADACOM limits access to production servers to those individuals with a valid business reason for such access. General application users do not have accounts on production servers.

ADACOM's production network is logically separated from other components. This separation prevents network access except through defined application processes. ADACOM uses firewalls to protect the production network from internal and external intrusion and limit the nature and source of network activities that may access production systems.

ADACOM requires the use of passwords that have a minimum character length and a combination of alphanumeric and special characters. ADACOM requires that passwords be changed on a periodic basis.

Direct access to ADACOM databases supporting ADACOM's CA Operations is limited to Trusted Persons in ADACOM's Production Operations group having a valid business reason for such access.

6.5.2 Computer Security Rating

No stipulation.

6.6 Life Cycle Technical Controls

6.6.1 System Development Controls

Applications are developed and implemented by ADACOM in accordance with ADACOM systems development and change management standards.

Symantec developed software, when first loaded provides a method to verify that the software on the system originated from Symantec, has not been modified prior to installation, and is the version intended for use.

6.6.2 Security Management Controls

ADACOM has mechanisms and/or policies in place to control and monitor the configuration of its CA systems. Symantec creates a hash of all software packages and Symantec software updates. This hash is used to verify the integrity of such software manually. Upon installation and periodically thereafter, ADACOM validates the integrity of its CA systems.

6.6.3 Life Cycle Security Controls

No stipulation.

6.7 Network Security Controls

ADACOM performs all its CA and RA functions using networks secured in accordance with the Symantec Security and Audit Requirements Guide to prevent unauthorized access and other malicious activity. ADACOM protects its communications of sensitive information through the use of encryption and digital signatures.

6.8 Time-Stamping

Certificates, CRLs, and other revocation database entries contain time and date information. Such time information need not be cryptographic-based.

7. CERTIFICATE, CRL, AND OCSP PROFILES

7.1 Certificate Profile

ADACOM Certificates generally conform to (a) ITU-T Recommendation X.509 (1997): Information Technology - Open Systems Interconnection - The Directory: Authentication Framework, June 1997 and (b) RFC 5280: Internet X.509 Public Key Infrastructure Certificate and CRL Profile, April 2002 ("RFC 5280").

At a minimum, X.509 Certificates contain the basic fields and indicated prescribed values or value constraints in Table 6 below:

Field	Value or Value constraint
Serial Number	Unique value per Issuer DN
Signature Algorithm	Object identifier of the algorithm used to sign the certificate (See Section 7.1.3)
Issuer DN	See Section 7.1.4
Valid From	Universal Coordinate Time base. Encoded in accordance with RFC 5280.
Valid To	Universal Coordinate Time base. Encoded in accordance with RFC 5280.
Subject DN	See Section 7.1.4
Subject Public Key	Encoded in accordance with RFC 5280
Signature	Generated and encoded in accordance with RFC 5280

Table 6 – Certificate Profile Basic Fields

In addition, pursuant to the Qualified Certificate Profile, DL1 and DL2 Certificates also comply with RFC 3739 where it does not conflict with the Qualified Certificate Profile. Also, the basic fields within Certificates required under CP § 7.1 adhere to the requirements of the Directive to include within Certificates:

- An indication that the certificate is issued as a qualified certificate;
- The identification of the CA [Certification-Service-Provider] and the State in which it is established;
- The name of the signatory;
- Signature-verification data (subject public key);
- The beginning and end of their validity periods (valid from and valid to dates);
- The identity code of the Certificate (serial number);
- The Advanced Electronic Signature of the issuing ADACOM CA.

7.1.1 Version Number(s)

Symantec Root Certificate is X.509 Version 1 Certificate. ADACOM intermediate and issuing CA certificates are X.509 Version 3 CA Certificates, as well as End-user Subscriber Certificates.

7.1.2 Certificate Extensions

ADACOM populates X.509 Version 3 STN Certificates with the extensions required by Section 7.1.2.1-7.1.2.8.

7.1.2.1 Key Usage

X.509 Version 3 Certificates are generally populated in accordance with RFC 5280: Internet X.509 Public Key Infrastructure Certificate and CRL Profile, April 2002. The criticality field of the KeyUsage extension is set to TRUE for ADACOM Intermediate and Issuing CA certificates and set to FALSE for end user Subscribers Certificate.

Note: The nonRepudiation bit⁸ is not required to be set in these Certificates because the PKI industry has not yet reached a consensus as to what the nonRepudiation bit means. Until such a consensus emerges, the nonRepudiation bit might not be meaningful for potential Relying Parties. Moreover, the most commonly used applications do not always respect the nonRepudiation bit. Therefore, setting the bit might not help Relying Parties make a trust decision. Any dispute relating to non-repudiation arising from the use of a digital certificate is a matter solely between the Subscriber and the Relying Party(s). Symantec and ADACOM shall incur no liability in relation thereto.”

7.1.2.2 Certificate Policies Extension

CertificatePolicies extension of X.509 Version 3 Certificates are populated with the object identifier for the STN CP in accordance with CP and this CPS Section 7.1.6 and with policy qualifiers set forth in CP and this CPS Section 7.1.8. The criticality field of this extension is set to FALSE.

7.1.2.3 Private Certificate Extensions (QC Statement)

DL1 and DL2 Certificates contain a private extension containing an OID identifying the statement stating that the Certificate is issued in accordance with the Directive, as implemented in Greece. Such extension conforms to the definition in section 4.2.1(2) of the Qualified Certificate Profile. This extension for ADACOM DL1 and DL2 Certificates is marked as not critical.

7.1.2.4 Subject Alternative Names

The subjectAltName extension of X.509 Version 3 Certificates is populated in accordance with RFC 5280. The criticality field of this extension is set to FALSE.

7.1.2.5 Basic Constraints

ADACOM X.509 Version 3 CA Certificates BasicConstraints extension have the CA field set to TRUE. End-user Subscriber Certificates BasicConstraints extension, shall have the CA field set to FALSE. The criticality field of this extension is set to TRUE for CA Certificates, but may be set to TRUE or FALSE for end-user Subscriber Certificates.

ADACOM X.509 Version 3 CA Certificates have a “pathLenConstraint” field of the BasicConstraints extension set to the maximum number of CA certificates that may follow this Certificate in a certification path.

⁸ The nonRepudiation bit may also be referred to as ContentCommitment in Digital Certificates in accordance with the X.509 standard.

7.1.2.6 Extended Key Usage

ADACOM makes use of the ExtendedKeyUsage extension for the DL1 and DL2 certificates. By default, ExtendedKeyUsage is set as a non-critical extension.

7.1.2.7 CRL Distribution Points

ADACOM end user Subscriber Certificates, Intermediate and Issuing CA Certificates include the cRLDistributionPoints extension containing the URL of the location where a Relying Party can obtain a CRL to check the CA Certificate's status. The criticality field of this extension is set to FALSE.

7.1.2.8 Authority Key Identifier

DL1 and DL2 Certificates and the Issuing CA Certificate, include the Authority Key Identifier extension. The Authority Key Identifier is composed of the 160-bit SHA-1 hash of the public key of the CA issuing the Certificate. The criticality field of this extension is set to FALSE.

7.1.2.9 Subject Key Identifier

For DL1 and DL2 Certificates, the Intermediate and Issuing CAs, the Subject Key Identifier extension is included. The keyIdentifier based on the public key of the Subject of the Certificate is generated in accordance with one of the methods described in RFC 5280. The criticality field of this extension is set to FALSE.

7.1.3 Algorithm Object Identifiers

ADACOM Certificates are signed using the following algorithm:

- **sha-1WithRSAEncryption** OBJECT IDENTIFIER ::= {iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 5}

Certificate signatures produced using these algorithms shall comply with RFC 3279.

7.1.4 Name Forms

ADACOM populates Certificates with an Issuer and Subject Distinguished Name in accordance with Section 3.1.1.

In addition, ADACOM includes within end-user Subscriber Certificates an additional Organizational Unit field that contains a notice stating that the terms of use of the Certificate are set forth in a URL which is a pointer to the applicable Relying Party Agreement.

7.1.5 Name Constraints

No stipulation.

7.1.6 Certificate Policy Object Identifier

Symantec, acting as the policy-defining authority, has assigned an object identifier value extension for each Class of Certificate issued under the Symantec Trust Network (STN). Qualified Certificates contain object identifier values corresponding to the applicable policies of Qualified Certificate (DL1 or DL2) in accordance with the EDP.

The object identifier values used for DL1 and DL2 are respectively:

- DL 1: Symantec/pki/policies/EDP/dl1 (2.16.840.1.113733.1.7.44.1).
- DL 2: Symantec/pki/policies/EDP/dl2 (2.16.840.1.113733.1.7.44.2).

Qualified Certificates (DL1 and DL2), contain two additional OIDs:

- The OID for Class 2 Certificate Policy: Symantec/pki/policies/stn-cp/class2 (2.16.840.1.113733.1.7.23.2).⁹
- The OID specified by the ETSI Policy Document (ETSI TS 101 456) for the Qualified Certificates:
 - For DL1 certificates (0.4.0.1456.1.2)
 - For DL2 certificates (0.4.0.1456.1.1)

7.1.7 Usage of Policy Constraints Extension

No stipulation.

7.1.8 Policy Qualifiers Syntax and Semantics

ADACOM populates X.509 Version 3 STN Certificates with a policy qualifier within the Certificate Policies extension. Such Certificates contain a CPS pointer qualifier that points to the applicable Relying Party Agreement.

7.1.9 Processing Semantics for the Critical Certificate Policies Extension

No stipulation.

7.2 CRL Profile

CRLs contain the basic fields and contents specified in Table 7 below:

Field	Value or Value constraint
Version	See Section 7.2.1.
Signature Algorithm	Algorithm used to sign the CRL. For DL1 and DL2 algorithm used to sign the CRL is the sha1WithRSAEncryption (OID: 1.2.840.113549.1.1.5)

⁹ Due to the fact, that Qualified Certificates are signed under the VeriSign Class 2 Root CA.

Field	Value or Value constraint
Issuer	Entity that has signed and issued the CRL.
Effective Date	Issue date of the CRL. CRLs are effective upon issuance.
Next Update	Date by which the next CRL will be issued. CRL issuance frequency is in accordance with the requirements of Section 4.4.7.
Revoked Certificates	Listing of revoked certificates, including the Serial Number of the revoked Certificate and the Revocation Date.

Table 7 – CRL Profile Basic Fields

7.2.1 Version Number(s)

ADACOM issues Version 2 CRLs. For the ADACOM Class 2 CA (Intermediate CA), Symantec issues Version 1 CRLs. The CRLs comply with the requirements of RFC 5280.

7.2.2 CRL and CRL Entry Extensions

No stipulation.

7.3 OCSP Profile

OCSP (Online Certificate Status Protocol) is a way to obtain timely information about the revocation status of a particular certificate. ADACOM validates:

- End user certificates using the ADACOM Qualified Services OCSP Responder which conforms to RFC 2560.

7.3.1 Version Number(s)

Version 1 of the OCSP specification as defined by RFC 2560

7.3.2 OCSP Extensions

ADACOM does not use a nonce to establish the current freshness of each OCSP response and clients should not expect a nonce in the response to a request that contains a nonce. Instead, clients should use the local clock to check for response freshness.

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

An annual audit is performed for ADACOM's data center operations and key management operations supporting ADACOM's public Qualified CA services. Customer-specific CAs are not specifically audited as part of the audit of ADACOM's operations unless required by the Customer. ADACOM shall be entitled to require that Enterprise Customers undergo a compliance audit under this CPS and audit programs for these types of Customers.

In addition to compliance audits, ADACOM is entitled to perform other reviews and investigations to ensure the trustworthiness of ADACOM's Sub-domain of the STN, which include, but are not limited to:

- ADACOM is entitled, within its sole and exclusive discretion, to perform at any time an "Exigent Audit/Investigation" on itself in the event ADACOM has experienced an incident or compromise, or has acted or failed to act, such the way that poses an actual or potential threat to the security or integrity of the STN.
- ADACOM is entitled to perform "Supplemental Risk Management Reviews" on itself following incomplete or exceptional findings in a Compliance Audit or as part of the overall risk management process in the ordinary course of business.

ADACOM is entitled to delegate the performance of these audits, reviews, and investigations to a third party audit firm. Entities that are subject to an audit, review, or investigation shall provide reasonable cooperation with ADACOM and the personnel performing the audit, review, or investigation.

Additionally, the Hellenic Telecommunications and Post Commission is entitled to perform an inspection, to ascertain ADACOM's compliance with the provisions of Greek law. Therefore ADACOM is able to prove that it issues Qualified Certificates in full compliance with the applicable laws.

8.1 Frequency and Circumstances of Assessment

ADACOM Compliance Audits are conducted at least annually. ADACOM customer audits are conducted at the sole expense of the audited entity. Audits are conducted over unbroken sequences of audit periods with each period no longer than one year duration.

8.2 Identity/Qualifications of Assessor

ADACOM's CA compliance audits are performed by:

- ADACOM internally, by Qualified IT Auditors, and
- the Hellenic Telecommunications and Post Commission or the bodies designated by it, have the right to perform audits pursuant to applicable law or
- An accounting firm that demonstrates proficiency in public key infrastructure technology, information security tools and techniques and security auditing.

8.3 Topics Covered by Assessment

The scope of ADACOM's annual audit includes CA environmental controls, key management operations and Infrastructure/Administrative CA controls, certificate life cycle management and CA business practices disclosure.

8.4 Actions Taken as a Result of Deficiency

With respect to compliance audits of ADACOM's operations, significant exceptions or deficiencies identified during the Compliance Audit will result in a determination of actions to be taken. This determination is made by ADACOM management with input from the auditor. ADACOM management is responsible for developing and implementing a corrective action plan. If ADACOM determines that such exceptions or deficiencies pose an immediate threat to the security or integrity of the STN, a corrective action plan will be developed within 30 days and implemented within a commercially reasonable period of time. For less serious exceptions or deficiencies, ADACOM management will evaluate the significance of such issues and determine the appropriate course of action.

8.5 Communications of Results

Results of the compliance audit of ADACOM's operations may be released at the discretion of ADACOM Management.

9. OTHER BUSINESS AND LEGAL MATTERS

9.1 Fees

9.1.1 Certificate Issuance or Renewal Fees

ADACOM charges end-user Subscribers for the issuance, management, and renewal of Certificates.

9.1.2 Certificate Access Fees

ADACOM does not charge a fee as a condition of making a Certificate available in a repository or otherwise making Certificates available to Relying Parties.

9.1.3 Revocation or Status Information Access Fees

ADACOM does not charge a fee as a condition of making the CRLs required by this CPS available in a repository or otherwise available to Relying Parties. ADACOM is, however, entitled to charge a fee for providing customized CRLs, OCSP services, or other value-added revocation and status information services. ADACOM does not permit access to revocation information, Certificate status information, or time stamping in their repositories by third parties that provide products or services that utilize such Certificate status information without ADACOM's prior express written consent.

9.1.4 Fees for Other Services

ADACOM does not charge a fee for access to this CPS. Any use made for purposes other than simply viewing the document, such as reproduction, redistribution, modification, or creation of derivative works, shall be subject to a license agreement with ADACOM.

9.1.5 Refund Policy

Within ADACOM's Sub-domain, the following refund policy is in effect:

ADACOM adheres to, and stands behind, rigorous practices and policies in undertaking certification operations and in issuing certificates. Nevertheless, if for any reason a subscriber is not completely satisfied with the certificate issued to him, her, or it, the subscriber may request that ADACOM revoke the certificate within thirty (30) days of issuance and provide the subscriber with a refund. Following the initial thirty (30) day period, a subscriber may request that ADACOM revoke the certificate and provide a refund if ADACOM has breached a warranty or other material obligation under this CPS relating to the subscriber or the subscriber's certificate. After ADACOM revokes the subscriber's certificate, ADACOM will promptly credit the subscriber's credit card account (if the certificate was paid for via credit card) or otherwise reimburse the subscriber via check, for the full amount of the applicable fees paid for the certificate. To request a refund please call customer service at +30 2105193740. This refund policy is not an exclusive remedy and does not limit other remedies that may be available to subscribers.

9.2 Financial Responsibility

9.2.1 Insurance Coverage

ADACOM maintains a commercially reasonable level of insurance coverage for errors and omissions.

9.2.2 Other Assets

ADACOM has sufficient financial resources to maintain its operations and perform its duties, and is reasonably able to bear the risk of liability to Subscribers and Relying Parties. Proof of financial resources is not made publicly available.

9.3 Confidentiality of Business Information

9.3.1 Scope of Confidential Information

The following records of Subscribers shall, subject to Section 9.3.2, be kept confidential and private ("Confidential Information"):

- CA application records, whether approved or disapproved,
- Certificate Application records,
- Transactional records (both full records and the audit trail of transactions),
- Audit trail records created or retained by ADACOM or a Customer,
- Audit reports created by ADACOM or their auditors (whether internal or public),
- Contingency planning and disaster recovery plans, and
- Security measures controlling the operations of ADACOM hardware and software and the administration of Certificate services and designated enrollment services.

9.3.2 Information Not Within the Scope of Confidential Information

Certificates, Certificate revocation and other status information, ADACOM repositories and information contained within them are not considered Confidential Information. Information not expressly deemed Confidential Information under Section 9.3.1 is not considered confidential. This section is subject to applicable privacy laws.

9.3.3 Responsibility to Protect Confidential Information

ADACOM secures confidential information from compromise and disclosure to third parties.

9.4 Privacy of Personal Information

9.4.1 Privacy Plan

ADACOM has implemented a privacy policy, which is located at: <http://www.adacom.com/repository/privacy> in compliance with CP § 2.8 and the Greek law.

9.4.2 Information Treated as Private

Any information about Subscribers that is not publicly available through the content of the issued certificate, certificate directory and online CRLs is treated as private.

9.4.3 Information Not Deemed Private

Subject to Greek laws, all information made public in a certificate is deemed not private.

9.4.4 Responsibility to Protect Private Information

ADACOM and all its Sub-domain participants receiving private information shall secure it from compromise and disclosure to third parties and shall comply with all privacy laws in their jurisdiction.

9.4.5 Notice and Consent to Use Private Information

Unless where otherwise stated in this CPS, the applicable Privacy Policy or by agreement, private information are not used without the consent of the party to whom that information applies, in accordance with applicable privacy law.

9.4.6 Disclosure Pursuant to Judicial or Administrative Process

ADACOM shall be entitled to disclose Confidential Information if, in good faith, ADACOM believes that:

- Disclosure is necessary in response to subpoenas and search warrants.
- Disclosure is necessary in response to judicial, administrative, or other legal process during the discovery process in a civil or administrative action, such as subpoenas, interrogatories, requests for admission, and requests for production of documents.

This section is subject to applicable privacy laws.

9.4.7 Disclosure Upon Owner's Request

ADACOM's privacy policy contains provisions relating to the disclosure of private Information to the person disclosing it to ADACOM. This section is subject to applicable privacy laws.

9.4.8 Other Information Disclosure Circumstances

No stipulation.

9.5 Intellectual Property rights

The allocation of Intellectual Property Rights among ADACOM Sub-domain Participants other than Subscribers and Relying Parties is governed by the applicable agreements among such ADACOM Sub-domain Participants. The following subsections of Section 9.5 apply to the Intellectual Property Rights in relation to Subscribers and Relying Parties.

9.5.1 Property Rights in Certificates and Revocation Information

CAs retain all Intellectual Property Rights in and to the Certificates and revocation information that they issue. ADACOM grants permission to reproduce and distribute Certificates on a nonexclusive royalty-free basis, provided that they are reproduced in full and that use of Certificates is subject to the Relying Party Agreement referenced in the Certificate. ADACOM grants permission to use revocation information to perform Relying Party functions subject to the applicable Relying Party Agreement, or any other applicable agreements.

9.5.2 Property Rights in the CPS

STN Participants acknowledge that ADACOM retains all Intellectual Property Rights in and to this CPS.

9.5.3 Property Rights in Names

A Certificate Applicant retains all rights it has (if any) in any trademark, service mark, or trade name contained in any Certificate Application and distinguished name within any Certificate issued to such Certificate Applicant.

9.5.4 Property Rights in Keys and Key Material

Key pairs corresponding to Certificates of CAs and end-user Subscribers are the property of the CAs and end-user Subscribers that are the respective Subjects of these Certificates, regardless of the physical medium within which they are stored and protected, and such persons retain all Intellectual Property Rights in and to these key pairs. Without limiting the generality of the foregoing, Symantec's Root public keys and the Root Certificates containing them, including all PCA public keys and self-signed Certificates, are the property of Symantec. Symantec licenses software and hardware manufacturers to reproduce such root Certificates to place copies in trustworthy hardware devices or software. Finally, Secret Shares of a CA's private key are the property of the CA, and the CA retains all Intellectual Property Right in and to such Secret Shares even though they cannot obtain physical possession of the those shares or the CA from Symantec or ADACOM.

9.6 Representations and Warranties

9.6.1 CA Representations and Warranties

ADACOM CA warrants that:

- There are no material misrepresentations of fact in the Certificate known to or originating from the entities approving the Certificate Application or issuing the Certificate,
- There are no errors in the information in the Certificate that were introduced by the entities approving the Certificate Application or issuing the Certificate as a result of a failure to exercise reasonable care in managing the Certificate Application or creating the Certificate,
- Their Certificates meet all material requirements of this CPS, and
- Revocation services and use of a repository conform to the applicable CPS in all material aspects.

ADACOM Subscriber Agreement may include additional representations and warranties.

9.6.2 RA Representations and Warranties

ADACOM RAs warrant that:

- There are no material misrepresentations of fact in the Certificate known to or originating from the entities approving the Certificate Application or issuing the Certificate,
- There are no errors in the information in the Certificate that were introduced by the entities approving the Certificate Application as a result of a failure to exercise reasonable care in managing the Certificate Application,
- Their Certificates meet all material requirements of this CPS and
- Revocation services (when applicable) and use of a repository conform to the applicable CPS in all material aspects,
- Meet the requirements of CPS and the EDP.

ADACOM Subscriber Agreement may include additional representations and warranties.

9.6.3 Subscriber Representations and Warranties

Subscribers warrant that:

- Each digital signature created using the private key corresponding to the public key listed in the Certificate is the digital signature of the Subscriber and the Certificate has been accepted and is operational (not expired or revoked) at the time the digital signature is created,
- Their private key is protected and that no unauthorized person has ever had access to the Subscriber's private key,
- All representations made by the Subscriber in the Certificate Application the Subscriber submitted are true,
- All information supplied by the Subscriber and contained in the Certificate is true,
- The Certificate is being used exclusively for authorized and legal purposes, consistent with this CPS, and
- The Subscriber is an end-user Subscriber and not a CA, and is not using the private key corresponding to any public key listed in the Certificate for purposes of digitally signing any Certificate (or any other format of certified public key) or CRL, as a CA or otherwise.

ADACOM Subscriber Agreement may include additional representations and warranties.

9.6.4 Relying Party Representations and Warranties

ADACOM Relying Party Agreement require Relying Parties to acknowledge that they have sufficient information to make an informed decision as to the extent to which they choose to rely on the information in a Certificate, that they are solely responsible for deciding whether or not to rely on such information, and that they shall bear the legal consequences of their failure to perform the Relying Party obligations in terms of this CPS.

ADACOM Relying Party Agreement contains a warranty to Relying Party who reasonably relies on Qualified Certificate to verify a digital signature that:

- The Qualified Certificate contains all the details prescribed for a Qualified Certificate under the Directive,
- The Subscriber of such Qualified Certificate held the private key corresponding to the public key within such Qualified Certificate at the time the Qualified Certificate was issued and
- The CA and the RA exercises reasonable care to provide notice of the revocation of Qualified Certificates in accordance with CP § 4.9.7, 4.9.9.

ADACOM Relying Party Agreement may include additional representations and warranties. ADACOM Subscriber Agreement also contains the foregoing warranties and apply to the extent Subscribers also act as Relying Parties.

9.6.5 Representations and Warranties of Other Participants

No stipulation.

9.7 Disclaimers of Warranties

ADACOM, Subscriber Agreement and Relying Party Agreement disclaim ADACOM's possible warranties, including any warranty of merchantability or fitness for a particular purpose.

9.8 Obligations for CAs issuing Qualified Certificates

ADACOM Qualified CA also meets the CA requirements set forth in the EDP.

ADACOM Subscriber Agreement is in writing and in readily understandable language. Furthermore, ADACOM Subscriber Agreement contain the following terms required by the Directive, the Greek Law and the ETSI Policy Document:

- The applicable policy, whether DL1 or DL2, including a clear statement as to whether the use of an SSCD is required or not,
- An acknowledgement that the information contained in the Certificate is correct unless the Subscriber informs the applicable CA or RA otherwise,
- Applicable limitations on use, which at a minimum include the limitations in CPS § 9.9.,
- The obligations of Subscribers set forth in this section and assent to perform such obligations,
- Information on how to validate a Certificate, including a requirement to check the status of a Certificate, and the conditions upon which reliance on a Certificate is deemed "reasonable," which apply to situations where Subscribers also act as Relying Parties,
- Applicable limitations of liability,
- Consent to the publication of the Certificate issued to the Subscriber and its availability for retrieval by Relying Parties,

- Consent to the retention of records used in enrollment, the provision of an SSCD to the Subscriber, revocation information, and the transition of such information to third parties in the event of CA termination,
- The records retention period for Certificate Application information,
- The records retention period for CA event logs,
- Applicable dispute resolution procedures,
- Governing law, and
- Whether the CA has been certified to be conformant with the DL1 Certificate policies or with the DL2 Certificate policies.

ADACOM Subscriber Agreement is communicated to Certificate Applicants before they submit enrollment information and with means that preserve the integrity of the Subscriber Agreement. Prior to the issuance of a new Certificate upon renewal or rekeying, any changes to Subscriber Agreement implemented since the time of the last enrollment or re-enrollment are communicated to the Subscriber with means that preserve the integrity of the Subscriber Agreement.

ADACOM Relying Party Agreement is in writing and in readily understandable language. Furthermore, ADACOM Relying Party Agreement contain the following terms required by the ETSI Policy Document:

- The applicable policy, whether DL1 or DL2, including a clear statement as to whether Subscribers are required to use an SSCD or not,
- Applicable limitations on use, which at a minimum include the limitations in CPS § 1.4.2,
- Information on how to validate a Certificate, including a requirement to check the status of a Certificate, and the conditions upon which reliance on a Certificate is deemed “reasonable,”
- Applicable limitations of liability,
- The records retention period for Certificate Application information,
- The records retention period for CA event logs,
- Applicable dispute resolution procedures,
- Governing law, and
- Whether the CA has been certified to be conformant with the DL1 Certificate policies or with the DL2 Certificate policies.

9.9 Limitations of Liability

ADACOM Subscriber Agreement and Relying Party Agreement limit ADACOM's liability. Limitations of liability include an exclusion of indirect, special, incidental, and consequential damages. They also include the liability cap of three thousand Euros (3,000.00 €) limiting ADACOM's damages concerning a DL1 or DL2 Certificate.

The liability (and/or limitation thereof) of Subscribers is as set forth in the applicable Subscriber agreements.

The liability (and/or limitation thereof) of Relying Parties is as set forth in the applicable Relying Party Agreements.

9.10 Indemnities

9.10.1 Indemnification by Subscribers

Subscribers are required to indemnify ADACOM for:

- Falsehood or misrepresentation of fact by the Subscriber on the Subscriber's Certificate Application,
- Failure by the Subscriber to disclose a material fact on the Certificate Application, if the misrepresentation or omission was made negligently or with intent to deceive any party,
- The Subscriber's failure to protect the Subscriber's private key, to use a Trustworthy System, or to otherwise take the precautions necessary to prevent the compromise, loss, disclosure, modification, or unauthorized use of the Subscriber's private key, or
- The Subscriber's use of a name (including without limitation within a common name, domain name, or e-mail address) that infringes upon the Intellectual Property Rights of a third party.

The Subscriber Agreement may include additional indemnity obligations.

9.10.2 Indemnification by Relying Parties

ADACOM Relying Party Agreement requires Relying Parties to indemnify ADACOM for:

- The Relying Party's failure to perform the obligations of a Relying Party,
- The Relying Party's reliance on a Certificate that is not reasonable under the circumstances, or
- The Relying Party's failure to check the status of such Certificate to determine if the Certificate is expired or revoked.

The Relying Party Agreement may include additional indemnity obligations.

9.11 Term and Termination

9.11.1 Term

The CPS becomes effective upon publication in the ADACOM repository. Amendments to this CPS become effective upon publication in the ADACOM repository.

9.11.2 Termination

This CPS as amended from time to time remains in force until it is replaced by a new version.

9.11.3 Effect of Termination and Survival

Upon termination of this CPS, ADACOM Sub-domain Participants are nevertheless bound by its terms for all certificates issued for the remainder of the validity periods of such certificates.

9.12 Individual Notices and Communications with Participants

Unless otherwise specified by agreement between the parties, ADACOM Sub-domain Participants shall use commercially reasonable methods to communicate with each other, taking into account the criticality and subject matter of the communication.

9.13 Amendments

9.13.1 Procedure for Amendment

Amendments to this CPS are made by the ADACOM Practices Development Group (APDG). Amendments are either in the form of a document containing an amended form of the CPS or an update. Amended versions or updates are linked to the Practices Updates and Notices section of the ADACOM Repository located at: <https://www.adacom.com/repository/updates>. Updates supersede any designated or conflicting provisions of the referenced version of the CPS.

9.13.2 Notification Mechanism and Period

ADACOM reserves the right to amend the CPS without notification for amendments that are not material, including without limitation corrections of typographical errors, changes to URLs, and changes to contact information. The APDG's decision to designate amendments as material or non-material shall be within the APDG's sole discretion.

Proposed amendments to the CPS appear in the Practices Updates and Notices section of the ADACOM Repository, which is located at: <https://www.adacom.com/repository/updates>.

Notwithstanding anything in the CPS to the contrary, if the APDG believes that material amendments to the CPS are necessary immediately to stop or prevent a breach of the security of the STN or any portion of it, ADACOM is entitled to make such amendments by publication in the ADACOM Repository. Such amendments will be effective immediately upon publication. Within a reasonable time after publication, ADACOM provides notice to of such amendments to ADACOM Sub-domain Participants.

9.13.2.1 Comment Period

Except as otherwise stated, the comment period for any material amendments to the CPS is fifteen (15) days, starting on the date on which the amendments are posted on the ADACOM Repository. Any ADACOM Sub-domain Participant is entitled to file comments with the APDG up until the end of the comment period.

9.13.2.2 Mechanism to Handle Comments

The APDG considers any comments on the proposed amendments. The APDG will either (a) allow the proposed amendments to become effective without amendment, (b) amend the proposed amendments and republish them as a new amendment when required, or (c) withdraw the proposed amendments. The APDG is entitled to withdraw proposed amendments by notifying Affiliates and providing notice in the Practices Updates and Notices section of the ADACOM Repository. Unless proposed amendments are amended or withdrawn, they become effective upon the expiration of the comment period.

9.13.3 Circumstances under Which OID Must be Changed

If the APDG, in cooperation with Symantec, determines that a change is necessary in the object identifier corresponding to a Certificate policy, the amendment contains new object identifiers for the Certificate policies corresponding to each Class of Certificate. Otherwise, amendments do not require a change in Certificate policy object identifier.

9.14 *Dispute Resolution Provisions*

9.14.1 Disputes among Symantec, Affiliates, and Customers

Disputes among ADACOM Sub-domain Participants are resolved pursuant to provisions in the applicable agreements among the parties.

9.14.2 Disputes with End-User Subscribers or Relying Parties

ADACOM Subscriber Agreements and Relying Party Agreements contain a dispute resolution clause. Disputes involving ADACOM require an initial negotiation period of sixty (60) days followed by litigation in the courts of Athens- Greece.

9.15 *Governing Law*

The law of Greece governs the enforceability, construction, interpretation, and validity of this CPS, irrespective of contract or other choice of law provisions and without the requirement to establish a commercial nexus in Greece. This choice of law is made to ensure uniform procedures and interpretation for all ADACOM Sub-domain Participants, no matter where they are located.

This governing law provision applies only to this CPS. Agreements incorporating the CPS by reference may have their own governing law provisions, provided that this Section 9.14 governs the enforceability, construction, interpretation, and validity of the terms of the CPS separate and apart from the remaining provisions of any such agreements, subject to any limitations appearing in applicable law.

9.16 *Compliance with Applicable Law*

This CPS is subject to Greek laws.

9.17 *Miscellaneous Provisions*

9.17.1 Entire Agreement

Not applicable.

9.17.2 Assignment

Not applicable.

9.17.3 Severability

In the event that a clause or provision of this CPS is held to be unenforceable by a court of law or other tribunal having authority, the remainder of the CPS shall remain valid.

9.17.4 Enforcement (Attorney's Fees and Waiver of Rights)

Not applicable.

9.17.5 Force Majeure

ADACOM Subscriber Agreement and Relying Party Agreement may include a force majeure clause protecting ADACOM.

9.18 Other Provisions

Not applicable.

Appendix A. Table of Acronyms and definitions

Table of Acronyms

Term	Definition
APDG	ADACOM Practices Development Group
CA	Certification Authority.
CP	Certificate Policy.
CPS	Certification Practice Statement.
CRL	Certificate Revocation List.
EAL	Evaluation assurance level (pursuant to the Common Criteria).
FIPS	United State Federal Information Processing Standards.
LSVA	Logical security vulnerability assessment.
OCSP	Online Certificate Status Protocol.
PCA	Primary Certification Authority.
PIN	Personal identification number.
PKCS	Public-Key Cryptography Standard.
PKI	Public Key Infrastructure.
PMA	Policy Management Authority.
RA	Registration Authority.
RFC	Request for comment.
S/MIME	Secure multipurpose Internet mail extensions.
SSL	Secure Sockets Layer.
STN	Symantec Trust Network.

Definitions

Term	Definition
Administrator	A Trusted Person within the organization of a Processing Center, Service Center or Managed PKI Customer, that performs validation and other CA or RA functions.
ADACOM Practices Development Group	The organization within ADACOM, responsible for promulgating this policy throughout the ADACOM Sub-domain.
Administrator Certificate	A Certificate issued to an Administrator that may only be used to perform CA or RA functions.
Affiliate	A leading trusted third party, for example in the technology, telecommunications, or financial services industry that has entered into an agreement with Symantec to be a STN distribution and services channel within a specific territory.
Certificate	A message that, at least, states a name or identifies the CA, identifies the Subscriber, contains the Subscriber's public key, identifies the Certificate's Operational Period, contains a Certificate serial number, and is digitally signed by the CA.
Certificate Applicant	An individual or organization that requests the issuance of a Certificate by a CA.
Certificate Application	A request from a Certificate Applicant (or authorized agent of the Certificate Applicant) to a CA for the issuance of a Certificate.
Certificate Chain	An ordered list of Certificates containing an end-user Subscriber Certificate and CA Certificates, which terminates in a root Certificate.
Certificate Policies (CP)	The document, which is entitled "Symantec Trust Network Certificate Policies" and is the principal statement of policy governing the STN.
Certificate Revocation List (CRL)	A periodically (or exigently) issued list, digitally signed by a CA, of identified Certificates that have been revoked prior to their expiration dates. The list generally indicates the CRL issuer's name, the date of issue, the date of the next

Term	Definition
	scheduled CRL issue, the revoked Certificates' serial numbers, and the specific times and reasons for revocation.
Certificate Request Signing	A message conveying a request to have a Certificate issued.
Certification Authority (CA)	An entity authorized to issue, manage, revoke, and renew Certificates in the STN.
Certification Practice Statement (CPS)	This document which states the practices that ADACOM employs in approving or rejecting Certificate Applications and issuing, managing, and revoking Certificates, and requires its Managed PKI Customers and Gateway Customers to employ.
Challenge Phrase	A secret phrase chosen by a Certificate Applicant during enrollment for a Certificate. When issued a Certificate, the Certificate Applicant becomes a Subscriber and a CA or RA can use the Challenge Phrase to authenticate the Subscriber when the Subscriber seeks to revoke or renew the Subscriber's Certificate.
Class	A specified level of assurances as defined within the CP. See CP § 1.1.1.
Client Service Center	A Service Center that is ADACOM providing client Certificates either in the Consumer or Enterprise line of business.
Compliance Audit	A periodic audit that a Processing Center, Service Center or Managed PKI Customer undergoes to determine its conformance with STN Standards that apply to it.
Compromise	A violation (or suspected violation) of a security policy, in which an unauthorized disclosure of, or loss of control over, sensitive information may have occurred. With respect to private keys, a Compromise is a loss, theft, disclosure, modification, unauthorized use, or other compromise of the security of such private key.
Confidential/Private Information	Information required to be kept confidential and private pursuant to CP § 2.8.1.
CRL Usage Agreement	An agreement setting forth the terms and conditions under which a CRL or the information in it can be used.
Enterprise, as in Enterprise Service Center	A line of business that ADACOM enters to provide Managed PKI services to Managed PKI Customers.
Exigent Audit/Investigation	An audit or investigation by Symantec or ADACOM where ADACOM has reason to believe that an entity failure to meet STN Standards, an incident or Compromise relating to the entity, or an actual or potential threat to the security of the STN posed by the entity has occurred.
Intellectual Property Rights	Rights under one or more of the following: any copyright, patent, trade secret, trademark, and any other intellectual property rights.
Intermediate Certification Authority (Intermediate CA)	A Certification Authority whose Certificate is located within a Certificate Chain between the Certificate of the root CA and the Certificate of the Certification Authority that issued the end-user Subscriber's Certificate.
Key Generation Ceremony	A procedure whereby a CA's or RA's key pair is generated, its private key is transferred into a cryptographic module, its private key is backed up, and/or its public key is certified.
Managed PKI	ADACOM's fully integrated managed PKI service that allows enterprise Customers of ADACOM to distribute Certificates to individuals, such as employees, partners, suppliers, and customers. Managed PKI permits enterprises to secure messaging, and e-commerce applications.
Manual Authentication	A procedure whereby Certificate Applications are reviewed and approved manually one-by-one by an Administrator using a web-based interface.
Nonverified Subscriber Information	Information submitted by a Certificate Applicant to a CA or RA, and included within a Certificate, that has not been confirmed by the CA or RA and for which the applicable CA and RA provide no assurances other than that the information was submitted by the Certificate Applicant.
Non-repudiation	An attribute of a communication that provides protection against a party to a

Term	Definition
	communication falsely denying its origin, denying that it was submitted, or denying its delivery. Denial of origin includes the denial that a communication originated from the same source as a sequence of one or more prior messages, even if the identity associated with the sender is unknown. Note: only an adjudication by a court, arbitration panel, or other tribunal can ultimately prevent repudiation. For example, a digital signature verified with reference to a STN Certificate may provide proof in support of a determination of Non-repudiation by a tribunal, but does not by itself constitute Non-repudiation.
Offline CA	Symantec PCAs Issuing Root CAs and other designated intermediate CAs that are maintained offline for security reasons in order to protect them from possible attacks by intruders by way of the network. These CAs do not directly sign end user Subscriber Certificates.
Online CA	CAs that sign end user Subscriber Certificates are maintained online so as to provide continuous signing services.
Online Certificate Status Protocol (OCSP)	A protocol for providing Relying Parties with real-time Certificate status information.
Operational Period	The period starting with the date and time a Certificate is issued (or on a later date and time certain if stated in the Certificate) and ending with the date and time on which the Certificate expires or is earlier revoked.
PKCS #10	Public-Key Cryptography Standard #10 developed by RSA Security Inc., which defines a structure for a Certificate Signing Request.
PKCS #12	Public-Key Cryptography Standard #12 developed by RSA Security Inc., which defines a secure means for the transfer of private keys.
Policy Management Authority (PMA)	The organization within Symantec responsible for promulgating this policy throughout the STN.
Primary Certification Authority (PCA)	A CA that acts as a root CA for a specific Class of Certificates, and issues Certificates to CAs subordinate to it.
Processing Center	The ADACOM site that creates a secure facility housing, among other things, the cryptographic modules used for the issuance of Certificates. In the Consumer and Web Site lines of business, Processing Centers act as CAs within the STN and perform all Certificate lifecycle services of issuing, managing, revoking, and renewing Certificates. In the Enterprise line of business, Processing Centers provide lifecycle services on behalf of their Managed PKI Customers or the Managed PKI Customers of the Service Centers subordinate to them.
Public Key Infrastructure (PKI)	The architecture, organization, techniques, practices, and procedures that collectively support the implementation and operation of a Certificate-based public key cryptographic system. The STN PKI consists of systems that collaborate to provide and implement the STN.
Registration Authority (RA)	An entity approved by a CA to assist Certificate Applicants in applying for Certificates, and to approve or reject Certificate Applications, revoke Certificates, or renew Certificates.
Relying Party	An individual or organization that acts in reliance on a certificate and/or a digital signature.
Relying Party Agreement	An agreement used by a CA setting forth the terms and conditions under which an individual or organization acts as a Relying Party.
RSA	A public key cryptographic system invented by Rivest, Shamir, and Adelman.
Secret Share	A portion of a CA private key or a portion of the activation data needed to operate a CA private key under a Secret Sharing arrangement.
Secret Sharing	The practice of splitting a CA private key or the activation data to operate a CA private key in order to enforce multi-person control over CA private key operations under CP § 6.2.2.
Secure Server ID	A Class 3 organizational Certificate used to support SSL sessions between web browsers and web servers.
Secure Sockets Layer (SSL)	The industry-standard method for protecting Web communications developed by Netscape Communications Corporation. The SSL security protocol provides data encryption, server authentication, message integrity, and optional client

Term	Definition
	authentication for a Transmission Control Protocol/Internet Protocol connection.
Security and Audit Requirements Guide	A Symantec document that sets forth the security and audit requirements and practices for Processing Centers and Service Centers.
Service Center	The ADACOM operation that does not house Certificate signing units for the issuance of Certificates for the purpose of issuing Certificates of a specific Class or type, but rather relies on a Processing Center to perform issuance, management, revocation, and renewal of such Certificates.
Sub-domain	The portion of the STN under control of an entity and all entities subordinate to it within the STN hierarchy.
Subject	The holder of a private key corresponding to a public key. The term "Subject" can, in the case of an organizational Certificate, refer to the equipment or device that holds a private key. A Subject is assigned an unambiguous name, which is bound to the public key contained in the Subject's Certificate.
Subscriber	In the case of an individual Certificate, a person who is the Subject of, and has been issued, a Certificate. In the case of an organizational Certificate, an organization that owns the equipment or device that is the Subject of, and that has been issued, a Certificate. A Subscriber is capable of using, and is authorized to use, the private key that corresponds to the public key listed in the Certificate.
Subscriber Agreement	An agreement used by a CA or RA setting forth the terms and conditions under which an individual or organization acts as a Subscriber.
Superior Entity	An entity above a certain entity within a STN hierarchy (the Class 1, or 3 hierarchy).
Trusted Person	An employee, contractor, or consultant of an entity within the STN responsible for managing infrastructural trustworthiness of the entity, its products, its services, its facilities, and/or its practices as further defined in CP § 5.2.1.
Trusted Position	The positions within a STN entity that must be held by a Trusted Person.
Trustworthy System	Computer hardware, software, and procedures that are reasonably secure from intrusion and misuse; provide a reasonable level of availability, reliability, and correct operation; are reasonably suited to performing their intended functions; and enforce the applicable security policy. A trustworthy system is not necessarily a "trusted system" as recognized in classified government nomenclature.
Symantec	Means, with respect to each pertinent portion of this CPS Symantec Corp and/or any wholly owned Symantec subsidiary responsible for the specific operations at issue.
ADACOM Repository	ADACOM's database of Certificates and other relevant ADACOM Sub-domain information accessible on-line.
Symantec Trust Network (STN)	The Certificate-based Public Key Infrastructure governed by the Symantec Trust Network Certificate Policies, which enables the worldwide deployment and use of Certificates by Symantec and its Affiliates, and their respective Customers, Subscribers, and Relying Parties.
STN Participant	An individual or organization that is one or more of the following within the STN: Symantec, ADACOM, a Customer, a Universal Service Center, a Reseller, a Subscriber, or a Relying Party.
STN Standards	The business, legal, and technical requirements for issuing, managing, revoking, renewing, and using Certificates within the STN.