



ADACOM Certification Practice Statement for non-Qualified Certificates

Version 3.0

Effective Date: 31 March, 2009



ADACOM S.A.
25, Kreontos Street,
10442, Athens,
Greece
phone number: +30 210 5193740
www.adacom.com

ADACOM Certification Practices Statement for non-Qualified Certificates

© 2005 VeriSign, Inc. All rights reserved.

Published date: March 30, 2009

Trademark Notices

ADACOM is the registered mark of ADACOM SA. VeriSign is the registered trademarks of VeriSign, Inc. The VeriSign logo, VeriSign Trust Network and NetSure are trademarks and service marks of VeriSign, Inc. Other trademarks and service marks in this document are the property of their respective owners.

Without limiting the rights reserved above, and except as licensed below, no part of this publication may be reproduced, stored in or introduced into a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), without prior written permission of ADACOM S.A.

Notwithstanding the above, permission is granted to reproduce and distribute this ADACOM Certification Practice Statement on a nonexclusive, royalty-free basis, provided that (i) the foregoing copyright notice and the beginning paragraphs are prominently displayed at the beginning of each copy, and (ii) this document is accurately reproduced in full, complete with attribution of the document to ADACOM S.A.

Requests for any other permission to reproduce this ADACOM Certification Practices Statement (as well as requests for copies from ADACOM S.A.) must be addressed to ADACOM S.A., 25 Kreontos street, 10442, Sepolia, Greece Attn: Practices Development. Tel: +30 210 5193740 Fax: +30 210 5193555 Net: practices@adacom.com.

Table of Contents

1. INTRODUCTION	10
1.1 Overview	10
1.2 Document name and Identification	12
1.3 PKI Participants.....	12
1.3.1 Certification Authorities	12
1.3.2 Registration Authorities	13
1.3.3 Subscribers.....	13
1.3.4 Relying Parties	14
1.3.5 Other Participants.....	14
1.4 Certificate Usage	14
1.4.1 Appropriate Certificate Usages.....	14
1.4.2 Prohibited Certificate Uses	15
1.5 Policy Administration	15
1.5.1 Organization Administering the Document.....	15
1.5.2 Contact Person	15
1.5.3 Person Determining CP Suitability for the Policy	16
1.5.4 CPS Approval Procedure	16
1.6 Definitions and Acronyms	16
2. PUBLICATION AND REPOSITORY RESPONSIBILITIES	17
2.1 Repositories.....	17
2.2 Publication of Certificate Information	17
2.3 Time or Frequency of Publication.....	18
2.4 Access Controls on Repositories.....	18
3. IDENTIFICATION AND AUTHENTICATION	19
3.1 Naming.....	19
3.1.1 Type of Names.....	19
3.1.2 Need for Names to be Meaningful.....	20
3.1.3 Anonymity or pseudonymity of Subscribers	20
3.1.4 Rules for Interpreting Various Name Forms	20
3.1.5 Uniqueness of Names	21
3.1.6 Recognition, Authentication, and Role of Trademarks	21
3.2 Initial Identity Validation.....	21
3.2.1 Method to Prove Possession of Private Key.....	21
3.2.2 Authentication of Organization identity	21
3.2.3 Authentication of Individual Identity.....	22
3.2.4 Non-Verified Subscriber information	22
3.2.5 Validation of Authority.....	23
3.2.6 Criteria for Interoperation.....	23
3.3 Identification and Authentication for Re-key Requests	23
3.3.1 Identification and Authentication for Routine Re-key.....	23
3.3.2 Identification and Authentication for Re-key After Revocation.....	24
3.4 Identification and Authentication for Revocation Request	24
4. CERTIFICATE LIFE-CYCLE OPERATIONAL.....	25
4.1 Certificate Application.....	25

4.1.1	Who Can Submit a Certificate Application?	25
4.1.2	Enrollment Process and Responsibilities	25
4.2	Certificate Application Processing.....	25
4.2.1	Performing Identification and Authentication Functions	25
4.2.2	Approval or Rejection of Certificate Applications	25
4.2.3	Time to Process Certificate Applications	26
4.3	Certificate Issuance	26
4.3.1	CA Actions during Certificate Issuance	26
4.3.2	Notifications to Subscriber by the CA of Issuance of Certificate.....	26
4.4	Certificate Acceptance	26
4.4.1	Conduct Constituting Certificate Acceptance.....	26
4.4.2	Publication of the Certificate by the CA.....	26
4.4.3	Notification of Certificate Issuance by the CA to Other Entities	27
4.5	Key Pair and Certificate Usage	27
4.5.1	Subscriber Private Key and Certificate Usage.....	27
4.5.2	Relying Party Public Key and Certificate Usage	27
4.6	Certificate Renewal	27
4.6.1	Circumstances for Certificate Renewal	28
4.6.2	Who May Request Renewal.....	28
4.6.3	Processing Certificate Renewal Requests	28
4.6.4	Notification of New Certificate Issuance to Subscriber	28
4.6.5	Not applicable. Conduct Constituting Acceptance of a Renewal Certificate 28	
4.6.6	Publication of the Renewal Certificate by the CA.....	28
4.6.7	Notification of Certificate Issuance by the CA to Other Entities	28
4.7	Certificate Re-Key.....	28
4.7.1	Circumstances for Certificate Re-Key	28
4.7.2	Who May Request Certification of a New Public Key.....	29
4.7.3	Processing Certificate Re-Keying Requests	29
4.7.4	Notification of New Certificate Issuance to Subscriber	29
4.7.5	Conduct Constituting Acceptance of a Re-Keyed Certificate	29
4.7.6	Publication of the Re-Keyed Certificate by the CA.....	29
4.7.7	Notification of Certificate Issuance by the CA to Other Entities	29
4.8	Certificate Modification	29
4.8.1	Circumstances for Certificate Modification.....	29
4.8.2	Who May Request Certificate Modification.....	29
4.8.3	Processing Certificate Modification Requests	30
4.8.4	Notification of New Certificate Issuance to Subscriber	30
4.8.5	Conduct Constituting Acceptance of Modified Certificate	30
4.8.6	Publication of the Modified Certificate by the CA.....	30
4.8.7	Notification of Certificate Issuance by the CA to Other Entities	30
4.9	Certificate Revocation and Suspension.....	30
4.9.1	Circumstances for Revocation	30
4.9.2	Who Can Request Revocation	31
4.9.3	Procedure for Revocation Request.....	31
4.9.4	Revocation Request Grace Period	32

4.9.5	Time within Which CA Must Process the Revocation Request	32
4.9.6	Revocation Checking Requirements for Relying Parties.....	32
4.9.7	CRL Issuance Frequency	32
4.9.8	Maximum Latency for CRLs	33
4.9.9	On-Line Revocation/Status Checking Availability	33
4.9.10	On-Line Revocation Checking Requirements	33
4.9.11	Other Forms of Revocation Advertisements Available	33
4.9.12	Special Requirements regarding Key Compromise	33
4.9.13	Circumstances for Suspension	33
4.9.14	Who Can Request Suspension	33
4.9.15	Procedure for Suspension Request.....	34
4.9.16	Limits on Suspension Period	34
4.10	Certificate Status Services	34
4.10.1	Operational Characteristics.....	34
4.10.2	Service Availability	34
4.10.3	Optional Features	34
4.11	End of Subscription	34
4.12	Key Escrow and Recovery	34
4.12.1	Key Escrow and Recovery Policy and Practices	35
4.12.2	Session Key Encapsulation and Recovery Policy and Practices	35
5.	FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS	36
5.1	Physical Controls.....	36
5.1.1	Site Location and Construction.....	36
5.1.2	Physical Access.....	36
5.1.3	Power and Air Conditioning	36
5.1.4	Water Exposures	37
5.1.5	Fire Prevention and Protection.....	37
5.1.6	Media Storage	37
5.1.7	Waste Disposal.....	37
5.1.8	Off-Site Backup	37
5.2	Procedural Controls.....	37
5.2.1	Trusted Roles	37
5.2.2	Number of Persons Required per Task	38
5.2.3	Identification and Authentication for Each Role	38
5.2.4	Roles Requiring Separation of Duties.....	38
5.3	Personnel Controls	39
5.3.1	Qualifications, Experience, and Clearance Requirements	39
5.3.2	Background Check Procedures	39
5.3.3	Training Requirements.....	40
5.3.4	Retraining Frequency and Requirements.....	40
5.3.5	Job Rotation Frequency and Sequence	40
5.3.6	Sanctions for Unauthorized Actions	40
5.3.7	Independent Contractor Requirements	40
5.3.8	Documentation Supplied to Personnel.....	40
5.4	Audit Logging Procedures	41
5.4.1	Types of Events Recorded	41

5.4.2	Frequency of Processing Log.....	41
5.4.3	Retention Period for Audit Log	41
5.4.4	Protection of Audit Log	42
5.4.5	Audit Log Backup Procedures	42
5.4.6	Audit Collection System (Internal vs. External).....	42
5.4.7	Notification to Event-Causing Subject	42
5.4.8	Vulnerability Assessments.....	42
5.5	Records Archival.....	42
5.5.1	Types of Records Archived	42
5.5.2	Retention Period for Archive	42
5.5.3	Protection of Archive	43
5.5.4	Archive Backup Procedures.....	43
5.5.5	Requirements for Time-Stamping of Records	43
5.5.6	Archive Collection System (Internal or External)	43
5.5.7	Procedures to Obtain and Verify Archive Information.....	43
5.6	Key Changeover.....	43
5.7	Compromise and Disaster Recovery	44
5.7.1	Incident and Compromise Handling Procedures	44
5.7.2	Computing Resources, Software, and/or Data Are Corrupted.....	44
5.7.3	Entity Private Key Compromise Procedures	44
5.7.4	Business Continuity Capabilities After a Disaster.....	44
5.8	CA or RA Termination.....	46
6.	TECHNICAL SECURITY CONTROLS	47
6.1	Key Pair Generation and Installation	47
6.1.1	Key Pair Generation.....	47
6.1.2	Private Key Delivery to Subscriber	47
6.1.3	Public Key Delivery to Certificate Issuer	48
6.1.4	CA Public Key Delivery to Relying Parties	48
6.1.5	Key Sizes	48
6.1.6	Public Key Parameters Generation and Quality Checking.....	48
6.2	Private Key Protection and Cryptographic Module Engineering Controls.....	48
6.2.1	Cryptographic Module Standards and Controls.....	48
6.2.2	Private Key (m out of n) Multi-Person Control	49
6.2.3	Private Key Escrow.....	49
6.2.4	Private Key Backup	49
6.2.5	Private Key Archival.....	49
6.2.6	Private Key Transfer Into or From a Cryptographic Module	50
6.2.7	Private Key Storage on Cryptographic Module.....	50
6.2.8	Method of Activating Private Key	50
6.2.9	Method of Deactivating Private Key	51
6.2.10	Method of Destroying Private Key	51
6.2.11	Cryptographic Module Rating	52
6.3	Other Aspects of Key Pair Management.....	52
6.3.1	Public Key Archival.....	52
6.3.2	Certificate Operational Periods and Key Pair Usage Periods.....	52
6.4	Activation Data	53

6.4.1	Activation Data Generation and Installation.....	53
6.4.2	Activation Data Protection.....	53
6.4.3	Other Aspects of Activation Data.....	53
6.5	Computer Security Controls.....	54
6.5.1	Specific Computer Security Technical Requirements	54
6.5.2	Computer Security Rating.....	54
6.6	Life Cycle Technical Controls	54
6.6.1	System Development Controls	54
6.6.2	Security Management Controls.....	55
6.6.3	Life Cycle Security Controls	55
6.7	Network Security Controls.....	55
6.8	Time-Stamping.....	55
7.	CERTIFICATE, CRL, AND OCSP PROFILES	56
7.1	Certificate Profile	56
7.1.1	Version Number(s).....	56
7.1.2	Certificate Extensions	56
7.1.3	Algorithm Object Identifiers.....	59
7.1.4	Name Forms.....	60
7.1.5	Name Constraints.....	60
7.1.6	Certificate Policy Object Identifier	60
7.1.7	Usage of Policy Constraints Extension.....	60
7.1.8	Policy Qualifiers Syntax and Semantics	60
7.1.9	Processing Semantics for the Critical Certificate Policies Extension.....	61
7.2	CRL Profile	61
7.2.1	Version Number(s).....	61
7.2.2	CRL and CRL Entry Extensions.....	61
7.3	OCSP Profile	61
7.3.1	Version Number(s).....	61
8.	COMPLIANCE AUDIT AND OTHER ASSESSMENTS	62
8.1	Frequency and Circumstances of Assessment	62
8.2	Identity/Qualifications of Assessor	62
8.3	Topics Covered by Assessment.....	62
8.4	Actions Taken as a Result of Deficiency	63
8.5	Communications of Results	63
9.	OTHER BUSINESS AND LEGAL MATTERS.....	64
9.1	Fees.....	64
9.1.1	Certificate Issuance or Renewal Fees	64
9.1.2	Certificate Access Fees	64
9.1.3	Revocation or Status Information Access Fees	64
9.1.4	Fees for Other Services.....	64
9.1.5	Refund Policy.....	64
9.2	Financial Responsibility	65
9.2.1	Insurance Coverage.....	65
9.2.2	Other Assets	65
9.3	Confidentiality of Business Information	65
9.3.1	Scope of Confidential Information	65

9.3.2	Information Not Within the Scope of Confidential Information	65
9.3.3	Responsibility to Protect Confidential Information	65
9.4	Privacy of Personal Information	66
9.4.1	Privacy Plan	66
9.4.2	Information Treated as Private.....	66
9.4.3	Information Not Deemed Private.....	66
9.4.4	Responsibility to Protect Private Information.....	66
9.4.5	Notice and Consent to Use Private Information	66
9.4.6	Disclosure Pursuant to Judicial or Administrative Process	66
9.4.7	Disclosure Upon Owner’s Request.....	66
9.4.8	Other Information Disclosure Circumstances.....	67
9.5	Intellectual Property rights	67
9.5.1	Property Rights in Certificates and Revocation Information.....	67
9.5.2	Property Rights in the CPS	67
9.5.3	Property Rights in Names	67
9.5.4	Property Rights in Keys and Key Material	67
9.6	Representations and Warranties	68
9.6.1	CA Representations and Warranties	68
9.6.2	RA Representations and Warranties	68
9.6.3	Subscriber Representations and Warranties.....	68
9.6.4	Relying Party Representations and Warranties.....	69
9.6.5	Representations and Warranties of Other Participants	69
9.7	Disclaimers of Warranties	69
9.8	Limitations of Liability	69
9.9	Indemnities	70
9.9.1	Indemnification by Subscribers	70
9.9.2	Indemnification by Relying Parties	70
9.10	Term and Termination	70
9.10.1	Term.....	70
9.10.2	Termination.....	70
9.10.3	Effect of Termination and Survival	70
9.11	Individual Notices and Communications with Participants	71
9.12	Amendments	71
9.12.1	Procedure for Amendment.....	71
9.12.2	Notification Mechanism and Period	71
9.12.3	Circumstances under Which OID Must be Changed.....	72
9.13	Dispute Resolution Provisions.....	72
9.13.1	Disputes among VeriSign, Affiliates, and Customers	72
9.13.2	Disputes with End-User Subscribers or Relying Parties.....	72
9.14	Governing Law	72
9.15	Compliance with Applicable Law	72
9.16	Miscellaneous Provisions	72
9.16.1	Entire Agreement	72
9.16.2	Assignment	73
9.16.3	Severability	73
9.16.4	Enforcement (Attorney's Fees and Waiver of Rights)	73

9.16.5 Force Majeure	73
9.17 Other Provisions	73
Appendix A. Table of Acronyms and definitions.....	74
Table of Acronyms	74
Definitions.....	74

1. INTRODUCTION

This document is the ADACOM Certification Practice Statement for non-Qualified Certificates (“CPS”). It states the practices that ADACOM certification authorities (“CAs”) employ in providing certification services, other than Qualified Certification services, that include, but are not limited to, issuing, managing, revoking, and renewing certificates in accordance with the specific requirements of the VeriSign Trust Network Certificate Policies (“CP”).

The CP is the principal statement of policy governing the VeriSign Trust Network (VTN). It establishes the business, legal, and technical requirements for approving, issuing, managing, using, revoking, and renewing, digital Certificates within the VTN and providing associated trust services. These requirements, called the “VTN Standards”, protect the security and integrity of the VTN, apply to all VTN Participants, and thereby provide assurances of uniform trust throughout the VTN. More information concerning the VTN and VTN Standards is available in the CP.¹

In addition the VeriSign Trust Network European Directive Policies (“EDP”) supplements the “CP” with additional information as to how the VTN meets specific ETSI policy requirements. The purpose of the EDP is to facilitate compliance with the Directive 1999/93/EC of the European Parliament and of the Council of 13 December 1999 on a Community framework for Electronic Signatures (the “Directive”). The EDP defines two policies that supplement the CP referring to Qualified Certificates, referred to as “Directive Level 1” (“DL1”) and “Directive Level 2” (“DL2”). DL1 and DL2 correspond, respectively, to the “QCP public” certificate policy and “QCP public + SSCD” certificate policy defined in the ETSI Policy Document.

A copy of the EDP can be found at <https://www.adacom.com/repository/edp> .

ADACOM has authority over a portion of the VTN called its “Subdomain” of the VTN. ADACOM’s Subdomain includes entities subordinate to it such as its Customers, Subscribers, and Relying Parties.

While the CP sets forth requirements that VTN Participants must meet, this CPS describes how ADACOM meets these requirements within ADACOM’s Subdomain of the VTN. More specifically, this CPS describes the practices that ADACOM employs for:

- securely managing the core infrastructure that supports the VTN, and
- issuing, managing, revoking, and renewing VTN Certificates (other than Qualified Certificates)²

within ADACOM’s Subdomain of the VTN, in accordance with the requirements of the CP and its VTN Standards.

This CPS conforms to the Internet Engineering Task Force (IETF) RFC 3647 for Certificate Policy and Certification Practice Statement construction.

1.1 Overview

ADACOM is a “Processing Center,” as described in CP § 1.1.2.1.2, which means ADACOM has established a secure facility housing, among other things, CA systems, including the

¹ The current version of VTN CP, can be found at <https://www.adacom.com/repository>

² For the Qualified Certificates ADACOM has developed a distinct Certification Practice Statement, setting forth all the requirements and rules that apply to ADACOM Qualified Certificates. A copy of the ADACOM Certification Practice Statement for Qualified Certificates can be found at <https://www.adacom.com/repository/CPS>

cryptographic modules holding the private keys used for the issuance of Certificates. ADACOM acts as a CA in the VTN and performs all Certificate lifecycle services of issuing, managing, revoking, and renewing Certificates. It also provides CA key management and Certificate lifecycle services on behalf of its Enterprise Customers or the Enterprise Customers of the Service Centers subordinate to ADACOM. ADACOM also offers Certificates in three lines of business:

- Consumer (Class 1 client Retail Certificates, Qualified Certificates and Class 3 Administrator Certificates and),
- Web Site (Secure Server IDs and Global Server IDs), and
- Enterprise (providing Managed PKI services for Class 2 client certificates or Qualified Certificates).

Web Site Certificates (Secure Server Ids and Global Server Ids) are offered by ADACOM in a special cooperation with VeriSign and are not issued under an ADACOM CA. For this line of business the VeriSign CPS applies as published on <http://www.verisign.com/repository/cps/>.

This CPS is specifically applicable to:

- VeriSign's Public Primary Certification Authorities (PCAs),
- ADACOM Infrastructure CAs, and ADACOM Administrative CAs supporting the VeriSign Trust Network,
- ADACOM 's Public CAs for non-Qualified Certificates and the CAs of enterprise Customers, who issue Class 2 client Certificates within ADACOM 's Subdomain of the VTN.³

More generally, the CPS also governs the use of VTN non Qualified services within ADACOM's Subdomain of the VTN by all individuals and entities within ADACOM's Subdomain (collectively, ADACOM Subdomain Participants”).

Private CAs and hierarchies managed by ADACOM are outside the scope of this CPS. The practices relating to services provided by other Affiliates or services provided by VeriSign to other Affiliates are beyond the scope of this CPS. The CAs managed by other Affiliates are also outside the scope of this CPS.

The VTN includes four classes of Certificates, Classes 1-4 (as well as two policies for Qualified Certificates - with or without Secure Signature Creation Device) The CP is a single document that defines these certificate policies, one for each of the Classes (except Qualified Certificates), and sets VTN Standards for each Class.

ADACOM issues three Classes of Certificates and Qualified Certificates (DL1 and DL2) within its Subdomain of the VTN. This CPS describes how ADACOM meets the CP requirements for each Class within its Subdomain, excluding Qualified Certificates. Thus, this CPS covers practices and procedures concerning the issuance and management of all Certificate types, except for Qualified Certificates, provided by ADACOM.

ADACOM may publish Certificate Practices Statements that are supplemental to this CPS in order to comply with the specific policy requirements of legislation, or other industry standards and requirements. These supplemental certificate practices shall be made available to subscribers for the certificates issued under the supplemental policies and their relying parties.

The CPS is only one of a set of documents relevant to ADACOM's Subdomain of the VTN. These other documents include:

³ Enterprise customers, issuing Qualified certificates, are bound by the EDP provisions, as well. Enterprise customers may develop their own CPS, in accordance with the requirements of their national law. These CPS must at minimum comply with all the requirements set forth by the VTN CP, the VTN EDP (if applicable) and this CPS.

- Ancillary confidential security and operational documents that supplement the CP and CPS by providing more detailed requirements, such as:
 - The VeriSign Physical Security Policy, which sets forth security principles governing the VTN infrastructure,
 - The VeriSign Security and Audit Requirements Guide, which describes detailed requirements for VeriSign and Affiliates concerning personnel, physical, telecommunications, logical, and cryptographic key management security, and
 - Key Ceremony Reference Guide, which presents detailed key management operational requirements.
 - The ADACOM Physical Security Policy which sets forth security principles governing ADACOM Subdomain,
- Ancillary agreements imposed by ADACOM. These agreements bind Customers, Subscribers, and Relying Parties of ADACOM. Among other things, the agreements flow down VTN Standards to these VTN Participants and, in some cases, state specific practices for how they must meet VTN Standards.

In many instances, the CPS refers to these ancillary documents for specific, detailed practices implementing VTN Standards where including the specifics in the CPS could compromise the security of ADACOM's Subdomain of the VTN.

1.2 Document name and Identification

This document is the ADACOM Certification Practice Statement for non-Qualified Certificates. VTN Certificates contain object identifier values corresponding to the applicable VTN Class of Certificate. Therefore, ADACOM has not assigned this CPS an object identifier value.

Certificate Policy Object Identifiers are used in accordance with Section 7.1.6.

1.3 PKI Participants

1.3.1 Certification Authorities

The term Certification Authority (CA) is an umbrella term that refers to all entities authorized to issue public key certificates within the VTN. The CA term encompasses a subcategory of issuers called Primary Certification Authorities (PCA). PCAs act as roots of four domains⁴, one for each class of Certificate. Each PCA is a VeriSign entity. Subordinate to the PCAs are ADACOM Certification Authorities that issue Certificates to end-user Subscribers or other CAs.

ADACOM enterprise customers may operate their own CAs as a subordinate CA to a VeriSign PCA. Such a customer enters into a contractual relationship with ADACOM to abide by all the requirements of the VTN CP and the ADACOM CPS (and EDP if applicable). These subordinate CAs may, however implement a more restrictive practices based on their internal requirements.

One VTN CA technically outside the three hierarchies under each of the PCAs is the Secure Server Certification Authority. This CA does not have a superior CA, such as a root or a PCA. Rather, the Secure Server CA acts as its own root and has issued itself a self-signed root Certificate. It also issues Certificates to end-user Subscribers. Thus, the Secure Server Hierarchy consists only of the Secure Server CA. The Secure Server CA issues Secure Server IDs, which are deemed to be Class 3 Organizational Certificates.

⁴ Class 4 certificates are not currently issued by the VTN

The Secure Server CA employs lifecycle practices that are substantially similar with those of other Class 3 CAs within the VTN. Thus, VeriSign has approved and designated the Secure Server Certification Authority as a Class 3 CA within the VTN. The Certificates it issues are considered to provide assurances of trustworthiness comparable to other Class 3 organizational Certificates.

1.3.2 Registration Authorities

A Registration Authority is an entity that performs identification and authentication of certificate applicants for end-user certificates, initiates or passes along revocation requests for certificates for end-user certificates, and approves applications for renewal or re-keying certificates on behalf of a VTN CA. ADACOM acts as an RA for the end user certificates it issues.

Third parties, who enter into a contractual relationship with ADACOM, may operate their own RA and authorize the issuance of certificates by an ADACOM CA. Third party RAs must abide by all the requirements of the VTN CP, the ADACOM CPS and the terms of their enterprise services agreement with ADACOM. RAs may, however implement more restrictive practices based on their internal requirements.⁵

1.3.3 Subscribers

Subscribers under the VTN include all end users (including entities) of certificates issued by a VTN CA. A subscriber is the entity named as the end-user Subscriber of a certificate. End-user Subscribers may be individuals or organizations.

In some cases certificates are issued directly to individuals or entities for their own use. However, there commonly exist other situations where the party requiring a certificate is different from the subject to whom the credential applies. For example, an organization may require certificates for its employees to allow them to represent the organization in electronic transactions/business. In such situations the entity subscribing for the issuance of certificates (i.e. paying for them, either through subscription to a specific service, or as the issuer itself) is different from the entity which is the subject of the certificate (generally, the holder of the credential). Two different terms are used in this CPS to distinguish between these two roles: "Subscriber", is the entity which contracts with ADACOM for the issuance of credentials and; "Subject", is the person to whom the credential is bound. The Subscriber bears ultimate responsibility for the use of the credential but the Subject is the individual that is authenticated when the credential is presented.

When 'Subject' is used, it is to indicate a distinction from the Subscriber. When "Subscriber" is used it may mean just the Subscriber as a distinct entity but may also use the term to embrace the two. The context of its use in this CPS will invoke the correct understanding.

CAs are technically also subscribers of certificates within the VTN, either as a PCA issuing a self signed Certificate to itself, or as a CA issued a Certificate by a superior CA. References to "end entities" and "subscribers" in this CPS, however, apply only to end-user Subscribers.

⁵ An example of a third party RA is an Enterprise customer.

1.3.4 Relying Parties

A Relying Party is an individual or entity that acts in reliance of a certificate and/or a digital signature issued under the VTN. A Relying party may, or may not also be a Subscriber within the VTN.

1.3.5 Other Participants

Not applicable

1.4 Certificate Usage

1.4.1 Appropriate Certificate Usages

Individual Certificates are normally used by individuals to sign and encrypt e-mail and to authenticate to applications (client authentication). While the most common usages for individual certificates are included in Table 1 below, an individual certificate may be used for other purposes, provided that a Relying Party is able to reasonably rely on that certificate and the usage is not otherwise prohibited by law, the VTN CP, the CPS under which the certificate has been issued and any agreements with Subscribers.

Certificate Class	Assurance Level			Usage		
	Low assurance level	Medium assurance Level	High assurance Level	Signing	Encryption	Client Authentication
Class 1 Certificates	✓			✓	✓	✓
Class 2 Certificates		✓				
Class 3 Administrator Certificates			✓	✓	✓	✓

Table 1. Individual Certificate Usage

1.4.1.1 Assurance levels

Low assurance certificates are certificates that should not be used for authentication purposes or to support Non-repudiation. The digital signature provides modest assurances that the e-mail originated from a sender with a certain e-mail address. The Certificate, however, provides no proof of the identity of the Subscriber. The encryption application enables a Relying Party to use the Subscriber's Certificate to encrypt messages to the Subscriber, although the sending Relying Party cannot be sure that the recipient is in fact the person named in the Certificate.

Medium assurance certificates are certificates that are suitable for securing some inter and intra-organizational, commercial, and personal e-mail requiring a medium level of assurances of the Subscriber identity, in relation to Class 1 and 3.

High assurance Certificates are individual certificates that provide a high level of assurance of the identity of the Subscriber in comparison with Class 1 and Class 2 Certificates.

1.4.2 Prohibited Certificate Uses

Certificates shall be used only to the extent the use is consistent with applicable law, and in particular shall be used only to the extent permitted by applicable export or import laws.

VeriSign Certificates are not designed, intended, or authorized for use or resale as control equipment in hazardous circumstances or for uses requiring fail-safe performance such as the operation of nuclear facilities, aircraft navigation or communication systems, air traffic control systems, or weapons control systems, where failure could lead directly to death, personal injury, or severe environmental damage. Also, Class 1 Certificates shall not be used as proof of identity or as support of non repudiation of identity or authority. Client Certificates are intended for client applications and shall not be used as server or organizational Certificates.

CA Certificates may not be used for any functions except CA functions. In addition, end-user Subscriber Certificates shall not be used as CA Certificates.

VeriSign and ADACOM periodically rekey Intermediate CAs. Third party applications or platforms that have an Intermediate CA embedded as a root certificate may not operate as designed after the Intermediate CA has been rekeyed. ADACOM therefore does not warrant the use of Intermediate CAs as root certificates and recommends that Intermediate CAs should not be embedded into applications and/or platforms as root certificates. ADACOM recommends the use of PCA Roots as root certificates.

1.5 Policy Administration

1.5.1 Organization Administering the Document

ADACOM S.A.
25, Kreontos Street,
10442, Athens,
Greece

Attn: Practices Development – CPS
phone number: +30 210 5193740
fax number: +30 210 5193555
practices@adacom.com

1.5.2 Contact Person

The Certificate Policy Manager
ADACOM Practices Development Group
25, Kreontos Street,
10442, Athens,

Greece

Attn: Practices Development – CPS
ADACOM phone number +30 210 5193740
ADACOM fax number: +30 210 5193555
practices@adacom.com

1.5.3 Person Determining CP Suitability for the Policy

The organization identified in Section 1.5.2 is responsible for determining whether this CPS and other documents in the nature of certification practice statements that supplement or are subordinate to this CPS are suitable under the VTN CP and this CPS.

1.5.4 CPS Approval Procedure

Approval of this CPS and subsequent amendments are made by the ADACOM Practices Development Group and the VeriSign Policy Management Authority (PMA). Amendments are either in the form of a document containing an amended form of the CPS or an update notice. Amended versions or updates are linked to the Practices Updates and Notices section of the ADACOM Repository located at: <http://www.adacom.com/repository/updates>. Updates supersede any designated or conflicting provisions of the referenced version of the CPS.

1.6 Definitions and Acronyms

See Appendix A for a table of acronyms and definitions.

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1 Repositories

ADACOM is responsible for the repository functions for its own CAs and the CAs of its Enterprise Customers. The Certificates that ADACOM issues, are published in the repository in accordance with CPS § 2.2.

Upon revocation of an end-user Subscriber's Certificate, ADACOM publishes notice of such revocation in the repository. ADACOM issues CRLs for its own CAs and the CAs of Service Centers and Enterprise Customers within its Subdomain, pursuant to the provisions of this CPS. In addition, for the Enterprise Customers who have contracted for Online Certificate Status Protocol ("OCSP") services, ADACOM provides OCSP services pursuant to the provisions of this CPS.

2.2 Publication of Certificate Information

ADACOM maintains a web-based repository that permits Relying Parties to make online inquiries regarding revocation and other Certificate status information. ADACOM provides Relying Parties with information on how to find the appropriate repository to check Certificate status and, if the OCSP (Online Certificate Status Protocol) is available for an Enterprise Customer, how to find the right OCSP responder.

ADACOM publishes the Certificates it issues on behalf of its own CAs. Upon revocation of an end-user Subscriber's Certificate, ADACOM publishes notice of such revocation in the repository. In addition, ADACOM issues Certificate Revocation Lists (CRLs) and, if available, provide OCSP services (Online Certificate Status Protocol) for its own CAs and the CAs of Service Centers within its Subdomain.

ADACOM at all times publishes, in the repository section of its web site, a current version of:

- The VTN CP
- The VTN EDP,
- Its CPS,
- Subscriber Agreements,
- Relying Party Agreements.
- It's Privacy Policy

ADACOM is responsible for the repository function for ADACOM CAs.

ADACOM publishes certain CA information in the repository section of ADACOM's web site at <http://sec.adacom.com/repository/> as described below.

ADACOM publishes Certificates in accordance with Table 2 below.

<i>Certificate Type</i>	<i>Publication Requirements</i>
VeriSign PCA and VeriSign Issuing Root CA Certificates	Available to Relying Parties through inclusion in current browser software.

<i>Certificate Type</i>	<i>Publication Requirements</i>
ADACOM Intermediate and Issuing CA Certificates	Available to Relying Parties as part of a Certificate Chain that can be obtained with the end-user Subscriber Certificate through the query functions described below.
Certificate of the ADACOM CA supporting Managed PKI Lite Certificates and CA Certificates of Enterprise Customers	Available through query of the ADACOM LDAP directory server at directory.adacom.com . Also available through the ADACOM web-based repository at https://www.adacom.com/repository
ADACOM OCSP Responder Certificates	Available through query of the ADACOM LDAP directory server at directory.adacom.com . Also available through the ADACOM web-based repository at https://www.adacom.com/repository
End-User Subscriber Certificates	Available to relying parties through query functions in the ADACOM repository at: https://www.adacom.com/repository Also available through query of the ADACOM LDAP directory server at directory.adacom.com .
End-User Subscriber Certificates issued through Enterprise Customers	Made available through the LDAP directory, where Enterprise Customer has requested it, or through query functions at the Enterprise Customer's web-based repository, when provided by the Enterprise Customer.

Table 2 – Certificate Publication Requirements

2.3 Time or Frequency of Publication

Updates to this CPS are published in accordance to Section 9.13. Updates to Subscriber Agreements and Relying Party Agreements are published as necessary. Certificates are published upon issuance. Certificate status information is published in accordance with the provisions of this CPS.

2.4 Access Controls on Repositories

Information published in the repository portion of the ADACOM web site is publicly-accessible information. Read only access to such information is unrestricted. ADACOM requires persons to agree to a Relying Party Agreement as a condition to accessing Certificates, Certificate status information, or CRLs. ADACOM has implemented logical and physical security measures to prevent unauthorized persons from adding, deleting, or modifying repository entries.

3. IDENTIFICATION AND AUTHENTICATION

3.1 Naming

Unless where indicated otherwise in the VTN CP, this CPS or the content of the digital certificate, names appearing in Certificates issued under VTN are authenticated.

3.1.1 Type of Names

ADACOM CA Certificates contain X.501 Distinguished Names in the Issuer and Subject fields. ADACOM CA Distinguished Names consist of the components specified in Table 3 below.

Attribute	Value
Country (C) =	“GR”,
Organization (O) =	“ADACOM S.A.”,
Organizational Unit (OU) =	ADACOM CA Certificates may contain multiple OU attributes. Such attributes contain one or more of the following: <ul style="list-style-type: none"> • CA Name • VeriSign Trust Network • A statement referencing the applicable Relying Party Agreement governing terms of use of the Certificate • A copyright notice, Text to describe the type of Certificate.
Common Name (CN) =	This attribute includes the CA Name (if the CA Name is not specified in an OU attribute).

Table 3 – Distinguished Name Attributes in CA Certificates

End-user Subscriber Certificates contain an X.501 distinguished name in the Subject name field and consist of the components specified in Table 4 below.

Attribute	Value
Country (C) =	2 letter ISO country code
Organization (O) =	The Organization attribute is used as follows: <ul style="list-style-type: none"> • Subscriber organizational name for individual Certificates that have an organization affiliation. • “ADACOM” for ADACOM OCSP Responder and optionally for individual Certificates that do not have an organization affiliation.
Organizational Unit (OU) =	ADACOM end-user Subscriber Certificates may contain multiple OU attributes. Such attributes contain one or more of the following: <ul style="list-style-type: none"> • Subscriber organizational unit (for individual Certificates that have an organization affiliation)

Attribute	Value
	<ul style="list-style-type: none"> • VeriSign Trust Network • A statement referencing the applicable Relying Party Agreement governing terms of use of the Certificate • A copyright notice • "Authenticated by ADACOM" and "Member of VeriSign Trust Network" in Certificates whose applications were authenticated by ADACOM • "Persona Not Validated" for Class 1 Individual Certificates • Text to describe the type of Certificate.
Common Name (CN) =	This attribute includes: <ul style="list-style-type: none"> • Name (for individual Certificates). • The OCSP Responder Name (for OCSP Responder Certificates)
E-Mail Address (E) =	E-mail address for Class 1 individual Certificates and generally for MPKI Subscriber Certificates

Table 4 – Distinguished Name Attributes in End User Subscriber Certificates

The Common Name (CN=) component of the Subject distinguished name of end-user Subscriber Certificates is authenticated in the case of Class 2 and Class 3 Administrator Certificates. The common name value included in the Subject distinguished name of individual Certificates represents the individual's generally accepted personal name.

3.1.2 Need for Names to be Meaningful

Class 2 and Class 3 administrator Subscriber Certificates contain names with commonly understood semantics permitting the determination of the identity of the individual that is the Subject of the Certificate.

ADACOM CA certificates contain names with commonly understood semantics permitting the determination of the identity of the CA that is the Subject of the Certificate.

3.1.3 Anonymity or pseudonymity of Subscribers

The identity of Class 1 individual Subscribers is not authenticated. Class 1 subscribers may use pseudonyms. Unless when required by law, Class 2 and Class 3 Subscribers are not permitted to use pseudonyms (names other than a Subscriber's true personal name). Each request for anonymity in a certificate will be evaluated on its merits by the ADACOM Practices Development Group and, if allowed the certificate will indicate that the identity has been authenticated but is protected.

3.1.4 Rules for Interpreting Various Name Forms

No stipulation

3.1.5 Uniqueness of Names

ADACOM ensures that Subject Distinguished Names of a Subscriber are unique within the domain of a specific CA through automated components of the Subscriber enrollment process. It is possible for a Subscriber to have two or more certificates with the same Subject Distinguished Name.

3.1.6 Recognition, Authentication, and Role of Trademarks

Certificate Applicants are prohibited from using names in their Certificate Applications that infringe upon the Intellectual Property Rights of others. ADACOM, however, does not verify whether a Certificate Applicant has Intellectual Property Rights in the name appearing in a Certificate Application or arbitrate, mediate, or otherwise resolve any dispute concerning the ownership of any domain name, trade name, trademark, or service mark. ADACOM is entitled, without liability to any Certificate Applicant, to reject or suspend any Certificate Application because of such dispute.

3.2 Initial Identity Validation

3.2.1 Method to Prove Possession of Private Key

The certificate applicant must demonstrate that he/she rightfully holds the private key corresponding to the public key to be listed in the Certificate.

The method to prove possession of a private key shall be PKCS #10, or another cryptographically equivalent demonstration. This requirement does not apply where a key pair is generated by a CA on behalf of a Subscriber, for example where pregenerated keys are placed on smart cards.

3.2.2 Authentication of Organization identity

Whenever a certificate contains an organization name, the identity of the organization and other enrollment information provided by Certificate Applicants (except for Nonverified Subscriber Information) is confirmed in accordance with the procedures set forth in ADACOM's documented Validation Procedures.

At a minimum ADACOM :

- determines that the organization exists by using at least one third party identity proofing service or database, or alternatively, organizational documentation issued by or filed with the applicable government agency or competent authority that confirms the existence of the organization,
- confirms by telephone, confirmatory postal mail, or comparable procedure to the Certificate Applicant certain information about the organization, that the organization has authorized the Certificate Application, and that the person submitting the Certificate Application on behalf of the Certificate Applicant is authorized to do so. When a certificate includes the name of an individual as an authorized representative of the Organization, the employment of that individual and his/her authority to act on behalf of the Organization is also confirmed.

Where an e-mail address is included in the certificate, ADACOM authenticates the Organization's right to use that e-mail domain.

Additional checks necessary to satisfy United States export regulations and licenses issued by the United States Department of Commerce Bureau of Industry and Science (“BIS”) are performed by ADACOM when required.

3.2.3 Authentication of Individual Identity

Authentication of individual identity differs according to the Class of Certificate. The minimum authentication standard for each class of VTN certificate is explained in Table 5 below.

Certificate Class	Authentication of Identity
Class 1	No identity authentication. There is a limited confirmation of the Subscriber’s e-mail address by requiring the Subscriber to be able to answer an e-mail to that address.
Class 2	Authenticate identity by matching the identity provided by the Subscriber to: <ul style="list-style-type: none"> • information residing in the database of a ADACOM-approved identity proofing service, , or • information contained in the business records or databases of business information (employee or customer directories) of an RA approving certificates to its own affiliated individuals.
Class 3	The authentication of Class 3 Administrator certificates is based on authentication of the organization and a confirmation from the organization of the employment and authorization of the person to act as Administrator. ADACOM may also have occasion to approve Certificate Applications for their own Administrators. Administrators are “Trusted Persons” within an organization. In this case, authentication of their Certificate Applications shall be based on confirmation of their identity in connection with their employment or retention as an independent contractor and background checking procedures.

Table 5. Authentication of individual identity

3.2.4 Non-Verified Subscriber information

Non-verified subscriber information includes:

- Organization Unit (OU),
- Subscriber’s name in Class 1 certificates,
- Any other information designated as non-verified in the certificate.

3.2.5 Validation of Authority

Whenever an individual's name is associated with an Organization name in a certificate in such a way to indicate the individual's affiliation or authorization to act on behalf of the Organization ADACOM or an RA:

- determines that the organization exists by using at least one third party identity proofing service or database, or alternatively, organizational documentation issued by or filed with the applicable government that confirms the existence of the organization, and
- Uses information contained in the business records or databases of business information (employee or customer directories) of an RA approving certificates to its own affiliated individuals or confirms by telephone, confirmatory postal mail, or comparable procedure to the organization, the employment with the Organization of the individual submitting the Certificate Application and, when appropriate, his/her authority to act on behalf of the Organization.

3.2.6 Criteria for Interoperation

ADACOM may provide interoperation services that allow a non-VTN CA to be able to interoperate with the VTN by unilaterally certifying that CA. CAs enabled to interoperate in this way will comply with the VTN CP as supplemented by additional policies when required.

ADACOM only allows interoperation with the VTN of a non-VeriSign CA in circumstances where the CA, at a minimum:

- Enters into a contractual agreement with ADACOM,
- Operates under a CPS that meets VTN requirements for the classes of certificates it will issue,
- Passes a compliance assessment before being allowed to interoperate,
- Passes an annual compliance assessment for ongoing eligibility to interoperate.

3.3 Identification and Authentication for Re-key Requests

Prior to the expiration of an existing Subscriber's Certificate, it is necessary for the Subscriber to obtain a new certificate to maintain continuity of Certificate usage. ADACOM generally requires that the Subscriber generate a new key pair to replace the expiring key pair (technically defined as "rekey") However, in certain cases (i.e., for web server certificates) Subscribers may request a new certificate for an existing key pair (technically defined as "renewal").

Generally speaking, both "Rekey" and "Renewal" are commonly described as "Certificate Renewal", focusing on the fact that the old Certificate is being replaced with a new Certificate and not emphasizing whether or not a new key pair is generated. For all Classes and Types of ADACOM Certificates this distinction is not important as a new key pair is always generated as part of ADACOM's end-user Subscriber Certificate replacement process.

3.3.1 Identification and Authentication for Routine Re-key

Re-key procedures ensure that the person or organization seeking to rekey an end-user Subscriber Certificate is in fact the Subscriber of the Certificate.

The Subscriber submits a rekey application to ADACOM or the equivalent RA by submitting his existing certificate (digitally signing), and ADACOM or the RA, reconfirms the identity of the Subscriber in accordance with the identification and authentication requirements of an original Certificate Application, as described in section 3.2.3.

3.3.2 Identification and Authentication for Re-key After Revocation

Re-key after revocation is not permitted if the revocation occurred because:

- the Certificate (other than a Class 1 Certificate) was issued to a person other than the one named as the Subject of the Certificate, or
- the Certificate (other than a Class 1 Certificate) was issued without the authorization of the person or entity named as the Subject of such Certificate, or
- the entity approving the Subscriber's Certificate Application discovers or has reason to believe that a material fact in the Certificate Application is false.
- For any other reason deemed necessary by VeriSign or ADACOM to protect the VTN

Subject to the foregoing paragraph, renewal of CA Certificate following revocation of the Certificate is permissible as long as renewal procedures ensure that the organization or CA seeking renewal is in fact the Subscriber of the Certificate.

Renewal of a Certificate following revocation must ensure that the person seeking renewal is, in fact, the Subscriber. The requirements for the identification and authentication of an original Certificate Application are used for renewing a Certificate following revocation.

3.4 Identification and Authentication for Revocation Request

Prior to the revocation of a Certificate, ADACOM verifies that the revocation has been requested by the Certificate's Subscriber, or the entity that approved the Certificate Application.

Acceptable procedures for authenticating the revocation requests of a Subscriber include one or more of the following, depending on the certificate Class:

- Having the Subscriber submit the Subscriber's Challenge Phrase, and revoking the Certificate automatically if it matches the Challenge Phrase on record,
- Receiving a message from the Subscriber that requests revocation and contains a digital signature verifiable with reference to the Certificate to be revoked, and
- Communication with the Subscriber providing reasonable assurances in light of the Class of Certificate, ensuring that the person or organization requesting revocation is, in fact the Subscriber. Such communication, depending on the circumstances, may include one or more of the following: telephone, facsimile, e-mail, postal mail, or courier service.

ADACOM Administrators are entitled to request the revocation of end-user Subscriber Certificates within ADACOM's Subdomain. ADACOM authenticates the identity of Administrators via access control using SSL and client authentication before permitting them to perform revocation functions, or another VTN-approved procedure.

RAs using an Automated Administration Software Module may submit bulk revocation requests to ADACOM. Such requests shall be authenticated via a digitally signed request signed with the private key in the RA's Automated Administration hardware token.

The requests to revoke a CA Certificate are authenticated by the ADACOM to ensure that the revocation has in fact been requested by the CA.

4. CERTIFICATE LIFE-CYCLE OPERATIONAL

4.1 *Certificate Application*

4.1.1 Who Can Submit a Certificate Application?

Below is a list of people who may submit certificate applications:

- Any individual who is the subject of the certificate,
- Any authorized representative of a CA,
- Any authorized representative of an RA.

4.1.2 Enrollment Process and Responsibilities

4.1.2.1 End-user Certificate Subscribers

All end-user Certificate Subscribers manifest assent to the relevant Subscriber Agreement that contains representations and warranties described in Section 9.6.3 and undergo an enrollment process consisting of:

- completing a Certificate Application and providing true and correct information,
- generating, or arranging to have generated, a key pair,
- delivering his, her, or its public key, directly or through an RA, to ADACOM
- demonstrating possession of the private key corresponding to the public key delivered to ADACOM.

4.1.2.2 CA and RA Certificates

Subscribers of CA and RA Certificates enter into a contract with ADACOM. CA and RA Applicants provide their credentials to demonstrate their identity and provide contact information during the contracting process. During this contracting process or, at the latest, prior to the Key Generation Ceremony to create a CA or RA key pair, the applicant cooperate with ADACOM to determine the appropriate distinguished name and the content of the Certificates to be issued by the applicant.

4.2 *Certificate Application Processing*

4.2.1 Performing Identification and Authentication Functions

ADACOM or an RA perform identification and authentication of all required Subscriber information in terms of Section 3.2

4.2.2 Approval or Rejection of Certificate Applications

ADACOM or an RA approves an application for a certificate only if the following criteria are met:

- Successful identification and authentication of all required Subscriber information in terms of Section 3.2
- Payment has been received

ADACOM or an RA rejects a certificate application if:

- identification and authentication of all required Subscriber information in terms of Section 3.2 cannot be completed, or
- The Subscriber fails to furnish supporting documentation upon request
- The Subscriber fails to respond to notices within a specified time, or
- Payment has not been received, or
- The RA believes that issuing a certificate to the Subscriber may bring the VTN into disrepute.

4.2.3 Time to Process Certificate Applications

ADACOM begins processing certificate applications within a reasonable time of receipt. There is no time stipulation to complete the processing of an application unless otherwise indicated in the relevant Subscriber Agreement, CPS or other Agreement between VTN participants.

A certificate application remains active until rejected.

4.3 Certificate Issuance

4.3.1 CA Actions during Certificate Issuance

A Certificate is created and issued following the approval of a Certificate Application by ADACOM or following receipt of an RA's request to issue the Certificate. ADACOM creates and issues to a Certificate Applicant a Certificate based on the information in a Certificate Application following approval of such Certificate Application.

4.3.2 Notifications to Subscriber by the CA of Issuance of Certificate

ADACOM either directly or through an RA, notify Subscribers that they have created such Certificates, and provide Subscribers with access to the Certificates by notifying them that their Certificates are available. Certificates are made available to end-user Subscribers, by informing them to download them from a web site via an email message sent to the Subscriber.

4.4 Certificate Acceptance

4.4.1 Conduct Constituting Certificate Acceptance

The following conduct constitutes certificate acceptance:

- Downloading a Certificate or installing a Certificate from a message attaching it constitutes the Subscriber's acceptance of the Certificate.
- Failure of the Subscriber to object to the certificate or its content constitutes certificate acceptance.

4.4.2 Publication of the Certificate by the CA

ADACOM publishes the Certificates it issues in a publicly accessible repository.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities

RAs may receive notification of the issuance of certificates they approve.

4.5 Key Pair and Certificate Usage

4.5.1 Subscriber Private Key and Certificate Usage

Use of the private key corresponding to the public key in the certificate is only permitted once the Subscriber has agreed to the Subscriber agreement and accepted the certificate. The certificate shall be used lawfully in accordance with ADACOM' s Subscriber Agreement the terms of the VTN CP and this CPS. Certificate use must be consistent with the KeyUsage field extensions included in the certificate (e.g., if Digital Signature is not enabled then the certificate must not be used for signing).

Subscribers shall protect their private keys from unauthorized use and shall discontinue use of the private key following expiration or revocation of the certificate.

4.5.2 Relying Party Public Key and Certificate Usage

Relying parties shall assent to the terms of the applicable relying party agreement as a condition of relying on the certificate.

Reliance on a certificate must be reasonable under the circumstances. If the circumstances indicate a need for additional assurances, the Relying Party must obtain such assurances for such reliance to be deemed reasonable.

Before any act of reliance, Relying Parties shall independently assess:

- the appropriateness of the use of a Certificate for any given purpose and determine that the Certificate will, in fact, be used for an appropriate purpose that is not prohibited or otherwise restricted by this CPS. ADACOM is not responsible for assessing the appropriateness of the use of a Certificate.
- That the certificate is being used in accordance with the KeyUsage field extensions included in the certificate (e.g., if Digital Signature is not enabled then the certificate may not be relied upon for validating a Subscriber's signature).
- The status of the certificate and all the CAs in the chain that issued the certificate. If any of the Certificates in the Certificate Chain have been revoked, the Relying Party is solely responsible to investigate whether reliance on a digital signature performed by an end-user Subscriber Certificate prior to revocation of a Certificate in the Certificate chain is reasonable. Any such reliance is made solely at the risk of the Relying party.

Assuming that the use of the Certificate is appropriate, Relying Parties shall utilize the appropriate software and/or hardware to perform digital signature verification or other cryptographic operations they wish to perform, as a condition of relying on Certificates in connection with each such operation. Such operations include identifying a Certificate Chain and verifying the digital signatures on all Certificates in the Certificate Chain.

4.6 Certificate Renewal

Certificate renewal is the issuance of a new certificate to the subscriber without changing the public key or any other information in the certificate. Certificate renewal is supported only for

Class 3 organizational certificates where the key pair is generated on a web server as most web server key generation tools permit the creation of a new Certificate Request for an existing key pair. Thus, ADACOM does not support this service.

4.6.1 Circumstances for Certificate Renewal

Not applicable.

4.6.2 Who May Request Renewal

Not applicable.

4.6.3 Processing Certificate Renewal Requests

Not applicable.

4.6.4 Notification of New Certificate Issuance to Subscriber

Not applicable.

4.6.5 Conduct Constituting Acceptance of a Renewal Certificate

Not applicable.

4.6.6 Publication of the Renewal Certificate by the CA

Not applicable.

4.6.7 Notification of Certificate Issuance by the CA to Other Entities

Not applicable.

4.7 Certificate Re-Key

Certificate rekey is the application for the issuance of a new certificate that certifies the new public key. Certificate rekey is supported for all certificate Classes.

4.7.1 Circumstances for Certificate Re-Key

Prior to the expiration of an existing Subscriber's Certificate, it is necessary for the Subscriber to Re-key the certificate to maintain continuity of Certificate usage. A certificate may also be re-keyed after expiration.

4.7.2 Who May Request Certification of a New Public Key

Only the subscriber for an individual certificate may request certificate rekeying.

4.7.3 Processing Certificate Re-Keying Requests

Re-key procedures ensure that the person or organization seeking to renew an end-user Subscriber Certificate is in fact the Subscriber (or authorized by the Subscriber) of the Certificate.

The Subscriber submits a rekey application to ADACOM or the equivalent RA by submitting his existing certificate (digitally signing), and ADACOM or the RA, reconfirms the identity of the Subscriber in accordance with the identification and authentication requirements of an original Certificate Application, as described in section 3.2.3.

4.7.4 Notification of New Certificate Issuance to Subscriber

Notification of issuance of a re-keyed certificate to the Subscriber is in accordance with Section 4.3.2.

4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate

Conduct constituting Acceptance of a re-keyed certificate is in accordance with Section 4.4.1.

4.7.6 Publication of the Re-Keyed Certificate by the CA

The re-keyed certificate is published in ADACOM 's publicly accessible repository.

4.7.7 Notification of Certificate Issuance by the CA to Other Entities

RAs may receive notification of the issuance of certificates they approve.

4.8 *Certificate Modification*

4.8.1 Circumstances for Certificate Modification

Certificate modification refers to the application for the issuance of a new certificate due to changes in the information in an existing certificate (other than the subscriber's public key).

Certificate modification is considered a Certificate Application in terms of Section 4.1.

4.8.2 Who May Request Certificate Modification

See Section 4.1.1

4.8.3 Processing Certificate Modification Requests

ADACOM or an RA shall perform identification and authentication of all required Subscriber information in terms of Section 3.2.

4.8.4 Notification of New Certificate Issuance to Subscriber

See Section 4.3.2

4.8.5 Conduct Constituting Acceptance of Modified Certificate

See Section 4.4.1

4.8.6 Publication of the Modified Certificate by the CA

See Section 4.4.2

4.8.7 Notification of Certificate Issuance by the CA to Other Entities

See Section 4.4.3.

4.9 Certificate Revocation and Suspension

4.9.1 Circumstances for Revocation

The ADACOM Subscriber's agreement grants the obligation or/and right to the parties to apply for revocation of a Certificate. Only in the circumstances listed below, will an end-user Subscriber certificate be revoked by ADACOM (or by the Subscriber) and published on a CRL. Upon request from a subscriber who can no longer use (or no longer wishes to use) a certificate for a reason other than one mentioned below, ADACOM will flag the certificate as inactive in its database but will not publish the certificate on a CRL.

An end-user Subscriber Certificate is revoked if:

- ADACOM, a Customer, or a Subscriber has reason to believe or strongly suspects that there has been a Compromise of a Subscriber's private key,
- ADACOM or a Customer has reason to believe that the Subscriber has materially breached a material obligation, representation, or warranty under the applicable Subscriber Agreement,
- The Subscriber Agreement with the Subscriber has been terminated,
- The affiliation between an Enterprise Customer with a Subscriber is terminated or has otherwise ended,
- ADACOM or a Customer has reason to believe that the Certificate was issued in a manner not materially in accordance with the procedures required by the applicable CPS, the Certificate (other than a Class 1 Certificate) was issued to a person other than the one named as the Subject of the Certificate, or the Certificate (other than a Class 1 Certificate) was issued without the authorization of the person named as the Subject of such Certificate,

- ADACOM or a Customer has reason to believe that a material fact in the Certificate Application is false,
- ADACOM or a Customer determines that a material prerequisite to Certificate Issuance was neither satisfied nor waived,
- The information within the Certificate, other than Non-verified Subscriber Information, is incorrect or has changed, or
- In case of an unappealable court decision that orders the revocation or cancelation of the certificate.
- If the private key of the CA has been compromised.
- The information within the Certificate, other than Non-verified Subscriber Information, is incorrect or has been changed, or the circumstances under which the certificate has been issued have been changed (i.e. in case where an employee has taken an certificate under this role and is no longer the employee of the company).
- The continued use of that certificate is harmful to the VTN.

When considering whether certificate usage is harmful to the VTN, ADACOM considers, among other things, the following:

- The nature and number of complaints received
- The identity of the complainant(s)
- Relevant legislation in force
- Responses to the alleged harmful use from the Subscriber

ADACOM may also revoke an Administrator Certificate if the Administrator's authority to act as Administrator has been terminated or otherwise has ended.

ADACOM Subscriber Agreements require end-user Subscribers to immediately notify ADACOM of a known or suspected compromise of its private key.

After the approval of a revocation request by the CA, the revoked certificate cannot be re-entered into force.

4.9.2 Who Can Request Revocation

Individual Subscribers or a duly authorized person by them can request the revocation of their own individual Certificates. A duly authorized representative of ADACOM or a RA shall be entitled to request the revocation of an RA Administrator's Certificate. The entity that approved a Subscriber's Certificate Application shall also be entitled to revoke or request the revocation of the Subscriber's Certificate.

ADACOM is entitled to request or initiate the revocation of the Certificates issued to its own CAs. RAs are entitled, through their duly authorized representatives, to request the revocation of their own Certificates, and their Superior Entities shall be entitled to request or initiate the revocation of their Certificates.

4.9.3 Procedure for Revocation Request

4.9.3.1 Procedure for Requesting the Revocation of an End-User Subscriber Certificate

An end-user Subscriber requesting revocation is required to communicate the request to ADACOM by e-mail at customer-support@adacom.com or by telephone at +30 210 9577255 or

to the Customer approving the Subscriber's Certificate Application, who in turn will initiate revocation of the certificate promptly. For Enterprise customers, the Subscriber is required to communicate the request to the Enterprise Administrator who will communicate the revocation request to ADACOM for processing. Communication of such revocation request shall be in accordance with CPS § 3.4.

Where an Enterprise Customer initiates revocation of an end-user Subscriber Certificate upon its own initiative, the Enterprise Customer instructs ADACOM to revoke the Certificate.

4.9.3.2 Procedure for Requesting the Revocation of a CA or RA Certificate

A CA or RA requesting revocation of its CA or RA Certificate is required to communicate the request to ADACOM. ADACOM will then revoke the Certificate. ADACOM may also initiate CA or RA Certificate revocation.

4.9.4 Revocation Request Grace Period

Revocation requests shall be submitted as promptly as possible within a commercially reasonable time.

4.9.5 Time within Which CA Must Process the Revocation Request

ADACOM takes commercially reasonable steps to process revocation requests without delay.

Right after the approving of a revocation request, the CA informs the subject, of the certificate for the revocation, via e-mail for this event.

4.9.6 Revocation Checking Requirements for Relying Parties

Relying Parties shall check the status of Certificates on which they wish to rely. One method by which Relying Parties may check Certificate status is by consulting the most recent CRL from the CA that issued the Certificate on which the Relying Party wishes to rely. Alternatively, Relying Parties may meet this requirement either by checking Certificate status using the applicable web-based repository or by using OCSP (if available). CAs shall provide Relying Parties with information on how to find the appropriate CRL, web-based repository, or OCSP responder (where available) to check for revocation status.

4.9.7 CRL Issuance Frequency

CRLs for end-user Subscriber Certificates are issued at least once per day. CRLs for CA Certificates are issued at least annually, but also whenever a CA Certificate is revoked. If a Certificate listed in a CRL expires, it may be removed from later-issued CRLs after the Certificate's expiration.

4.9.8 Maximum Latency for CRLs

CRLs are posted to the repository within a commercially reasonable time after generation. This is generally done automatically within minutes of generation.

4.9.9 On-Line Revocation/Status Checking Availability

Online revocation and other Certificate status information are available via a web-based repository and, where offered, OCSP. In addition to publishing CRLs, ADACOM provides Certificate status information through query functions in the ADACOM repository.

Certificate status information is available through web-based query functions accessible through the ADACOM Repository at

- <https://digitalid.adacom.com/csc1/client/search.htm> for Class 1, and
- <https://digitalid.adacom.com/csc2/client/search.htm> for Class 2

ADACOM also provides OCSP Certificate status information. Enterprise Customers who contract for OCSP services may check Certificate status through the use of OCSP. The URL for the relevant OCSP Responder is communicated to the Enterprise Customer.

4.9.10 On-Line Revocation Checking Requirements

A relying party must check the status of a certificate on which he/she/it wishes to rely. If a Relying Party does not check the status of a Certificate on which the Relying Party wishes to rely by consulting the most recent relevant CRL, the Relying Party shall check Certificate status by consulting the applicable repository or by requesting Certificate status using the applicable OCSP responder (where OCSP services are available).

4.9.11 Other Forms of Revocation Advertisements Available

Not applicable.

4.9.12 Special Requirements regarding Key Compromise

ADACOM uses commercially reasonable efforts to notify potential Relying Parties if it discovers, or has reason to believe, that there has been a Compromise of the private key of one of their own CAs or one of the CAs within their subdomains.

4.9.13 Circumstances for Suspension

ADACOM does not provide suspension services for the certificates it issues. Enterprise Customers, may provide suspension services for the certificates they issue.

4.9.14 Who Can Request Suspension

Not applicable.

4.9.15 Procedure for Suspension Request

Not applicable.

4.9.16 Limits on Suspension Period

Not applicable.

4.10 Certificate Status Services

4.10.1 Operational Characteristics

The Status of public certificates is available via CRL at ADACOM 's website, LDAP directory and via an OCSP responder (where available).

4.10.2 Service Availability

Certificate Status Services are available 24 x 7 without scheduled interruption.

4.10.3 Optional Features

OCSP is an optional status service feature that is not available for all products and must be specifically enabled for other products.

4.11 End of Subscription

A subscriber may end a subscription for an ADACOM certificate by:

- Allowing his/her/its certificate to expire without renewing or re-keying that certificate,
- Revoking of his/her/its certificate before certificate expiration without replacing the certificates.

4.12 Key Escrow and Recovery

With the exception of enterprises deploying Managed PKI Key Management Services no VTN participant escrow CA, RA or end-user Subscriber private keys.

Enterprise customers using Managed PKI Key Management Service can escrow copies of the private keys of Subscribers whose Certificate Applications they approve.

Enterprise Customers who wish to manage Qualified Certificates shall not use the Managed PKI Key Manager service to escrow an end-user Subscribers' single signing private key (in single key pair systems). Enterprise Customers wishing to use the Managed PKI Key Manager service while managing Qualified Certificates shall use dual key pair systems and escrow only the decryption private keys of end-user Subscribers.

4.12.1 Key Escrow and Recovery Policy and Practices

Enterprise customers using the Managed PKI Key Management service (or an equivalent service approved by ADACOM) are permitted to escrow end-user Subscribers' private key. Escrowed private keys are stored in encrypted form using the Managed PKI Key Manager software. Except for enterprise customers using the Managed PKI Key Manager Service (or an equivalent service approved by ADACOM), the private keys of CAs or end-user Subscribers are not escrowed.

End-user Subscriber private keys are only recovered under the circumstances permitted within the Managed PKI Key Management Service Administrator's Guide, under which:

- Enterprise customers using Managed PKI Key Manager confirm the identity of any person purporting to be the Subscriber to ensure that a purported Subscriber request for the Subscriber's private key is, in fact, from the Subscriber and not an imposter,
- Enterprise customers recover a Subscriber's private key without the Subscriber's authority only for their legitimate and lawful purposes, such as to comply with judicial or administrative process or a search warrant, and not for any illegal, fraudulent, or other wrongful purpose

Such Enterprise customers shall have personnel controls in place to prevent Key Management Service Administrators and other persons from obtaining unauthorized access to private keys.

It is recommended that Enterprise Customers using KMS:

- Notify the subscribers that their private keys are escrowed
- To explicitly inform, via the applicable Subscriber and Relying Party Agreements the end user and the Relying Parties respectively, that the end user is not supposed to use the encryption key pair for signing purposes.
- Protect subscribers' escrowed keys from unauthorized disclosure,
- Protect all information, including the administrator's own key(s) that could be used to recover subscribers' escrowed keys.
- Release subscribers' escrowed keys only for properly authenticated and authorized requests for recovery.
- Revoke the Subscriber's Key pair prior to recovering the encryption key.
- Not be required to communicate any information concerning a key recovery to the subscriber except when the subscriber him/herself has requested recovery.
- Not disclose or allow to be disclosed escrowed keys or escrowed key-related information to any third party unless required by the law, government rule, or regulation; by the enterprise's organization policy; or by order of a court of competent jurisdiction.

4.12.2 Session Key Encapsulation and Recovery Policy and Practices

Private keys are stored on the enterprise's premises in encrypted form. Each Subscriber's private key is individually encrypted with its own triple-DES symmetric key. A Key Escrow Record (KER) is generated, then the triple-DES key is combined with a random session key mask generated in hardware and destroyed. Only the resulting masked session key (MSK) is securely sent and stored at ADACOM. The KER (containing the end user's private key) and the random session key mask are stored in the Key Manager database on the enterprise premises.

Recovery of a private key and digital certificate requires the Managed PKI administrator to securely log on to the Managed PKI Control Center, select the appropriate key pair to recover and click a "recover" hyperlink. Only after an approved administrator clicks the "recover" link is the MSK for that key pair returned from the Managed PKI database operated out of ADACOM 's secure data center. The Key Manager combines the MSK with the random session key mask and regenerates the triple-DES key which was used to originally encrypt the private key, allowing recovery of the end user's private key. As a final step, an encrypted PKCS#12 file is returned to the administrator and ultimately distributed to the end user.

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

5.1 Physical Controls

ADACOM has implemented a set of Security Policies, which supports the security requirements of this CPS. Compliance with these policies is included in ADACOM's audit requirements described in Section 8. The ADACOM Security Policies contain sensitive security information and are only available upon agreement with ADACOM. An overview of the requirements is described below.

5.1.1 Site Location and Construction

ADACOM CA and RA operations are conducted within a physically protected environment that deters, prevents, and detects unauthorized use of, access to, or disclosure of sensitive information and systems whether covert or overt.

ADACOM also maintains disaster recovery storage locations for its CA operations. ADACOM disaster recovery storage location complies with the Off-site Storage Security Requirements set forth in the "ADACOM Disaster Recovery Plan for the Interim Offsite Storage of Cryptographic Materials".

5.1.2 Physical Access

ADACOM CA systems are protected by seven tiers of physical security, with access to the lower tier required before gaining access to the higher tier.

Progressively restrictive physical access privileges control access to each tier. Sensitive CA operational activity, any activity related to the lifecycle of the certification process such as authentication, verification, and issuance, occur within very restrictive physical tiers. Access to each tier requires the use of a proximity card employee badge. Physical access is automatically logged and video recorded. Some tiers enforce individual access control through the concurrent use of proximity cards and biometrics (two factor authentication) . Unescorted personnel, including untrusted employees or visitors, are not allowed into such secured areas.

The physical security system includes tiers for key management security which serves to protect both online and offline storage of CSUs and keying material. Areas used to create and store cryptographic material enforce dual control, each through the concurrent use of proximity cards and biometrics . Online CSUs are protected through the use of locked cabinets. Offline CSUs are protected through the use of locked safes, cabinets and containers. Access to CSUs and keying material is restricted in accordance with ADACOM' s segregation of duties requirements. The opening and closing of cabinets or containers in these tiers is logged for audit purposes.

5.1.3 Power and Air Conditioning

ADACOM' s secure facilities are equipped with primary and backup:

- power systems to ensure continuous, uninterrupted access to electric power and
- heating / ventilation / air conditioning systems to control temperature and relative humidity.

5.1.4 Water Exposures

ADACOM has taken reasonable precautions to minimize the impact of water exposure to ADACOM systems.

5.1.5 Fire Prevention and Protection

ADACOM has taken reasonable precautions to prevent and extinguish fires or other damaging exposure to flame or smoke. ADACOM's fire prevention and protection measures have been designed to comply with local fire safety regulations.

5.1.6 Media Storage

All media containing production software and data, audit, archive, or backup information is stored within ADACOM facilities and in a secure off-site storage facility with appropriate physical and logical access controls designed to limit access to authorized personnel and protect such media from accidental damage (e.g., water, fire, and electromagnetic).

5.1.7 Waste Disposal

Sensitive documents and materials are shredded before disposal. Media used to collect or transmit sensitive information are rendered unreadable before disposal. Cryptographic devices are physically destroyed or zeroized in accordance the manufacturers' guidance prior to disposal. Other waste is disposed of in accordance with ADACOM 's normal waste disposal requirements.

5.1.8 Off-Site Backup

ADACOM performs routine backups of critical system data, audit log data, and other sensitive information. Offsite backup media are stored in a physically secure manner using a secure off-site storage facility in accordance with "ADACOM Disaster Recovery Plan".

5.2 Procedural Controls

5.2.1 Trusted Roles

Trusted Persons include all employees, that have access to or control authentication or cryptographic operations that may materially affect:

- the validation of information in Certificate Applications;
- the acceptance, rejection, or other processing of Certificate Applications, revocation requests, renewal requests, or enrollment information;
- the issuance, or revocation of Certificates, including personnel having access to restricted portions of its repository;
- the handling of Subscriber information or requests.

Trusted Persons include, but are not limited to:

- customer service personnel,
- cryptographic business operations personnel,
- security personnel,

- system administration personnel,
- designated engineering personnel, and
- executives that are designated to manage infrastructural trustworthiness.

ADACOM considers the categories of personnel identified in this section as Trusted Persons having a Trusted Position. Persons seeking to become Trusted Persons by obtaining a Trusted Position must successfully complete the screening requirements set out in this CPS.

Contractors and consultants that have access to or control authentication or cryptographic operations, are not allowed to conduct these operations unescorted.

5.2.2 Number of Persons Required per Task

ADACOM has established, maintains, and enforces rigorous control procedures to ensure the segregation of duties based on job responsibility and to ensure that multiple Trusted Persons are required to perform sensitive tasks.

Policy and control procedures are in place to ensure segregation of duties based on job responsibilities. The most sensitive tasks, such as access to and management of CA cryptographic hardware (cryptographic signing unit or CSU) and associated key material, require multiple Trusted Persons.

These internal control procedures are designed to ensure that at a minimum, two trusted personnel are required to have either physical or logical access to the device. Access to CA cryptographic hardware is strictly enforced by multiple Trusted Persons throughout its lifecycle, from incoming receipt and inspection to final logical and/or physical destruction. Once a module is activated with operational keys, further access controls are invoked to maintain split control over both physical and logical access to the device. Persons with physical access to modules do not hold "Secret Shares" and vice versa.

Other manual operations such as the validation and issuance of Certificates, not issued by an automated validation and issuance system, require the participation of at least 2 Trusted Persons, or a combination of at least one trusted person and an automated validation and issuance process

5.2.3 Identification and Authentication for Each Role

For all personnel seeking to become Trusted Persons, verification of identity is performed through the personal (physical) presence of such personnel before Trusted Persons performing ADACOM HR or security functions and a check of well-recognized forms of identification (e.g., passports and identification cards). Identity is further confirmed through the background checking procedures in CPS § 5.3.1.

ADACOM ensures that personnel have achieved Trusted Status and departmental approval has been given before such personnel are:

- issued access devices and granted access to the required facilities;
- issued electronic credentials to access and perform specific functions on ADACOM CA, RA, or other IT systems.

5.2.4 Roles Requiring Separation of Duties

Roles requiring Separation of duties include (but are not limited to):

- the validation of information in Certificate Applications;

- the acceptance, rejection, or other processing of Certificate Applications, revocation requests, or renewal requests, or enrollment information;
- the issuance, or revocation of Certificates, including personnel having access to restricted portions of the repository;
- the handling of Subscriber information or requests;
- the generation, issuing or destruction of a CA certificate;
- the loading of a CA on production.

5.3 Personnel Controls

Personnel seeking to become Trusted Persons must present proof of the requisite background, qualifications, and experience needed to perform their prospective job responsibilities competently and satisfactorily, as well as proof of any government clearances, if any, necessary to perform certification services under government contracts. Background checks are repeated at least every 5 years for personnel holding Trusted Positions.

5.3.1 Qualifications, Experience, and Clearance Requirements

ADACOM requires that personnel seeking to become Trusted Persons present proof of the requisite background, qualifications, and experience needed to perform their prospective job responsibilities competently and satisfactorily.

5.3.2 Background Check Procedures

Prior to commencement of employment in a Trusted Role, ADACOM conducts background checks which include the following:

- check of previous employment and professional reference (if available)
- confirmation of the highest or most relevant educational degree obtained,
- search of national criminal records,
- check of tax records,

To the extent that any of the requirements imposed by this section cannot be met due to a prohibition or limitation in local law or other circumstances, ADACOM will utilize a substitute investigative technique permitted by law that provides substantially similar information.

The factors revealed in a background check that may be considered grounds for rejecting candidates for Trusted Positions or for taking action against an existing Trusted Person generally include (but are not limited to) the following:

- Misrepresentations made by the candidate or Trusted Person,
- Highly unfavorable or unreliable professional references,
- Certain criminal convictions, and
- Indications of a lack of tax responsibility.

Reports containing such information are evaluated by human resources and security personnel, who determine the appropriate course of action in light of the type, magnitude, and frequency of the behavior uncovered by the background check. Such actions may include measures up to and including the cancellation of offers of employment made to candidates for Trusted Positions or the termination of existing Trusted Persons.

The use of information revealed in a background check to take such actions is subject to the applicable laws.

5.3.3 Training Requirements

ADACOM provides its personnel with training upon hire or the requisite on-the-job training needed for them to perform their job responsibilities competently and satisfactorily. ADACOM maintains records of such training. ADACOM periodically reviews and enhances its training programs as necessary.

ADACOM's training programs are tailored to the individual's responsibilities and include the following as relevant:

- Basic PKI concepts,
- Job responsibilities,
- ADACOM security and operational policies and procedures,
- Use and operation of deployed hardware and software,
- Incident and Compromise reporting and handling, and
- Disaster recovery and business continuity procedures.

5.3.4 Retraining Frequency and Requirements

ADACOM provides refresher training and updates to their personnel to the extent and frequency required to ensure that such personnel maintain the required level of proficiency to perform their job responsibilities competently and satisfactorily.

5.3.5 Job Rotation Frequency and Sequence

Not applicable.

5.3.6 Sanctions for Unauthorized Actions

Appropriate disciplinary actions are taken for unauthorized actions or other violations of ADACOM policies and procedures. Disciplinary actions may include measures up to and including termination and are commensurate with the frequency and severity of the unauthorized actions.

5.3.7 Independent Contractor Requirements

In limited circumstances, independent contractors or consultants may be used to fill Trusted Positions. Any such contractor or consultant is held to the same functional and security criteria that apply to a ADACOM employees in a comparable position.

Independent contractors and consultants who have not completed or passed the background check procedures specified in CPS § 5.3.2 are permitted access to ADACOM 's secure facilities only to the extent they are escorted and directly supervised by Trusted Persons at all times.

5.3.8 Documentation Supplied to Personnel

ADACOM provides its employees the requisite training and other documentation needed to perform their job responsibilities competently and satisfactorily.

5.4 Audit Logging Procedures

5.4.1 Types of Events Recorded

ADACOM manually or automatically logs the following significant events:

- CA key life cycle management events, including:
 - Key generation, backup, storage, recovery, archival, and destruction
 - Cryptographic device life cycle management events.
- CA and Subscriber certificate life cycle management events, including:
 - Certificate Applications, renewal, rekey, and revocation
 - Successful or unsuccessful processing of requests
 - Generation and issuance of Certificates and CRLs.
- Security-related events including:
 - Successful and unsuccessful PKI system access attempts
 - PKI and security system actions performed by ADACOM personnel
 - Security sensitive files or records read, written or deleted
 - Security profile changes
 - System crashes, hardware failures and other anomalies
 - Firewall and router activity
 - CA facility visitor entry/exit.

Log entries include the following elements:

- Date and time of the entry
- Serial or sequence number of entry, for automatic journal entries
- Identity of the entity making the journal entry
- Kind of entry.

ADACOM RAs and Enterprise Administrators log Certificate Application information including:

- Kind of identification document(s) presented by the Certificate Applicant
- Record of unique identification data, numbers, or a combination thereof (e.g., Certificate Applicant's drivers license number) of identification documents, if applicable
- Storage location of copies of applications and identification documents
- Identity of entity accepting the application
- Method used to validate identification documents, if any
- Name of receiving CA or submitting RA, if applicable.

5.4.2 Frequency of Processing Log

Audit logs are examined on at least a weekly basis for significant security and operational events. In addition, ADACOM reviews its audit logs for suspicious or unusual activity in response to alerts generated based on irregularities and incidents within ADACOM CA and RA systems.

Audit log processing consists of a review of the audit logs and documentation for all significant events in an audit log summary. Audit log reviews include a verification that the log has not been tampered with, an inspection of all log entries, and an investigation of any alerts or irregularities in the logs. Actions taken based on audit log reviews are also documented.

5.4.3 Retention Period for Audit Log

Audit logs shall be retained onsite for at least two (2) months after processing and thereafter archived in accordance with Section 5.5.2.

5.4.4 Protection of Audit Log

Audit logs are protected with an electronic audit log system that includes mechanisms to protect the log files from unauthorized viewing, modification, deletion, or other tampering.

5.4.5 Audit Log Backup Procedures

Incremental backups of audit logs are created daily and full backups are performed weekly.

5.4.6 Audit Collection System (Internal vs. External)

Automated audit data is generated and recorded at the application, network and operating system level. Manually generated audit data is recorded by ADACOM personnel.

5.4.7 Notification to Event-Causing Subject

Where an event is logged by the audit collection system, no notice is required to be given to the individual, organization, device, or application that caused the event.

5.4.8 Vulnerability Assessments

Events in the audit process are logged, in part, to monitor system vulnerabilities. Logical security vulnerability assessments (“LSVAs”) are performed, reviewed, and revised following an examination of these monitored events. LSVAs are based on real-time automated logging data and are performed on a daily, monthly, and annual basis. An annual LSVA will be an input into an entity’s annual Compliance Audit.

5.5 Records Archival

5.5.1 Types of Records Archived

ADACOM archives:

- All audit data collected in terms of Section 5.4
- Certificate application information
- Documentation supporting certificate applications
- Certificate lifecycle information e.g., revocation, rekey and renewal application information

•

5.5.2 Retention Period for Archive

Records shall be retained for at least the time periods set forth below following the date the Certificate expires or is revoked.

- Five (5) years for Class 1 Certificates,
- Ten (10) years and six (6) months for Class 2 Certificates and Class 3 Administrator Certificates.

5.5.3 Protection of Archive

ADACOM protects the archive so that only authorized Trusted Persons are able to obtain access to the archive. The archive is protected against unauthorized viewing, modification, deletion, or other tampering by storage within a Trustworthy System. The media holding the archive data and the applications required to process the archive data shall be maintained to ensure that the archive data can be accessed for the time period set forth in this CPS.

5.5.4 Archive Backup Procedures

ADACOM incrementally backs up electronic archives of its issued Certificate information on a daily basis and performs full backups on a weekly basis. Copies of paper-based records shall be maintained using an off-site secure facility.

5.5.5 Requirements for Time-Stamping of Records

Certificates, CRLs, and other revocation database entries shall contain time and date information. Such time information need not be cryptographic-based.

5.5.6 Archive Collection System (Internal or External)

ADACOM archive collection systems are internal, except for enterprise RA Customers. ADACOM assists its enterprise RAs in preserving an audit trail. Such an archive collection system therefore is external to that enterprise RA.

5.5.7 Procedures to Obtain and Verify Archive Information

Only authorized Trusted Personnel are able to obtain access to the archive. The integrity of the information is verified when it is restored.

5.6 Key Changeover

ADACOM CA key pairs are retired from service at the end of their respective maximum lifetimes as defined in this CPS. ADACOM CA Certificates may be renewed as long as the cumulative certified lifetime of the CA key pair does not exceed the maximum CA key pair lifetime. New CA key pairs will be generated as necessary, for example to replace CA key pairs that are being retired, to supplement existing, active key pairs and to support new services.

Prior to the expiration of the CA Certificate for a Superior CA, key changeover procedures are enacted to facilitate a smooth transition for entities within the Superior CA's hierarchy from the old Superior CA key pair to new CA key pair(s). ADACOM's CA key changeover process requires that:

- A Superior CA ceases to issue new Subordinate CA Certificates no later than 60 days before the point in time ("Stop Issuance Date") where the remaining lifetime of the Superior CA key pair equals the approved Certificate Validity Period for the specific type(s) of Certificates issued by Subordinate CAs in the Superior CA's hierarchy.

- Upon successful validation of Subordinate CA (or end-user Subscriber) Certificate requests received after the “Stop Issuance Date,” Certificates will be signed with a new CA key pair.

The Superior CA continues to issue CRLs signed with the original Superior CA private key until the expiration date of the last Certificate issued using the original key pair has been reached.

5.7 Compromise and Disaster Recovery

5.7.1 Incident and Compromise Handling Procedures

Backups of the following CA information are kept in off-site storage and made available in the event of a Compromise or disaster: Certificate Application data, audit data, and database records for all Certificates issued. Back-ups of CA private keys are generated and maintained in accordance with CP § 6.2.4. ADACOM maintains backups of the foregoing CA information for their own CAs, as well as the CAs of Enterprise Customers within its Subdomain.

5.7.2 Computing Resources, Software, and/or Data Are Corrupted

In the event of the corruption of computing resources, software, and/or data, such an occurrence is reported to ADACOM Security and ADACOM’s incident handling procedures are enacted. Such procedures require appropriate escalation, incident investigation, and incident response. If necessary, ADACOM’s key compromise or disaster recovery procedures will be enacted.

5.7.3 Entity Private Key Compromise Procedures

Upon the suspected or known Compromise of a ADACOM CA, ADACOM infrastructure or Customer CA private key, ADACOM’s Key Compromise Response procedures are enacted by the ADACOM Security Incident Response Team (ASIRT) This team, which includes Security, Cryptographic Business Operations, Production Services personnel, and other ADACOM management representatives, assesses the situation, develops an action plan, and implements the action plan with approval from ADACOM executive management.

If CA Certificate revocation is required, the following procedures are performed:

- The Certificate’s revoked status is communicated to Relying Parties through the ADACOM repository in accordance with CPS § 4.4.9,
- Commercially reasonable efforts will be made to provide additional notice of the revocation to all affected VTN Participants, and
- The CA will generate a new key pair in accordance with CPS § 4.7, except where the CA is being terminated in accordance with CPS § 4.9.

5.7.4 Business Continuity Capabilities After a Disaster

5.7.4.1 VeriSign

VeriSign has implemented a disaster recovery site more than 1000 miles from VeriSign’s principal secure facilities. VeriSign has developed, implemented and tested a disaster recovery plan to mitigate the effects of any kind of natural or man-made disaster. This plan is regularly tested, verified, and updated to be operational in the event of a disaster.

Detailed disaster recovery plans are in place to address the restoration of information systems services and key business functions. VeriSign's disaster recovery site has implemented the physical security protections and operational controls required by the VeriSign Security and Audit Requirements Guide to provide for a secure and sound backup operational setup.

In the event of a natural or man-made disaster requiring temporary or permanent cessation of operations from VeriSign's primary facility, VeriSign's disaster recovery process is initiated by the VeriSign Emergency Response Team (VERT).

VeriSign has the capability to restore or recover essential operations within twenty four (24) hours following a disaster with, at a minimum, support for the following functions:

- Certificate issuance,
- Certificate revocation,
- publication of revocation information, and
- provision of key recovery information for Enterprise Customers using Managed PKI Key Manager.

VeriSign's disaster recovery database is synchronized regularly with the production database within the time limits set forth in the Security and Audit Requirements Guide. VeriSign's disaster recovery equipment is protected by physical security protections comparable to the physical security tiers specified in CPS § 5.1.1.

VeriSign's disaster recovery plan has been designed to provide full recovery within one week following disaster occurring at VeriSign's primary site. VeriSign tests its equipment at its primary site to support CA/RA functions following all but a major disaster that would render the entire facility inoperable. Results of such tests are reviewed and kept for audit and planning purposes. Where possible, operations are resumed at VeriSign's primary site as soon as possible following a major disaster.

VeriSign maintains redundant hardware and backups of its CA and infrastructure system software at its disaster recovery facility. In addition, CA private keys are backed up and maintained for disaster recovery purposes in accordance with CPS § 6.2.4.

VeriSign maintains offsite backups of important CA information for VeriSign CAs as well as the CAs of Service Centers, and Enterprise Customers, within VeriSign's Subdomain. Such information includes, but is not limited to: Certificate Application data, audit data (per Section 4.5), and database records for all Certificates issued.

5.7.4.2 ADACOM

For services where the entity issuing Certificates is ADACOM (see CPS §1.1.) ADACOM has implemented and tested a disaster recovery plan . to mitigate the effects of any kind of natural or man-made disaster. This plan is regularly tested, verified, and updated to be operational in the event of a disaster.

Detailed disaster recovery plans are in place to address the restoration of information systems services and key business functions.

In the event of a natural or man-made disaster requiring temporary or permanent cessation of operations from ADACOM 's primary facility, ADACOM's disaster recovery process is initiated by the ADACOM Emergency Response Team (AERT).

ADACOM has the capability to restore or recover operations with, at a minimum, support for the following functions:

- Certificate issuance,
- Certificate revocation,
- publication of revocation information, and
- provision of key recovery information for Enterprise Customers using Managed PKI Key Manager.

ADACOM maintains backups of its CA and infrastructure system software at a secure offsite location.

ADACOM , also maintains offsite backups of important CA information for ADACOM CAs as well as the CAs of Enterprise Customers, within ADACOM's Subdomain. Such information includes, but is not limited to: Certificate Application data, audit data (per CPS § 4.5), and database records for all Certificates issued.

Additionally, CA private keys and secret shares are backed up for disaster recovery purposes in accordance with CPS § 6.2.4. Specifically, they are stored in financial safe deposit boxes, in accordance with “ADACOM Disaster Recovery Plan for the Interim Offsite Storage of Cryptographic Materials”, which will allow for business resumption at a later date.

5.8 CA or RA Termination

In the event that it is necessary for an ADACOM CA, or Enterprise Customer CA to cease operation, ADACOM makes a commercially reasonable effort to notify Subscribers, Relying Parties, and other affected entities of such termination in advance of the CA termination. Where CA termination is required, ADACOM will activate the documented “ADACOM Termination Plan”, and, in the case of a Customer CA, the applicable Customer, will develop a termination plan to minimize disruption to Customers, Subscribers, and Relying Parties. Such termination plans may address the following, as applicable:

- Provision of notice to parties affected by the termination, such as Subscribers, Relying Parties, and Customers, informing them of the status of the CA,
- Handling the cost of such notice,
- The revocation of the Certificate issued to the CA by ADACOM,,
- The preservation of the CA's archives and records for the time periods required in this CPS,
- The continuation of Subscriber and customer support services,
- The continuation of revocation services, such as the issuance of CRLs or the maintenance of online status checking services,
- The revocation of unexpired unrevoked Certificates of end-user Subscribers and subordinate CAs, if necessary,
- Refunding (if necessary) Subscribers whose unexpired unrevoked Certificates are revoked under the termination plan or provision, or alternatively, the issuance of replacement Certificates by a successor CA,
- Disposition of the CA's private key and the hardware tokens containing such private key, and
- Provisions needed for the transition of the CA's services to a successor CA.
- Provision of notice to the Supervisory Authority.

6. TECHNICAL SECURITY CONTROLS

6.1 Key Pair Generation and Installation

6.1.1 Key Pair Generation

CA key pair generation is performed by multiple pre-selected, trained and trusted individuals using Trustworthy Systems and processes that provide for the security and required cryptographic strength for the generated keys. For PCA and Issuing Root CAs, the cryptographic modules used for key generation meet the requirements of CC EAL 4+ and FIPS 140-1 level 3. For other CAs (including ADACOM CAs and Enterprise Customer CAs), the cryptographic modules used meet the requirements of at least CC EAL 4+ and FIPS 140-1 level 3.

All CA key pairs are generated in pre-planned Key Generation Ceremonies in accordance with the requirements of the Key Ceremony Reference Guide, the CA Key Management Tool User's Guide, and the VeriSign Security and Audit Requirements Guide. The activities performed in each key generation ceremony are recorded, dated and signed by all individuals involved. These records are kept for audit and tracking purposes for a length of time deemed appropriate by ADACOM Management.

Generation of RA key pairs is generally performed by the RA using a CC EAL 4+ and FIPS 140-1 level 1 certified cryptographic module provided with their browser software.

Enterprise Customers generate the key pair used by their Automated Administration servers. ADACOM recommends that Automated Administration server key pair generation be performed using a CC EAL 4+ and FIPS 140-1 level 2 certified cryptographic module.

Generation of end-user Subscriber key pairs is generally performed by the Subscriber. For Class 1 and Class 2 Certificates, the Subscriber typically uses a CC EAL 4+ and FIPS 140-1 level 1 certified cryptographic module provided with their browser software for key generation.

6.1.2 Private Key Delivery to Subscriber

End-user Subscriber key pairs are generated by the end-user Subscriber, thus private key delivery to a Subscriber is not applicable.

Where end-user Subscriber key pairs are pre-generated by ADACOM or Enterprise Customers on hardware tokens or smart cards, such devices are distributed to the end-user Subscriber using a commercial delivery service and tamper evident packaging. The required activation data required to activate the device is communicated to the RA or end-user Subscriber using an out of band process. The distribution of such devices is logged by the Enterprise Customer.

For Enterprise Customers using Managed PKI Key Manager for key recovery services, the Customer may generate encryption key pairs (on behalf of Subscribers whose Certificate Applications they approve) and transmit such key pairs to Subscribers via a password protected PKCS # 12 file.

6.1.3 Public Key Delivery to Certificate Issuer

End-user Subscribers and RAs submit their public key to ADACOM for certification electronically through the use of a PKCS#10 Certificate Signing Request (CSR) or other digitally signed package in a session secured by Secure Sockets Layer (SSL). Where CA, key pairs are generated by ADACOM, this requirement is not applicable.

6.1.4 CA Public Key Delivery to Relying Parties

ADACOM makes the CA Certificates for VeriSign PCAs and its root CAs available to Subscribers and Relying Parties through their inclusion in web browser software. As new PCA and root CA Certificates are generated, VeriSign provides such new Certificates to the browser manufacturers for inclusion in new browser releases and updates.

ADACOM generally provides its own full certificate chain (including the issuing CA and any CAs in the chain) to the end-user Subscriber upon Certificate issuance.

Users, during the certificate pick-up process, automatically download and install into their computer, the intermediate and issuing CA's public keys. This is a process controlled by the PKI application. In any case if a user needs to verify and/or download the public key of the CA, he can do so by accessing the ADACOM's web-based repository at <https://www.adacom.com/repository>.

6.1.5 Key Sizes

Key pairs shall be of sufficient length to prevent others from determining the key pair's private key using cryptanalysis during the period of expected utilization of such key pairs. The current ADACOM Standard for minimum key sizes is the use of key pairs equivalent in strength to 1024 bit RSA for PCAs and CAs. VeriSign's third generation (G3) PCAs have 2048 bit RSA key pairs.

ADACOM recommends that Registration Authorities and end-user Subscribers generate 1024 bit RSA key pairs. ADACOM does not approve organizational and end user certificates generated with a key pair size of 512 bit or less.

6.1.6 Public Key Parameters Generation and Quality Checking

Not applicable.

6.2 Private Key Protection and Cryptographic Module Engineering Controls

ADACOM has implemented a combination of physical, logical, and procedural controls to ensure the security of ADACOM and Enterprise Customer CA private keys. Subscribers are required by contract to take necessary precautions to prevent the loss, disclosure, modification, or unauthorized use of private keys.

6.2.1 Cryptographic Module Standards and Controls

For PCA and Issuing Root CA key pair generation and CA private key storage, VeriSign uses hardware cryptographic modules that are certified at or meet the requirements of CC EAL 4+ and

FIPS 140-1 Level 3. For the rest ADACOM CAs, hardware cryptographic modules that are certified at or meet the requirements stated in section § 6.1.1. of this CPS.

6.2.2 Private Key (m out of n) Multi-Person Control

ADACOM has implemented technical and procedural mechanisms that require the participation of multiple trusted individuals to perform sensitive CA cryptographic operations. ADACOM uses "Secret Sharing" to split the activation data needed to make use of a CA private key into separate parts called "Secret Shares" which are held by trained and trusted individuals called "Shareholders." A threshold number of Secret Shares (m) out of the total number of Secret Shares created and distributed for a particular hardware cryptographic module (n) is required to activate a CA private key stored on the module.

The threshold number of shares needed to sign a CA certificate is 3. The number of shares distributed for disaster recovery tokens it's the same as the number distributed for operational tokens, and the threshold number of required shares remains the same, as well. Secret Shares are protected in accordance with this CPS.

6.2.3 Private Key Escrow

ADACOM CA and end user's private keys are not escrowed. Enterprise Customer may choose either to escrow or not its end user private keys. Escrow of private keys for end user subscribers is explained in more detail in Section 4.12.

6.2.4 Private Key Backup

ADACOM creates backup copies of CA private keys for routine recovery and disaster recovery purposes. Such keys are stored in encrypted form within hardware cryptographic modules and associated key storage devices. Cryptographic modules used for CA private key storage meet the requirements of this CPS. CA private keys are copied to backup hardware cryptographic modules in accordance with this CPS.

Modules containing onsite backup copies of CA private keys are subject to the requirements of CPS. Modules containing disaster recovery copies of CA private keys are subject to the requirements of this CPS.

ADACOM does not store copies of RA private keys. For the backup of end-user Subscriber private keys, see Section 6.2.3 and Section 4.12.

6.2.5 Private Key Archival

Upon expiration of an ADACOM CA Certificate, the key pair associated with the certificate is securely retained for a period of at least 5 years using hardware cryptographic modules that meet the requirements of this CPS. These CA key pairs are not used for any signing events after their expiration date, unless the CA Certificate has been renewed in terms of this CPS.

ADACOM does not archive copies of RA and Subscriber private keys.

6.2.6 Private Key Transfer Into or From a Cryptographic Module

ADACOM generates CA key pairs on the hardware cryptographic modules in which the keys will be used. In addition, ADACOM makes copies of such CA key pairs for routine recovery and disaster recovery purposes. Where CA key pairs are backed up to another hardware cryptographic module, such key pairs are transported between modules in encrypted form.

6.2.7 Private Key Storage on Cryptographic Module

CA or RA private keys held on hardware cryptographic modules are stored in encrypted form.

6.2.8 Method of Activating Private Key

All ADACOM subdomain Participants shall protect the activation data for their private keys against loss, theft, modification, unauthorized disclosure, or unauthorized use.

6.2.8.1 Class 1 Certificates

The Standard for Class 1 private key protection is for Subscribers to take commercially reasonable measures for the physical protection of the Subscriber's workstation to prevent use of the workstation and its associated private key without the Subscriber's authorization. In addition, ADACOM recommends that Subscribers use a password in accordance with Section 6.4.1 or security of equivalent strength to authenticate the Subscriber before the activation of the private key, which includes, for instance, a password to operate the private key, a Windows logon or screen saver password, or a network logon password.

6.2.8.2 Class 2 Certificates

The Standard for Class 2 Private Key protection is for Subscribers to:

- Use a password in accordance with Section 6.4.1 or security of equivalent strength to authenticate the Subscriber before the activation of the private key, which includes, for instance, a password to operate the private key, a Windows logon or screen saver password, or a network logon password, and
- Take commercially reasonable measures for the physical protection of the Subscriber's workstation to prevent the use of the workstation and its associated private key without the Subscriber's authorization.

When deactivated, private keys shall be kept in encrypted form only.

6.2.8.3 Administrators' Private Keys (Class 3)

The Standard for Administrators' private key protection requires them to:

- Use a smart card, biometric access device, password in accordance with Section 6.4.1, or security of equivalent strength to authenticate the Administrator before the activation of the private key, which includes, for instance, a password to operate the private key, a Windows logon or screen saver password, or a network logon password; and
- Take commercially reasonable measures for the physical protection of the Administrator's workstation to prevent use of the workstation and its associated private key without the Administrator's authorization.

ADACOM recommends that Administrators use a smart card, biometric access device, or security of equivalent strength along with the use of a password in accordance with Section 6.4.1 to authenticate the Administrator before the activation of the private key.

When deactivated, private keys shall be kept in encrypted form only.

6.2.8.4 Enterprise RAs using a Cryptographic Module (with Automated Administration or with Managed PKI Key Manager Service)

The Standard for private key protection for Administrators using such a cryptographic module requires them to:

- Use the cryptographic module along with a password in accordance with Section 6.4.1 to authenticate the Administrator before the activation of the private key; and
- Take commercially reasonable measures for the physical protection of the workstation housing the cryptographic module reader to prevent use of the workstation and the private key associated with the cryptographic module without the Administrator's authorization.

6.2.8.5 Private Keys Held by Processing Centers

An online CA's private key is activated by a threshold number of Shareholders, as defined in Section 6.2.2, supplying their activation data (stored on secure media). Once the private key is activated, the private key may be active for an indefinite period until it is deactivated when the CA goes offline. Similarly, a threshold number of Shareholders are required to supply their activation data in order to activate an offline CA's private key. Once the private key is activated, it shall be active only for one time.

6.2.9 Method of Deactivating Private Key

ADACOM CA private keys are deactivated upon removal from the token reader. ADACOM RA private keys (used for authentication to the RA application) are deactivated upon system log off. ADACOM RAs are required to log off their workstations when leaving their work area.

Client Administrators, RA, and end-user Subscriber private keys may be deactivated after each operation, upon logging off their system, or upon removal of a smart card from the smart card reader depending upon the authentication mechanism employed by the user. In all cases, end-user Subscribers have the obligation to adequately protect their private key(s) in accordance with this CPS.

6.2.10 Method of Destroying Private Key

At the conclusion of an ADACOM CA's operational lifetime, one or more copies of the CA private key are archived in accordance with CPS § 6.2.5. Remaining copies of the CA private key are securely destroyed. In addition, archived CA private keys are securely destroyed at the conclusion of their archive periods. CA key destruction activities require the participation of multiple trusted individuals.

Where required, ADACOM destroys CA private keys in a manner that reasonably ensures that there are no residuals remains of the key that could lead to the reconstruction of the key.

ADACOM utilizes the zeroization function of its hardware cryptographic modules and other appropriate means to ensure the complete destruction of CA private keys. When performed, CA key destruction activities are logged.

6.2.11 Cryptographic Module Rating

See Section 6.2.1

6.3 Other Aspects of Key Pair Management

6.3.1 Public Key Archival

ADACOM CA, RA and end-user Subscriber Certificates are backed up and archived as part of ADACOM's routine backup procedures.

6.3.2 Certificate Operational Periods and Key Pair Usage Periods

The Operational Period of a Certificate ends upon its expiration or revocation. The Operational Period for key pairs is the same as the Operational Period for the associated Certificates, except that they may continue to be used for decryption and signature verification. The maximum Operational Periods for ADACOM Certificates for Certificates issued on or after the effective date of this CPS are set forth in Table 6 below.

In addition, ADACOM CAs stop issuing new Certificates at an appropriate date prior to the expiration of the CA's Certificate such that no Certificate issued by a Subordinate CA expires after the expiration of any Superior CA Certificates.

Certificate Issued By:	Validity Period
PCA self-signed (1024 bit)	Up to 30 years
PCA self-signed (2048 bit)	Up to 50 years
PCA to Offline intermediate CA	Generally 10 years but up to 15 years after renewal
PCA to online CA	Generally 5 years but up to 10 years after renewal ⁶
Offline intermediate CA to online CA	Generally 5 years but up to 10 years after renewal ⁷
Online CA to End-user Individual Subscriber	Normally up to 2 years, but under the conditions described below, up to 5 years ⁸

Table 6 – Certificate Operational Periods

Except as noted in this section, ADACOM Subdomain Participants shall cease all use of their key pairs after their usage periods have expired.

Certificates issued by CAs to end-user Subscribers may have Operational Periods longer than two years, up to five years, if the following requirements are met:

- The Certificates are individual Certificates,

⁶ The VeriSign Onsite Administrator CA-Class 3 has a validity beyond 10 years to support legacy systems and shall be revoked when appropriate

⁷ If 5-year end-user subscriber certificates are issued, the online CA certificate's operational period will be 10 years with no option to renew. Re-key will be required after 5 years.

⁸ If 5-year end-user subscriber certificates are issued, the online CA certificate's operational period will be 10 years with no option to renew. Re-key will be required after 5 years.

- Subscribers' key pairs reside on a hardware token, such as a smart card,
- Subscribers are required to undergo reauthentication at least every 25 months under Section 3.2.3,
- Subscribers shall prove possession of the private key corresponding to the public key within the Certificate at least every 25 months under Section 3.2.3,
- If a Subscriber is unable to complete reauthentication procedures successfully or is unable to prove possession of such private key when required by the foregoing, the CA shall revoke the Subscriber's Certificate.

6.4 Activation Data

6.4.1 Activation Data Generation and Installation

Activation data (Secret Shares) used to protect tokens containing ADACOM CA private keys is generated in accordance with the requirements of CPS § 6.2.2 and the Key Ceremony Reference Guide. The creation and distribution of Secret Shares is logged.

ADACOM RAs are required to select strong passwords to protect their private keys. ADACOM's password selection guidelines require that passwords:

- be generated by the user;
- have at least eight characters;
- have at least one alphabetic and one numeric character;
- have at least one lower-case letter;
- not contain many occurrences of the same character;
- not be the same as the operator's profile name; and
- not contain a long substring of the user's profile name.

ADACOM strongly recommends that Enterprise Administrators, RAs, and end-user Subscribers choose passwords that meet the same requirements. ADACOM also recommends the use of two factor authentication mechanisms (e.g., token and passphrase, biometric and token, or biometric and passphrase) for private key activation.

6.4.2 Activation Data Protection

ADACOM Shareholders are required to safeguard their Secret Shares and sign an agreement acknowledging their Shareholder responsibilities.

ADACOM RAs are required to store their Administrator/RA private keys in encrypted form using password protection and their browser's "high security" option.

ADACOM strongly recommends that Client Administrators, RAs and end-user Subscribers store their private keys in encrypted form and protect their private keys through the use of a hardware token and/or strong passphrase. The use of two factor authentication mechanisms (e.g., token and passphrase, biometric and token, or biometric and passphrase) is encouraged.

6.4.3 Other Aspects of Activation Data

6.4.3.1 Activation Data Transmission

To the extent activation data for private keys are transmitted, VTN Participants shall protect the transmission using methods that protect against the loss, theft, modification, unauthorized disclosure, or unauthorized use of such private keys. To the extent Windows or network logon

user name/password combination is used as activation data for an end-user Subscriber, the passwords transferred across a network shall be protected against access by unauthorized users.

6.4.3.2 Activation Data Destruction

Activation data for CA private keys shall be decommissioned using methods that protect against the loss, theft, modification, unauthorized disclosure, or unauthorized use of the private keys protected by such activation data. After the record retention periods in Section 5.5.2 lapse, ADACOM shall decommission activation data by overwriting and/or physical destruction.

6.5 Computer Security Controls

ADACOM performs all CA and RA functions using Trustworthy Systems that meet the requirements of VeriSign's Security and Audit Requirements Guide. Enterprise Customers must use Trustworthy Systems.

6.5.1 Specific Computer Security Technical Requirements

ADACOM ensures that the systems maintaining CA software and data files are Trustworthy Systems secure from unauthorized access. In addition, ADACOM limits access to production servers to those individuals with a valid business reason for such access. General application users do not have accounts on production servers.

ADACOM 's production network is logically separated from other components. This separation prevents network access except through defined application processes. ADACOM uses firewalls to protect the production network from internal and external intrusion and limit the nature and source of network activities that may access production systems.

ADACOM requires the use of passwords that have a minimum character length and a combination of alphanumeric and special characters. ADACOM requires that passwords be changed on a periodic basis.

Direct access to ADACOM databases supporting ADACOM 's CA Operations is limited to Trusted Persons in ADACOM 's Production Operations group having a valid business reason for such access.

6.5.2 Computer Security Rating

No Stipulation.

6.6 Life Cycle Technical Controls

6.6.1 System Development Controls

Applications are developed and implemented by ADACOM in accordance with ADACOM systems development and change management standards. ADACOM also provides software to its Enterprise Customers for performing RA and certain CA functions. Such software is developed in accordance with ADACOM system development standards.

VeriSign developed software, when first loaded, provides a method to verify that the software on the system originated from VeriSign or ADACOM, has not been modified prior to installation, and is the version intended for use.

6.6.2 Security Management Controls

ADACOM has mechanisms and/or policies in place to control and monitor the configuration of its CA systems. VeriSign creates a hash of all software packages and VeriSign software updates. This hash is used to verify the integrity of such software manually. Upon installation and periodically thereafter, ADACOM validates the integrity of its CA systems.

6.6.3 Life Cycle Security Controls

No stipulation.

6.7 Network Security Controls

ADACOM performs all its CA and RA functions using networks secured in accordance with the VeriSign Security and Audit Requirements Guide to prevent unauthorized access and other malicious activity. ADACOM protects its communications of sensitive information through the use of encryption and digital signatures.

6.8 Time-Stamping

Certificates, CRLs, and other revocation database entries contain time and date information. Such time information need not be cryptographic-based.

7. CERTIFICATE, CRL, AND OCSP PROFILES

7.1 Certificate Profile

ADACOM Certificates generally conform to (a) ITU-T Recommendation X.509 (1997): Information Technology - Open Systems Interconnection - The Directory: Authentication Framework, June 1997 and (b) RFC 5280: Internet X.509 Public Key Infrastructure Certificate and CRL Profile, April 2002 ("RFC 5280").

At a minimum, X.509 Certificates shall contain the basic fields and indicated prescribed values or value constraints in Table 7 below:

Field	Value or Value constraint
Serial Number	Unique value per Issuer DN
Signature Algorithm	Object identifier of the algorithm used to sign the certificate (See Section 7.1.3)
Issuer DN	See Section 7.1.4
Valid From	Universal Coordinate Time base. Encoded in accordance with RFC 5280.
Valid To	Universal Coordinate Time base. Encoded in accordance with RFC 5280.
Subject DN	See Section 7.1.4
Subject Public Key	Encoded in accordance with RFC 5280
Signature	Generated and encoded in accordance with RFC 5280

Table 7 – Certificate Profile Basic Fields

7.1.1 Version Number(s)

ADACOM Certificates are X.509 Version 3 Certificates although certain VeriSign Root Certificates are permitted to be X.509 Version 1 Certificates to support legacy systems (VeriSign Root CA for Enterprise Customers is Version 1 Certificate). ADACOM intermediate and issuing CA certificates are X.509 Version 3 CA Certificates.. End-user Subscriber Certificates are X.509 Version 3.

7.1.2 Certificate Extensions

ADACOM populates X.509 Version 3 VTN Certificates with the extensions required by Section 7.1.2.1-7.1.2.8. Private extensions are permissible, but the use of private extensions is not warranted under the VTN CP and this CPS unless specifically included by reference.

7.1.2.1 Key Usage

X.509 Version 3 Certificates are generally populated in accordance with RFC 5280: Internet X.509 Public Key Infrastructure Certificate and CRL Profile, April 2002. The KeyUsage extension in X.509 Version 3 Certificates is generally configured so as to set and clear bits and the criticality

field in accordance with Table 8 below. The criticality field of the KeyUsage extension is set to TRUE for CA certificates and set to FALSE for Class 1 and 2. For Enterprise Customers, the criticality field of the KeyUsage extension may be set to either TRUE, or FALSE for end entity Subscribers certificates. .

		CAs	Class 1 End- User Subscrib ers	Automated Administrati on tokens and Class 3 Administrat or Certificates	Dual Key Pair Signature (Managed PKI Key Manager)	Dual Key Pair Encipherme nt (Managed PKI Key Manager)
Criticality		TRUE	FALSE	FALSE	FALSE	FALSE
0	digitalSignature	Clear	Set	Set	Set	Clear
1	nonRepudiation	Clear	Clear	Clear	Clear	Clear
2	keyEncipherment	Clear	Set	Set	Clear	Set
3	dataEncipherment	Clear	Clear	Clear	Clear	Clear
4	keyAgreement	Clear	Clear	Clear	Clear	Clear
5	keyCertSign	Set	Clear	Clear	Clear	Clear
6	CRLSign	Set	Clear	Clear	Clear	Clear
7	encipherOnly	Clear	Clear	Clear	Clear	Clear
8	decipherOnly	Clear	Clear	Clear	Clear	Clear

Table 8 – Settings for KeyUsage Extension

Note: The nonRepudiation bit⁹ is not required to be set in these Certificates because the PKI industry has not yet reached a consensus as to what the nonRepudiation bit means. Until such a consensus emerges, the nonRepudiation bit might not be meaningful for potential Relying Parties. Moreover, the most commonly used applications do not always respect the nonRepudiation bit. Therefore, setting the bit might not help Relying Parties make a trust decision. Consequently, this CPS does not require that the nonRepudiation bit be set in the case of dual key pair signature Certificates issued through Managed PKI Key Manager, or as otherwise requested. Any dispute relating to non-repudiation arising from the use of a digital certificate is a matter solely between the Subscriber and the Relying Party(s). VeriSign shall incur no liability in relation thereto.”

⁹ The nonRepudiation bit may also be referred to as ContentCommitment in Digital Certificates in accordance with the X.509 standard.

7.1.2.2 Certificate Policies Extension

CertificatePolicies extension of X.509 Version 3 Certificates are populated with the object identifier for the VTN CP in accordance with CP and this CPS Section 7.1.6 and with policy qualifiers set forth in CP and this CPS Section 7.1.8. The criticality field of this extension shall be set to FALSE.

7.1.2.3 Subject Alternative Names

The subjectAltName extension of X.509 Version 3 Certificates is populated in accordance with RFC 5280. The criticality field of this extension is set to FALSE.

7.1.2.4 Basic Constraints

ADACOM X.509 Version 3 CA Certificates BasicConstraints extension have the CA field set to TRUE. End-user Subscriber Certificates BasicConstraints extension, are populated with a value of an empty sequence. The criticality field of this extension is set to TRUE for CA Certificates, but otherwise set to FALSE.

ADACOM X.509 Version 3 CA Certificates have a “pathLenConstraint” field of the BasicConstraints extension set to the maximum number of CA certificates that may follow this Certificate in a certification path. CA Certificates issued to an online Enterprise Customer issuing end-user Subscriber Certificates have a “pathLenConstraint” field set to a value of “0” indicating that only an end-user Subscriber Certificate may follow in the certification path.

7.1.2.5 Extended Key Usage

ADACOM makes use of the ExtendedKeyUsage extension for the specific types of ADACOM X.509 Version 3 Certificates listed in Table 9 below. For other types of Certificates, ADACOM does not usually use the Extended Key Usage extension.

Certificate Type	Certificate Type
OCSP Responder	Public Primary OCSP Responder
Individual Certificates	Class 1 Individual Certificates

Table 9 – Certificates Using the Extended Key Usage Extension

For these Certificates, ADACOM populates the ExtendedKeyUsage extension in accordance with Table 10 below.

	OCSP Responders	Class 1 Individual Certificates
<i>Criticality</i>	FALSE	FALSE
ServerAuth	Clear	Clear
ClientAuth	Clear	Set

	OCSF Responders	Class 1 Individual Certificates
CodeSigning	Clear	Clear
EmailProtection	Clear	Set
ipsecEndSystem	Clear	Clear
ipsecTunnel	Clear	Clear
ipsecUser	Clear	Clear
TimeStamping	Clear	Clear
OCSF Signing	Set	Clear

Table 10 – Settings for ExtendedKeyUsage Extension

7.1.2.6 CRL Distribution Points

All ADACOM X.509 Version 3 end user Subscriber Certificates and Intermediate and Issuing CA Certificates include the cRLDistributionPoints extension containing the URL of the location where a Relying Party can obtain a CRL to check the CA Certificate’s status. The criticality field of this extension is set to FALSE.

7.1.2.7 Authority Key Identifier

ADACOM generally populates the Authority Key Identifier extension of X.509 Version 3 end user Subscriber Certificates and Intermediate CA Certificates. When the certificate issuer contains the Subject Key Identifier extension, the Authority Key Identifier is composed of the 160-bit SHA-1 hash of the public key of the CA issuing the Certificate. Otherwise, the Authority Key Identifier extension includes the issuing CA’s subject distinguished name and serial number. The criticality field of this extension is set to FALSE.

7.1.2.8 Subject Key Identifier

Where ADACOM populates X.509 Version 3 VTN Certificates with a subjectKeyIdentifier extension, the keyIdentifier based on the public key of the Subject of the Certificate is generated in accordance with one of the methods described in RFC 5280. Where this extension is used, the criticality field of this extension is set to FALSE.

CA certificates of an Enterprise Customer may include the Subject Key Identifier extension.

7.1.3 Algorithm Object Identifiers

ADACOM Certificates are signed using the following algorithm.

```
sha-1WithRSAEncryption OBJECT IDENTIFIER ::= {iso(1) member-body(2) us(840)
rsadsi(113549) pkcs(1) pkcs-1(1) 5}
```

Certificate signatures produced using these algorithms shall comply with RFC 3279.

7.1.4 Name Forms

ADACOM populates VTN Certificates with an Issuer and Subject Distinguished Name in accordance with Section 3.1.1.

In addition, ADACOM includes within end-user Subscriber Certificates an additional Organizational Unit field that contains a notice stating that the terms of use of the Certificate are set forth in a URL which is a pointer to the applicable Relying Party Agreement. Exceptions to the foregoing requirement are permitted only for Enterprise Customers, when space, formatting, or interoperability limitations within Certificates make such an Organizational Unit impossible to use in conjunction with the application for which the Certificates are intended, or if a pointer to the applicable Relying Party Agreement is included in the policy extension of the certificate.

7.1.5 Name Constraints

No stipulation.

7.1.6 Certificate Policy Object Identifier

Where the Certificate Policies extension is used, Certificates contain the object identifier for the Certificate Policy corresponding to the appropriate Class of Certificate as set forth in the VTN CP Section 1.2.

More specifically, VeriSign, acting as the policy-defining authority, has assigned an object identifier value extension for each Class of Certificate issued under the VTN. The object identifier values used for the Classes of end-user Subscriber Certificates are:

- The Class 1 Certificate Policy: VeriSign/pki/policies/vtn-cp/class1 (2.16.840.1.113733.1.7.23.1).
- The Class 2 Certificate Policy: VeriSign/pki/policies/vtn-cp/class2 (2.16.840.1.113733.1.7.23.2).¹⁰
- The Class 3 Certificate Policy: VeriSign/pki/policies/vtn-cp/class3 (2.16.840.1.113733.1.7.23.3).

7.1.7 Usage of Policy Constraints Extension

No stipulation.

7.1.8 Policy Qualifiers Syntax and Semantics

ADACOM generally populates X.509 Version 3 VTN Certificates with a policy qualifier within the Certificate Policies extension. Such Certificates contain a CPS pointer qualifier that points to the applicable Relying Party Agreement or the ADACOM CPS. In addition, some Certificates contain a User Notice Qualifier which points to the applicable Relying Party Agreement.

¹⁰ It is used for Enterprise Customers.

7.1.9 Processing Semantics for the Critical Certificate Policies Extension

No stipulation.

7.2 CRL Profile

CRLs contain the basic fields and contents specified in Table 11 below:

Field	Value or Value constraint
Version	See Section 7.2.1.
Signature Algorithm	Algorithm used to sign the CRL. ADACOM CRLs are signed using sha1WithRSAEncryption (OID: 1.2.840.113549.1.1.5)
Issuer	Entity that has signed and issued the CRL.
Effective Date	Issue date of the CRL. CRLs are effective upon issuance.
Next Update	Date by which the next CRL will be issued. CRL issuance frequency is in accordance with the requirements of Section 4.4.7.
Revoked Certificates	Listing of revoked certificates, including the Serial Number of the revoked Certificate and the Revocation Date.

Table 11 – CRL Profile Basic Fields

7.2.1 Version Number(s)

ADACOM supports both X.509 Version1 and Version 2 CRLs. Version 2 CRLs comply with the requirements of RFC 5280.

7.2.2 CRL and CRL Entry Extensions

No stipulation.

7.3 OCSP Profile

OCSP (Online Certificate Status Protocol) is a way to obtain timely information about the revocation status of a particular certificate.

ADACOM may provide OCSP services for its Enterprise certificates or the certificates that is issue.OCSP responders conform with RFC 2560.

7.3.1 Version Number(s)

Version 1 of the OCSP specification as defined by RFC 2560 is supported.

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

An annual audit is performed for ADACOM's data center operations and key management operations supporting ADACOM 's public and Enterprise Customer's CA services. Customer-specific CAs are not specifically audited as part of the audit of ADACOM 's operations unless required by the Customer. ADACOM shall be entitled to require that Enterprise Customers undergo a compliance audit under this CPS and audit programs for these types of Customers.

In addition to compliance audits, ADACOM is entitled to perform other reviews and investigations to ensure the trustworthiness of ADACOM 's Subdomain of the VTN, which include, but are not limited to:

- ADACOM is entitled, within its sole and exclusive discretion, to perform at any time an "Exigent Audit/Investigation" on itself or a Customer in the event ADACOM has reason to believe that the audited entity has failed to meet VTN Standards, has experienced an incident or compromise, or has acted or failed to act, such that the audited entity's failure, the incident or compromise, or the act or failure to act poses an actual or potential threat to the security or integrity of the VTN.
- ADACOM is entitled to perform "Supplemental Risk Management Reviews" on itself or a Customer following incomplete or exceptional findings in a Compliance Audit or as part of the overall risk management process in the ordinary course of business.

ADACOM is entitled to delegate the performance of these audits, reviews, and investigations to a third party audit firm. Entities that are subject to an audit, review, or investigation shall provide reasonable cooperation with ADACOM and the personnel performing the audit, review, or investigation.

Additionally, a periodic compliance, with the Greek law and this CPS, audit is performed, by the control bodies that are designated from the Hellenic Telecommunications and Post Commission, in accordance with the Greek law.

8.1 Frequency and Circumstances of Assessment

ADACOM Compliance Audits are conducted at least annually. ADACOM customer audits are conducted at the sole expense of the audited entity.

8.2 Identity/Qualifications of Assessor

ADACOM's CA compliance audits are performed by:

- ADACOM internally, by Qualified IT Auditors, and
- The control bodies that are designated from the Hellenic Telecommunications and Post Commission, in accordance with the Greek law, or
- An accounting firm that demonstrates proficiency in public key infrastructure technology, information security tools and techniques and security auditing.

8.3 Topics Covered by Assessment

The scope of ADACOM's annual audit includes CA environmental controls, key management operations and Infrastructure/Administrative CA controls, certificate life cycle management and CA business practices disclosure.

8.4 Actions Taken as a Result of Deficiency

With respect to compliance audits of ADACOM 's operations, significant exceptions or deficiencies identified during the Compliance Audit will result in a determination of actions to be taken. This determination is made by ADACOM Management with input from the auditor. ADACOM Management is responsible for developing and implementing a corrective action plan. If ADACOM determines that such exceptions or deficiencies pose an immediate threat to the security or integrity of the VTN, a corrective action plan will be developed within 30 days and implemented within a commercially reasonable period of time. For less serious exceptions or deficiencies, ADACOM Management will evaluate the significance of such issues and determine the appropriate course of action.

8.5 Communications of Results

Results of the compliance audit of ADACOM's operations may be released at the discretion of ADACOM Management.

9. OTHER BUSINESS AND LEGAL MATTERS

9.1 Fees

9.1.1 Certificate Issuance or Renewal Fees

ADACOM, and Enterprise Customers are entitled to charge end-user Subscribers for the issuance, management, and renewal of Certificates.

9.1.2 Certificate Access Fees

ADACOM does not charge a fee as a condition of making a Certificate available in a repository or otherwise making Certificates available to Relying Parties.

9.1.3 Revocation or Status Information Access Fees

ADACOM does not charge a fee as a condition of making the CRLs required by this CP available in a repository or otherwise available to Relying Parties. ADACOM is, however, entitled to charge Enterprise Customer a fee for providing customized CRLs, OCSP services, or other value-added revocation and status information services. ADACOM does not permit access to revocation information, Certificate status information, or time stamping in their repositories by third parties that provide products or services that utilize such Certificate status information without ADACOM's prior express written consent.

9.1.4 Fees for Other Services

ADACOM does not charge a fee for access to this CPS. Any use made for purposes other than simply viewing the document, such as reproduction, redistribution, modification, or creation of derivative works, shall be subject to a license agreement with ADACOM.

9.1.5 Refund Policy

Within ADACOM's Subdomain, the following refund policy is in effect:

ADACOM adheres to, and stands behind, rigorous practices and policies in undertaking certification operations and in issuing certificates. Nevertheless, if for any reason a Subscriber is not completely satisfied with the certificate issued to him, her, or it, the subscriber may request that ADACOM revoke the certificate within thirty (30) days of issuance and provide the subscriber with a refund. Following the initial thirty (30) day period, a subscriber may request that ADACOM revoke the certificate and provides a refund if ADACOM has breached a warranty or other material obligation under this CPS relating to the subscriber or the subscriber's certificate. After ADACOM revokes the subscriber's certificate, ADACOM will promptly credit the subscriber's credit card account (if the certificate was paid for via credit card) or otherwise reimburse the subscriber via check, for the full amount of the applicable fees paid for the certificate. To request a refund, please call ADACOM Customer Service Department at +30 2105193740. This refund policy is not an exclusive remedy and does not limit other remedies that may be available to Subscribers.

9.2 Financial Responsibility

9.2.1 Insurance Coverage

ADACOM maintains error and omission insurance coverage. Enterprise Customers are encouraged to maintain a commercially reasonable level of insurance coverage for errors and omissions, either through an errors and omissions insurance program with an insurance carrier or a self-insured retention.

9.2.2 Other Assets

ADACOM has sufficient financial resources to maintain its operations and perform its duties, and is reasonably able to bear the risk of liability to Subscribers and Relying Parties. Enterprise Customers must have sufficient financial resources to maintain their operations and perform their duties, as well, and they must be reasonably able to bear the risk of liability to Subscribers and Relying Parties.

9.3 Confidentiality of Business Information

9.3.1 Scope of Confidential Information

The following records of Subscribers shall, subject to Section 9.3.2, be kept confidential and private ("Confidential Information"):

- CA application records, whether approved or disapproved,
- Certificate Application records,
- Private keys held by enterprise Customers using Managed PKI Key Manager and information needed to recover such Private Keys,
- Transactional records (both full records and the audit trail of transactions),
- Audit trail records created or retained by ADACOM or a Customer,
- Audit reports created by ADACOM or a Customer (to the extent such reports are maintained), or their respective auditors (whether internal or public),
- Contingency planning and disaster recovery plans, and
- Security measures controlling the operations of ADACOM hardware and software and the administration of Certificate services and designated enrollment services.

9.3.2 Information Not Within the Scope of Confidential Information

Certificates, Certificate revocation and other status information, ADACOM repositories and information contained within them are not considered Confidential Information. Information not expressly deemed Confidential Information under Section 9.3.1 is not considered confidential. This section is subject to applicable privacy laws.

9.3.3 Responsibility to Protect Confidential Information

ADACOM secures private information from compromise and disclosure to third parties.

9.4 Privacy of Personal Information

9.4.1 Privacy Plan

ADACOM has implemented a privacy policy, which is located at: <http://www.adacom.com/repository> in compliance with CP § 2.8 and the Greek law.

9.4.2 Information Treated as Private

Any information about Subscribers that is not publicly available through the content of the issued certificate, certificate directory and online CRLs is treated as private.

9.4.3 Information Not Deemed Private

Subject to Greek laws, all information made public in a certificate is deemed not private.

9.4.4 Responsibility to Protect Private Information

ADACOM and all the its Subdomain participants receiving private information shall secure it from compromise and disclosure to third parties and shall comply with all privacy laws in their jurisdiction.

9.4.5 Notice and Consent to Use Private Information

Unless where otherwise stated in this CPS, the applicable Privacy Policy or by agreement, private information are not used without the consent of the party to whom that information applies, in accordance with applicable privacy law.

9.4.6 Disclosure Pursuant to Judicial or Administrative Process

ADACOM shall be entitled to disclose Confidential Information if, in good faith, ADACOM believes that:

- disclosure is necessary in response to subpoenas and search warrants.
- disclosure is necessary in response to judicial, administrative, or other legal process during the discovery process in a civil or administrative action, such as subpoenas, interrogatories, requests for admission, and requests for production of documents.

This section is subject to applicable privacy laws.

9.4.7 Disclosure Upon Owner's Request

ADACOM's privacy policy contains provisions relating to the disclosure of Confidential Information to the person disclosing it to ADACOM. This section is subject to applicable privacy laws.

9.4.8 Other Information Disclosure Circumstances

No Stipulation.

9.5 *Intellectual Property rights*

The allocation of Intellectual Property Rights among ADACOM Subdomain Participants other than Subscribers and Relying Parties is governed by the applicable agreements among such ADACOM Subdomain Participants. The following subsections of Section 9.5 apply to the Intellectual Property Rights in relation to Subscribers and Relying Parties.

9.5.1 Property Rights in Certificates and Revocation Information

CAs retain all Intellectual Property Rights in and to the Certificates and revocation information that they issue. ADACOM and Customers grant permission to reproduce and distribute Certificates on a nonexclusive royalty-free basis, provided that they are reproduced in full and that use of Certificates is subject to the Relying Party Agreement referenced in the Certificate. ADACOM and Customers grant permission to use revocation information to perform Relying Party functions subject to the applicable Relying Party Agreement, or any other applicable agreements.

9.5.2 Property Rights in the CPS

ADACOM Subscribers and Relying Parties acknowledge that ADACOM retains all Intellectual Property Rights in and to this CPS.

9.5.3 Property Rights in Names

A Certificate Applicant retains all rights it has (if any) in any trademark, service mark, or trade name contained in any Certificate Application and distinguished name within any Certificate issued to such Certificate Applicant.

9.5.4 Property Rights in Keys and Key Material

Key pairs corresponding to Certificates of CAs and end-user Subscribers are the property of the CAs and end-user Subscribers that are the respective Subjects of these Certificates, subject to the rights of enterprise Customers using Managed PKI Key Manager, regardless of the physical medium within which they are stored and protected, and such persons retain all Intellectual Property Rights in and to these key pairs. Without limiting the generality of the foregoing, VeriSign's root public keys and the root Certificates containing them, including all PCA public keys and self-signed Certificates, are the property of VeriSign. VeriSign licenses software and hardware manufacturers to reproduce such root Certificates to place copies in trustworthy hardware devices or software. Finally, Secret Shares of a CA's private key are the property of the CA, and the CA retains all Intellectual Property Right in and to such Secret Shares even though they cannot obtain physical possession of the those shares or the CA from VeriSign or ADACOM.

9.6 Representations and Warranties

9.6.1 CA Representations and Warranties

ADACOM warrants that:

- There are no material misrepresentations of fact in the Certificate known to or originating from the entities approving the Certificate Application or issuing the Certificate,
- There are no errors in the information in the Certificate that were introduced by the entities approving the Certificate Application or issuing the Certificate as a result of a failure to exercise reasonable care in managing the Certificate Application or creating the Certificate,
- Their Certificates meet all material requirements of this CPS, and
- Revocation services and use of a repository conform to the applicable CPS in all material aspects.

ADACOM Subscriber Agreement or Enterprise Customer's Subscriber Agreements may include additional representations and warranties.

9.6.2 RA Representations and Warranties

RAs warrant that:

- There are no material misrepresentations of fact in the Certificate known to or originating from the entities approving the Certificate Application or issuing the Certificate,
- There are no errors in the information in the Certificate that were introduced by the entities approving the Certificate Application as a result of a failure to exercise reasonable care in managing the Certificate Application,
- Their Certificates meet all material requirements of this CPS, and
- Revocation services (when applicable) and use of a repository conform to the applicable CPS in all material aspects.

ADACOM Subscriber Agreement or Enterprise Customer's Subscriber Agreements may include additional representations and warranties.

9.6.3 Subscriber Representations and Warranties

Subscribers warrant that:

- Each digital signature created using the private key corresponding to the public key listed in the Certificate is the digital signature of the Subscriber and the Certificate has been accepted and is operational (not expired or revoked) at the time the digital signature is created,
- Their private key is protected and that no unauthorized person has ever had access to the Subscriber's private key,
- All representations made by the Subscriber in the Certificate Application the Subscriber submitted are true,
- All information supplied by the Subscriber and contained in the Certificate is true,
- The Certificate is being used exclusively for authorized and legal purposes, consistent with this CPS, and
- The Subscriber is an end-user Subscriber and not a CA, and is not using the private key corresponding to any public key listed in the Certificate for purposes of digitally signing any Certificate (or any other format of certified public key) or CRL, as a CA or otherwise.

ADACOM Subscriber Agreement or Enterprise Customer's Subscriber Agreements may include additional representations and warranties.

9.6.4 Relying Party Representations and Warranties

ADACOM Relying Party Agreements require Relying Parties to acknowledge that they have sufficient information to make an informed decision as to the extent to which they choose to rely on the information in a Certificate, that they are solely responsible for deciding whether or not to rely on such information, and that they shall bear the legal consequences of their failure to perform the Relying Party obligations in terms of this CPS.

ADACOM Relying Party Agreement or Enterprise Customer's Relying Party Agreements may include additional representations and warranties.

9.6.5 Representations and Warranties of Other Participants

No stipulation.

9.7 Disclaimers of Warranties

ADACOM disclaims possible warranties, including any warranty of merchantability or fitness for a particular purpose. This disclaimer is also included in ADACOM Subscriber Agreement and Relying Party Agreement

9.8 Limitations of Liability

ADACOM Subscriber Agreement and Relying Party Agreement limit ADACOM's liability. Limitations of liability include an exclusion of indirect, special, incidental, and consequential damages. They also include the following liability caps limiting ADACOM 's damages concerning a specific Certificate:

Class	Liability Caps
Class 1	One Hundred Euros 100.00 €
Class 2	Three Hundred Euros 3,000.00 €
Class 3	Seventy Five Thousand Euros 75,000.00 €

Table 12 – Liability Caps

The liability (and/or limitation thereof) of Subscribers is as set forth in the applicable Subscriber agreements.

The liability (and/or limitation thereof) of enterprise RAs and the applicable CA shall be set out in the agreement(s) between them.

The liability (and/or limitation thereof) of Relying Parties is as set forth in the applicable Relying Party Agreements.

9.9 Indemnities

9.9.1 Indemnification by Subscribers

Subscribers are required to indemnify ADACOM for:

- Falsehood or misrepresentation of fact by the Subscriber on the Subscriber's Certificate Application,
- Failure by the Subscriber to disclose a material fact on the Certificate Application, if the misrepresentation or omission was made negligently or with intent to deceive any party,
- The Subscriber's failure to protect the Subscriber's private key, to use a Trustworthy System, or to otherwise take the precautions necessary to prevent the compromise, loss, disclosure, modification, or unauthorized use of the Subscriber's private key, or
- The Subscriber's use of a name (including without limitation within a common name, domain name, or e-mail address) that infringes upon the Intellectual Property Rights of a third party.

The applicable Subscriber Agreement may include additional indemnity obligations.

9.9.2 Indemnification by Relying Parties

Relying Party Agreements require Relying Parties to indemnify ADACOM for:

- The Relying Party's failure to perform the obligations of a Relying Party,
- The Relying Party's reliance on a Certificate that is not reasonable under the circumstances, or
- The Relying Party's failure to check the status of such Certificate to determine if the Certificate is expired or revoked.

The applicable Relying Party Agreement may include additional indemnity obligations.

9.10 Term and Termination

9.10.1 Term

The CPS becomes effective upon publication in the ADACOM repository. Amendments to this CPS become effective upon publication in the ADACOM repository.

9.10.2 Termination

This CPS as amended from time to time remains in force until it is replaced by a new version.

9.10.3 Effect of Termination and Survival

Upon termination of this CPS, ADACOM subdomain participants are nevertheless bound by its terms for all certificates issued for the remainder of the validity periods of such certificates.

9.11 Individual Notices and Communications with Participants

Unless otherwise specified by agreement between the parties, ADACOM subdomain participants shall use commercially reasonable methods to communicate with each other, taking into account the criticality and subject matter of the communication.

9.12 Amendments

9.12.1 Procedure for Amendment

Amendments to this CPS are made by the ADACOM Practices Development Group (APDG). Amendments are either in the form of a document containing an amended form of the CPS or an update. Amended versions or updates are linked to the Practices Updates and Notices section of the ADACOM Repository located at: <http://www.adacom.com/repository/updates> . Updates supersede any designated or conflicting provisions of the referenced version of the CPS. The APDG determines whether changes to the CPS require a change in the Certificate policy object identifiers of the Certificate policies corresponding to each Class of Certificate.

9.12.2 Notification Mechanism and Period

ADACOM reserve the right to amend the CPS without notification for amendments that are not material, including without limitation corrections of typographical errors, changes to URLs, and changes to contact information. The APDG's decision to designate amendments as material or non-material shall be within the APDG's sole discretion.

Proposed amendments to the CPS appear in the Practices Updates and Notices section of the ADACOM Repository, which is located at: <http://www.adacom.com/repository/updates> .

Notwithstanding anything in the CPS to the contrary, if the APDG believes that material amendments to the CPS are necessary immediately to stop or prevent a breach of the security of the VTN or any portion of it, ADACOM is entitled to make such amendments by publication in the ADACOM Repository. Such amendments will be effective immediately upon publication. Within a reasonable time after publication, ADACOM provides notice to of such amendments to ADACOM subdomain participants.

9.12.2.1 Comment Period

Except as otherwise stated, the comment period for any material amendments to the CPS is fifteen (15) days, starting on the date on which the amendments are posted on the ADACOM Repository. Any ADACOM subdomain participant are entitled to file comments with the APDG up until the end of the comment period.

9.12.2.2 Mechanism to Handle Comments

The APDG considers any comments on the proposed amendments. The APDG is either (a) allow the proposed amendments to become effective without amendment, (b) amend the proposed amendments and republish them as a new amendment when required, or (c) withdraw the proposed amendments. The APDG is entitled to withdraw proposed amendments by notifying Affiliates and providing notice in the Practices Updates and Notices section of the ADACOM Repository. Unless proposed amendments are amended or withdrawn, they become effective upon the expiration of the comment period.

9.12.3 Circumstances under Which OID Must be Changed

If the APDG, in cooperation with VeriSign, determines that a change is necessary in the object identifier corresponding to a Certificate policy, the amendment contains new object identifiers for the Certificate policies corresponding to each Class of Certificate. Otherwise, amendments do not require a change in Certificate policy object identifier.

9.13 Dispute Resolution Provisions

9.13.1 Disputes among VeriSign, Affiliates, and Customers

Disputes among ADACOM subdomain participants are resolved pursuant to provisions in the applicable agreements among the parties.

9.13.2 Disputes with End-User Subscribers or Relying Parties

ADACOM Subscriber Agreements and Relying Party Agreements contain a dispute resolution clause. Disputes involving ADACOM require an initial negotiation period of sixty (60) days followed by litigation in the courts of Athens- Greece.

9.14 Governing Law

The law of Greece governs the enforceability, construction, interpretation, and validity of this CPS, irrespective of contract or other choice of law provisions and without the requirement to establish a commercial nexus in Greece. This choice of law is made to ensure uniform procedures and interpretation for all ADACOM subdomain participants, no matter where they are located.

This governing law provision applies only to this CPS. Agreements incorporating the CPS by reference may have their own governing law provisions, provided that this Section 9.14 governs the enforceability, construction, interpretation, and validity of the terms of the CPS separate and apart from the remaining provisions of any such agreements, subject to any limitations appearing in applicable law.

9.15 Compliance with Applicable Law

This CPS is subject to Greek laws.

9.16 Miscellaneous Provisions

9.16.1 Entire Agreement

Not applicable.

9.16.2 Assignment

Not applicable.

9.16.3 Severability

In the event that a clause or provision of this CPS is held to be unenforceable by a court of law or other tribunal having authority, the remainder of the CPS shall remain valid.

9.16.4 Enforcement (Attorney's Fees and Waiver of Rights)

Not applicable.

9.16.5 Force Majeure

ADACOM Subscriber Agreements and Relying Party Agreements may include a force majeure clause protecting ADACOM.

9.17 Other Provisions

Not applicable

Appendix A. Table of Acronyms and definitions

Table of Acronyms

Term	Definition
APDG	ADACOM Practices Development Group
CA	Certification Authority.
CP	Certificate Policy.
CPS	Certification Practice Statement.
CRL	Certificate Revocation List.
EAL	Evaluation assurance level (pursuant to the Common Criteria).
FIPS	United State Federal Information Processing Standards.
LSVA	Logical security vulnerability assessment.
OCSP	Online Certificate Status Protocol.
PCA	Primary Certification Authority.
PIN	Personal identification number.
PKCS	Public-Key Cryptography Standard.
PKI	Public Key Infrastructure.
PMA	Policy Management Authority.
RA	Registration Authority.
RFC	Request for comment.
S/MIME	Secure multipurpose Internet mail extensions.
SSL	Secure Sockets Layer.
VTN	VeriSign Trust Network.

Definitions

Term	Definition
Administrator	A Trusted Person within the organization of a Processing Center, Service Center or Managed PKI Customer, that performs validation and other CA or RA functions.
ADACOM Practices Development Group	The organization within ADACOM, responsible for promulgating this policy throughout the ADACOM Subdomain.
Administrator Certificate	A Certificate issued to an Administrator that may only be used to perform CA or RA functions.
Affiliate	A leading trusted third party, for example in the technology, telecommunications, or financial services industry, that has entered into an agreement with VeriSign to be a VTN distribution and services channel within a specific territory.
Certificate	A message that, at least, states a name or identifies the CA, identifies the Subscriber, contains the Subscriber's public key, identifies the Certificate's Operational Period, contains a Certificate serial number, and is digitally signed by the CA.
Certificate Applicant	An individual or organization that requests the issuance of a Certificate by a CA.
Certificate Application	A request from a Certificate Applicant (or authorized agent of the Certificate Applicant) to a CA for the issuance of a Certificate.
Certificate Chain	An ordered list of Certificates containing an end-user Subscriber Certificate and CA Certificates, which terminates in a root Certificate.
Certificate Policies (CP)	The document, which is entitled "VeriSign Trust Network Certificate Policies" and is the principal statement of policy governing the VTN.

Term	Definition
Certificate Revocation List (CRL)	A periodically (or exigently) issued list, digitally signed by a CA, of identified Certificates that have been revoked prior to their expiration dates. The list generally indicates the CRL issuer's name, the date of issue, the date of the next scheduled CRL issue, the revoked Certificates' serial numbers, and the specific times and reasons for revocation.
Certificate Signing Request	A message conveying a request to have a Certificate issued.
Certification Authority (CA)	An entity authorized to issue, manage, revoke, and renew Certificates in the VTN.
Certification Practice Statement (CPS)	This document which states the practices that ADACOM employs in approving or rejecting Certificate Applications and issuing, managing, and revoking Certificates, and requires its Managed PKI Customers and Gateway Customers to employ.
Challenge Phrase	A secret phrase chosen by a Certificate Applicant during enrollment for a Certificate. When issued a Certificate, the Certificate Applicant becomes a Subscriber and a CA or RA can use the Challenge Phrase to authenticate the Subscriber when the Subscriber seeks to revoke or renew the Subscriber's Certificate.
Class	A specified level of assurances as defined within the CP. See CP § 1.1.1.
Client Service Center	A Service Center that is ADACOM providing client Certificates either in the Consumer or Enterprise line of business.
Compliance Audit	A periodic audit that a Processing Center, Service Center or Managed PKI Customer undergoes to determine its conformance with VTN Standards that apply to it.
Compromise	A violation (or suspected violation) of a security policy, in which an unauthorized disclosure of, or loss of control over, sensitive information may have occurred. With respect to private keys, a Compromise is a loss, theft, disclosure, modification, unauthorized use, or other compromise of the security of such private key.
Confidential/Private Information	Information required to be kept confidential and private pursuant to CP § 2.8.1.
CRL Usage Agreement	An agreement setting forth the terms and conditions under which a CRL or the information in it can be used.
Enterprise, as in Enterprise Service Center	A line of business that ADACOM enters to provide Managed PKI services to Managed PKI Customers.
Exigent Audit/Investigation	An audit or investigation by VeriSign or ADACOM where ADACOM has reason to believe that an entity failure to meet VTN Standards, an incident or Compromise relating to the entity, or an actual or potential threat to the security of the VTN posed by the entity has occurred.
Intellectual Property Rights	Rights under one or more of the following: any copyright, patent, trade secret, trademark, and any other intellectual property rights.
Intermediate Certification Authority (Intermediate CA)	A Certification Authority whose Certificate is located within a Certificate Chain between the Certificate of the root CA and the Certificate of the Certification Authority that issued the end-user Subscriber's Certificate.
Key Generation Ceremony	A procedure whereby a CA's or RA's key pair is generated, its private key is transferred into a cryptographic module, its private key is backed up, and/or its public key is certified.
Key Manager Administrator	An Administrator that performs key generation and recovery functions for a Managed PKI Customer using Managed PKI Key Manager.
Managed PKI	ADACOM 's fully integrated managed PKI service that allows enterprise Customers of ADACOM to distribute Certificates to individuals, such as employees, partners, suppliers, and customers. Managed PKI permits enterprises to secure messaging, and e-commerce applications.
Managed PKI Administrator	An Administrator that performs validation or other RA functions for an Managed PKI Customer.
Managed PKI Key Manager	A key recovery solution for those Managed PKI Customers choosing to implement key recovery under a special Managed PKI Agreement.
Managed PKI Key	A document setting forth the operational requirements and practices for Managed

Term	Definition
Management Service Administrator's Guide	PKI Customers using Managed PKI Key Manager.
Manual Authentication	A procedure whereby Certificate Applications are reviewed and approved manually one-by-one by an Administrator using a web-based interface.
Nonverified Subscriber Information	Information submitted by a Certificate Applicant to a CA or RA, and included within a Certificate, that has not been confirmed by the CA or RA and for which the applicable CA and RA provide no assurances other than that the information was submitted by the Certificate Applicant.
Non-repudiation	An attribute of a communication that provides protection against a party to a communication falsely denying its origin, denying that it was submitted, or denying its delivery. Denial of origin includes the denial that a communication originated from the same source as a sequence of one or more prior messages, even if the identity associated with the sender is unknown. Note: only an adjudication by a court, arbitration panel, or other tribunal can ultimately prevent repudiation. For example, a digital signature verified with reference to a VTN Certificate may provide proof in support of a determination of Non-repudiation by a tribunal, but does not by itself constitute Non-repudiation.
Offline CA	VeriSign PCAs Issuing Root CAs and other designated intermediate CAs that are maintained offline for security reasons in order to protect them from possible attacks by intruders by way of the network. These CAs do not directly sign end user Subscriber Certificates.
Online CA	CAs that sign end user Subscriber Certificates are maintained online so as to provide continuous signing services.
Online Certificate Status Protocol (OCSP)	A protocol for providing Relying Parties with real-time Certificate status information.
Operational Period	The period starting with the date and time a Certificate is issued (or on a later date and time certain if stated in the Certificate) and ending with the date and time on which the Certificate expires or is earlier revoked.
PKCS #10	Public-Key Cryptography Standard #10, developed by RSA Security Inc., which defines a structure for a Certificate Signing Request.
PKCS #12	Public-Key Cryptography Standard #12, developed by RSA Security Inc., which defines a secure means for the transfer of private keys.
Policy Management Authority (PMA)	The organization within VeriSign responsible for promulgating this policy throughout the VTN.
Primary Certification Authority (PCA)	A CA that acts as a root CA for a specific Class of Certificates, and issues Certificates to CAs subordinate to it.
Processing Center	The ADACOM site that creates a secure facility housing, among other things, the cryptographic modules used for the issuance of Certificates. In the Consumer and Web Site lines of business, Processing Centers act as CAs within the VTN and perform all Certificate lifecycle services of issuing, managing, revoking, and renewing Certificates. In the Enterprise line of business, Processing Centers provide lifecycle services on behalf of their Managed PKI Customers or the Managed PKI Customers of the Service Centers subordinate to them.
Public Key Infrastructure (PKI)	The architecture, organization, techniques, practices, and procedures that collectively support the implementation and operation of a Certificate-based public key cryptographic system. The VTN PKI consists of systems that collaborate to provide and implement the VTN.
Registration Authority (RA)	An entity approved by a CA to assist Certificate Applicants in applying for Certificates, and to approve or reject Certificate Applications, revoke Certificates, or renew Certificates.
Relying Party	An individual or organization that acts in reliance on a certificate and/or a digital signature.
Relying Party Agreement	An agreement used by a CA setting forth the terms and conditions under which an individual or organization acts as a Relying Party.
RSA	A public key cryptographic system invented by Rivest, Shamir, and Adelman.
Secret Share	A portion of a CA private key or a portion of the activation data needed to operate a CA private key under a Secret Sharing arrangement.

Term	Definition
Secret Sharing	The practice of splitting a CA private key or the activation data to operate a CA private key in order to enforce multi-person control over CA private key operations under CP § 6.2.2.
Secure Server ID	A Class 3 organizational Certificate used to support SSL sessions between web browsers and web servers.
Secure Sockets Layer (SSL)	The industry-standard method for protecting Web communications developed by Netscape Communications Corporation. The SSL security protocol provides data encryption, server authentication, message integrity, and optional client authentication for a Transmission Control Protocol/Internet Protocol connection.
Security and Audit Requirements Guide	A VeriSign document that sets forth the security and audit requirements and practices for Processing Centers and Service Centers.
Service Center	The ADACOM operation that does not house Certificate signing units for the issuance of Certificates for the purpose of issuing Certificates of a specific Class or type, but rather relies on a Processing Center to perform issuance, management, revocation, and renewal of such Certificates.
Subdomain	The portion of the VTN under control of an entity and all entities subordinate to it within the VTN hierarchy.
Subject	The holder of a private key corresponding to a public key. The term "Subject" can, in the case of an organizational Certificate, refer to the equipment or device that holds a private key. A Subject is assigned an unambiguous name, which is bound to the public key contained in the Subject's Certificate.
Subscriber	In the case of an individual Certificate, a person who is the Subject of, and has been issued, a Certificate. In the case of an organizational Certificate, an organization that owns the equipment or device that is the Subject of, and that has been issued, a Certificate. A Subscriber is capable of using, and is authorized to use, the private key that corresponds to the public key listed in the Certificate.
Subscriber Agreement	An agreement used by a CA or RA setting forth the terms and conditions under which an individual or organization acts as a Subscriber.
Superior Entity	An entity above a certain entity within a VTN hierarchy (the Class 1, or 3 hierarchy).
Reseller	An entity marketing services on behalf of ADACOM to specific markets.
Trusted Person	An employee, contractor, or consultant of an entity within the VTN responsible for managing infrastructural trustworthiness of the entity, its products, its services, its facilities, and/or its practices as further defined in CP § 5.2.1.
Trusted Position	The positions within a VTN entity that must be held by a Trusted Person.
Trustworthy System	Computer hardware, software, and procedures that are reasonably secure from intrusion and misuse; provide a reasonable level of availability, reliability, and correct operation; are reasonably suited to performing their intended functions; and enforce the applicable security policy. A trustworthy system is not necessarily a "trusted system" as recognized in classified government nomenclature.
VeriSign	Means, with respect to each pertinent portion of this CPS, VeriSign, Inc. and/or any wholly owned VeriSign subsidiary responsible for the specific operations at issue.
ADACOM Repository	ADACOM's database of Certificates and other relevant ADACOM Subdomain information accessible on-line.
VeriSign Trust Network (VTN)	The Certificate-based Public Key Infrastructure governed by the VeriSign Trust Network Certificate Policies, which enables the worldwide deployment and use of Certificates by VeriSign and its Affiliates, and their respective Customers, Subscribers, and Relying Parties.
VTN Participant	An individual or organization that is one or more of the following within the VTN: VeriSign, ADACOM, a Customer, a Universal Service Center, a Reseller, a Subscriber, or a Relying Party.
VTN Standards	The business, legal, and technical requirements for issuing, managing, revoking, renewing, and using Certificates within the VTN.