



Certification Practice Statement for Qualified certificates for electronic signatures and electronic seals

Version 5.1

Effective Date: 20/05/2020

ADACOM S.A.
25 Kreontos Street
10442 Athens
Greece
Phone number: +30 210 5193740
<https://www.adacom.com>

ADACOM Certification Practices Statement for Qualified certificates for electronic signatures and electronic seals

© 2020 ADACOM SA. All rights reserved.

Trademark Notices

ADACOM is the registered mark of ADACOM SA. DigiCert and the DigiCert logo are the registered trademarks of DigiCert, Inc. or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

Without limiting the rights reserved above, and except as licensed below, no part of this publication may be reproduced, stored in or introduced into a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), without prior written permission of ADACOM S.A.

Notwithstanding the above, permission is granted to reproduce and distribute this ADACOM Certification Practice Statement on a nonexclusive, royalty-free basis, provided that (i) the foregoing copyright notice and the beginning paragraphs are prominently displayed at the beginning of each copy, and (ii) this document is accurately reproduced in full, complete with attribution of the document to ADACOM S.A.

Requests for any other permission to reproduce this ADACOM Certification Practices Statement (as well as requests for copies from ADACOM S.A.) must be addressed to ADACOM S.A., 25 Kreontos street, 10442, Athens Greece, Attn: Policy Management Authority. Tel: +30 210 5193750, Fax: +30 210 5193555, Net: practices@adacom.com.

Version History		
Date	Version	Changes
24.02.2017	1.0	Initial document
10.04.2017	2.0	Minor changes regarding chapter 1.3
27.04.2017	2.1	Contact info update
18.05.2018	3.0	Minor changes and addition of remote QSCD services.
29.06.2018	3.1	Minor changes regarding paragraphs 1.4.2, 3.1.5, 3.2, 4.9.2, 4.9.7, 5.7.3, 6.1.2 & 6.2.1
01.11.2018	3.2	Minor changes in paragraphs 4.2.3, 4.3.1 and 4.9.2.
10.01.2019	3.3	Minor changes in paragraphs 4.9.2 and 4.9.3
25.01.2019	3.4	Minor changes in paragraphs 4.9.1, 4.9.3 and 6.6.3, addition of Remote ID verification as authentication method in par.3.2.3, addition of Short-lived/Long-lived Certificate Definition
08.02.2019	4.0	Changes in par. 3.2, 4.5.1, 4.9.1, 4.9.6, 4.9.7, 5.8, 6.3.2, 9.6.1.
25.02.2019	4.1	Changes in Section 1, par. 3.2.2, 4.3.3., 4.9.1, 4.9.2, 4.9.3, 9.15
25.06.2019	4.2	Changes in par. 1.1, 1.3.1, 1.4.1.2, 3.2.2, 3.2.3, 9.6.3
20.01.2020	4.3	Minor changes in par. 1.3.2
01.04.2020	5.0	Major changes in par. 1.1, 1.2, 1.3.1, 1.3.2, 1.3.6, 1.4, 1.5.1, 1.5.2.1, 1.5.3, 1.7, 2.3, 3.2, 3.2.2, 3.2.3, 3.4, 4.1.1, 4.1.2, 4.2.1, 4.2.2, 4.3.1, 4.9, 4.9.1, 4.10.1, 5.2.1, 5.2.4, 5.3.3, 5.3.6, 5.3.8, 5.4.8, 6.1.5, 6.1.6, 6.3.2, 6.4.1, 6.4.2, 6.5, 6.5.1, 6.8, 7.1, 7.2, 7.3, 8, 8.2, 8.4, 8.7, 9.5.4, 9.5.5, 9.11, 9.13
20.05.2020	5.1	Changes in par. 1.2, 3.2 3.2.2.1, 3.2.3.1, 3.2.3.2, 4.9, 4.9.1, 5.8, 7.1.2.1, 7.1.2.2, 7.1.6, 9.8, 9.11, 9.12.2

Table of Contents

1. INTRODUCTION	10
1.1 Overview	10
1.2 Document name and Identification	12
1.3 PKI Participants.....	12
1.3.1 Certification Authorities	12
1.3.2 Registration Authorities	14
1.3.3 Local Registration Authorities.....	14
1.3.4 Subscribers.....	15
1.3.5 Relying Parties	15
1.3.6 Other Participants.....	15
1.4 Certificate Usage.....	15
1.4.1 Appropriate Certificate Usages.....	16
1.4.2 Prohibited Certificate Uses	16
1.5 Policy Administration	16
1.5.1 Organization Administering the Document	16
1.5.2 Contact Person	16
1.5.2.1 Revocation Contact Person	17
1.5.3 Person Determining CP Suitability for the Policy	17
1.5.4 CPS Approval Procedure	17
1.6 Definitions and Acronyms	17
1.7 References	17
2. PUBLICATION AND REPOSITORY RESPONSIBILITIES	18
2.1 Repositories.....	18
2.2 Publication of Certificate Information	18
2.2.1 Publication and Notification Policies.....	19
2.2.2 Items not published in the Certification Practice Statement.....	19
2.3 Time or Frequency of Publication.....	19
2.4 Access Controls on Repositories.....	19
3. IDENTIFICATION AND AUTHENTICATION	19
3.1 Naming.....	19
3.1.1 Type of Names.....	20
3.1.2 Need for Names to be Meaningful.....	20
3.1.3 Anonymity or Pseudonymity of Subscribers	20
3.1.4 Rules for Interpreting Various Name Forms	20
3.1.5 Uniqueness of Names	20
3.1.6 Recognition, Authentication, and Role of Trademarks	20
3.2 Initial Identity Validation/Authentication	20
3.2.1 Method to Prove Possession of Private Key	21
3.2.2 Authentication of Organization identity (Legal Person).....	21
3.2.3 Authentication of Individual Identity (Natural Person).....	22
3.2.4 Non-Verified Subscriber information	22
3.2.5 Validation of Authority.....	23
3.3 Identification and Authentication for Re-key Requests	23
3.3.1 Identification and Authentication for Routine Re-key.....	23

3.3.2	Identification and Authentication for Re-key After Revocation.....	23
3.4	Identification and Authentication for Revocation Request.....	23
4.	CERTIFICATE LIFE-CYCLE OPERATIONAL	24
4.1	Certificate Application	24
4.1.1	Who Can Submit a Certificate Application	24
4.1.2	Enrollment Process and Responsibilities	24
4.2	Certificate Application Processing.....	24
4.2.1	Performing Identification and Authentication Functions	24
4.2.2	Approval or Rejection of Certificate Applications	24
4.2.3	Time to Process Certificate Applications	25
4.3	Certificate Issuance	25
4.3.1	CA Actions during Certificate Issuance	25
4.3.2	Notifications to Subscriber by the CA of Issuance of Certificate.....	25
4.3.3	Registration and issuance of Qualified Certificates for Electronic Seal compliant with ETSI TS 119 495 under PSD2	25
4.4	Certificate Acceptance	26
4.4.1	Conduct Constituting Certificate Acceptance.....	26
4.4.2	Publication of the Certificate by the CA.....	26
4.4.3	Notification of Certificate Issuance by the CA to Other Entities	26
4.5	Key Pair and Certificate Usage	26
4.5.1	Subscriber Private Key and Certificate Usage.....	26
4.5.2	Relying Party Public Key and Certificate Usage.....	26
4.6	Certificate Renewal	27
4.7	Certificate Re-Key.....	27
4.7.1	Circumstances for Certificate Re-Key	27
4.7.2	Who May Request Certification of a New Public Key.....	27
4.7.3	Processing Certificate Re-Keying Requests	27
4.7.4	Notification of New Certificate Issuance to Subscriber	27
4.7.5	Conduct Constituting Acceptance of a Re-Keyed Certificate	27
4.7.6	Publication of the Re-Keyed Certificate by the CA.....	28
4.7.7	Notification of Certificate Issuance by the CA to Other Entities	28
4.8	Certificate Modification	28
4.8.1	Circumstances for Certificate Modification.....	28
4.8.2	Who May Request Certificate Modification.....	28
4.8.3	Processing Certificate Modification Requests	28
4.8.4	Notification of New Certificate Issuance to Subscriber	28
4.8.5	Conduct Constituting Acceptance of Modified Certificate	28
4.8.6	Publication of the Modified Certificate by the CA	28
4.8.7	Notification of Certificate Issuance by the CA to Other Entities	28
4.9	Certificate Revocation and Suspension.....	28
4.9.1	Circumstances for Revocation	29
4.9.2	Who Can Request Revocation	30
4.9.3	Procedure for Revocation Request.....	30
4.9.4	Revocation Request Grace Period	30
4.9.5	Time within Which CA Must Process the Revocation Request	31
4.9.6	Revocation Checking Requirements for Relying Parties.....	31

4.9.7	CRL Issuance Frequency	31
4.9.8	Maximum Latency for CRLs	31
4.9.9	On-Line Revocation/Status Checking Availability	31
4.9.10	On-Line Revocation Checking Requirements	32
4.9.11	Other Forms of Revocation Advertisements Available	32
4.9.12	Special Requirements regarding Key Compromise	32
4.9.13	Circumstances for Suspension	32
4.9.14	Who Can Request Suspension	32
4.9.15	Procedure for Suspension Request.....	32
4.9.16	Limits on Suspension Period	32
4.10	Certificate Status Services	32
4.10.1	Operational Characteristics	32
4.10.2	Service Availability	33
4.10.3	Optional Features	33
4.11	End of Subscription	33
4.12	Key Escrow and Recovery	33
4.12.1	Key Escrow and Recovery Policy and Practices	33
4.12.2	Session Key Encapsulation and Recovery Policy and Practices	33
5.	FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS	33
5.1	Physical Controls.....	33
5.1.1	Site Location and Construction.....	33
5.1.2	Physical Access.....	34
5.1.3	Power and Air Conditioning	34
5.1.4	Water Exposures	34
5.1.5	Fire Prevention and Protection.....	34
5.1.6	Media Storage	35
5.1.7	Waste Disposal.....	35
5.1.8	Off-Site Backup	35
5.2	Procedural Controls.....	35
5.2.1	Trusted Roles	35
5.2.2	Number of Persons Required per Task	36
5.2.3	Identification and Authentication for Each Role	36
5.2.4	Roles Requiring Separation of Duties.....	36
5.3	Personnel Controls	37
5.3.1	Qualifications, Experience, and Clearance Requirements.....	37
5.3.2	Background Check Procedures	37
5.3.3	Training Requirements.....	38
5.3.4	Retraining Frequency and Requirements.....	38
5.3.5	Job Rotation Frequency and Sequence	38
5.3.6	Sanctions for Unauthorized Actions	38
5.3.7	Independent Contractor Requirements	38
5.3.8	Documentation Supplied to Personnel.....	39
5.4	Audit Logging Procedures	39
5.4.1	Types of Events Recorded	39
5.4.2	Frequency of Processing Log.....	40
5.4.3	Retention Period for Audit Log	40

5.4.4	Protection of Audit Log	40
5.4.5	Audit Log Backup Procedures	40
5.4.6	Audit Collection System (Internal vs. External)	40
5.4.7	Notification to Event-Causing Subject	40
5.4.8	Vulnerability Assessments	41
5.5	Records Archival	41
5.5.1	Types of Records Archived	41
5.5.2	Retention Period for Archive	41
5.5.3	Protection of Archive	41
5.5.4	Archive Backup Procedures	41
5.5.5	Requirements for Time-Stamping of Records	41
5.5.6	Archive Collection System (Internal or External)	42
5.5.7	Procedures to Obtain and Verify Archive Information	42
5.6	Key Changeover	42
5.7	Compromise and Disaster Recovery	42
5.7.1	Incident and Compromise Handling Procedures	42
5.7.2	Computing Resources, Software, and/or Data Are Corrupted	42
5.7.3	Entity Private Key Compromise Procedures	42
5.7.4	Business Continuity Capabilities after a Disaster	43
5.8	CA or RA Termination	43
6.	TECHNICAL SECURITY CONTROLS	45
6.1	Key Pair Generation and Installation	45
6.1.1	Key Pair Generation	45
6.1.2	Private Key Delivery to Subscriber	45
6.1.3	Public Key Delivery to Certificate Issuer	45
6.1.4	CA Public Key Delivery to Relying Parties	45
6.1.5	Key Sizes	46
6.1.6	Public Key Parameters Generation and Quality Checking	46
6.1.7	Key Usage Purposes (as per X.509 v3 Key Usage Field)	46
6.2	Private Key Protection and Cryptographic Module Engineering Controls	46
6.2.1	Cryptographic Module Standards and Controls	46
6.2.2	Private Key (m out of n) Multi-Person Control	47
6.2.3	Private Key Escrow	47
6.2.4	Private Key Backup	47
6.2.5	Private Key Archival	47
6.2.6	Private Key Transfer into or from a Cryptographic Module	47
6.2.7	Private Key Storage on Cryptographic Module	48
6.2.8	Method of Activating Private Key	48
6.2.9	Method of Deactivating Private Key	48
6.2.10	Method of Destroying Private Key	49
6.2.11	Cryptographic Module Rating	49
6.3	Other Aspects of Key Pair Management	49
6.3.1	Public Key Archival	49
6.3.2	Certificate Operational Periods and Key Pair Usage Periods	49
6.4	Activation Data	50
6.4.1	Activation Data Generation and Installation	50

6.4.2	Activation Data Protection.....	50
6.4.3	Other Aspects of Activation Data	50
6.5	Computer Security Controls.....	50
6.5.1	Specific Computer Security Technical Requirements	51
6.5.2	Computer Security Rating.....	51
6.6	Life Cycle Technical Controls	52
6.6.1	System Development Controls	52
6.6.2	Security Management Controls.....	52
6.6.3	Life Cycle Security Controls	52
6.7	Network Security Controls.....	52
6.8	Time-Stamping.....	52
7.	CERTIFICATE, CRL, AND OCSP PROFILES	53
7.1	Certificate Profile	53
7.1.1	Version Number.....	53
7.1.2	Certificate Extensions	53
7.1.3	Algorithm Object Identifiers.....	57
7.1.4	Name Forms.....	57
7.1.5	Name Constraints.....	59
7.1.6	Certificate Policy Object Identifier.....	60
7.1.7	Usage of Policy Constraints Extension.....	60
7.1.8	Policy Qualifiers Syntax and Semantics	60
7.1.9	Processing Semantics for the Critical Certificate Policies Extension.....	60
7.2	CRL Profile	60
7.2.1	Version number.....	60
7.2.2	CRL and CRL Entry Extensions.....	61
7.3	OCSP Profile.....	61
7.3.1	Version Number.....	61
7.3.2	OCSP Extensions.....	61
8.	COMPLIANCE AUDIT AND OTHER ASSESSMENTS	61
8.1	Frequency and Circumstances of Assessment	62
8.2	Identity/Qualifications of Assessor	62
8.3	Assessor's Relationship to Assessed Entity.....	62
8.4	Topics Covered by Assessment.....	62
8.5	Actions Taken as a Result of Deficiency	62
8.6	Communications of Results	63
8.7	Self-audits.....	63
9.	OTHER BUSINESS AND LEGAL MATTERS.....	63
9.1	Fees.....	63
9.1.1	Certificate Issuance or Renewal Fees	63
9.1.2	Certificate Access Fees	63
9.1.3	Revocation or Status Information Access Fees	64
9.1.4	Fees for Other Services	64
9.1.5	Refund Policy.....	64
9.2	Financial Responsibility.....	64
9.2.1	Insurance Coverage.....	64
9.2.2	Other Assets	64

9.2.3	Insurance or Warranty Coverage for End-Entities.....	64
9.3	Confidentiality of Business Information	65
9.3.1	Scope of Confidential Information	65
9.3.2	Information Not Within the Scope of Confidential Information	65
9.3.3	Responsibility to Protect Confidential Information	65
9.4	Privacy of Personal Information	65
9.4.1	Privacy Plan	65
9.4.2	Information Treated as Private.....	65
9.4.3	Information Not Deemed Private.....	65
9.4.4	Responsibility to Protect Private Information.....	65
9.4.5	Notice and Consent to Use Private Information	65
9.4.6	Disclosure Pursuant to Judicial or Administrative Process	66
9.4.7	Disclosure upon Owner’s Request.....	66
9.4.8	Other Information Disclosure Circumstances.....	66
9.5	Intellectual Property rights.....	66
9.5.1	Property Rights in Certificates and Revocation Information.....	66
9.5.2	Property Rights in the CPS	66
9.5.3	Property Rights in Names	66
9.5.4	Property Rights in Keys and Key Material	66
9.5.5	Violation of Property Rights	67
9.6	Representations and Warranties	67
9.6.1	CA Representations and Warranties	67
9.6.2	RA Representations and Warranties	68
9.6.3	Subscriber Representations and Warranties.....	68
9.6.4	Relying Party Representations and Warranties.....	69
9.6.5	Representations and Warranties of Other Participants	69
9.7	Disclaimers of Warranties.....	69
9.8	Limitations of Liability	69
9.9	Indemnities	70
9.9.1	Indemnification by Subscribers	70
9.9.2	Indemnification by Relying Parties	70
9.10	Term and Termination	70
9.10.1	Term.....	70
9.10.2	Termination.....	70
9.10.3	Effect of Termination and Survival	70
9.11	Individual Notices and Communications with Participants	70
9.12	Amendments.....	71
9.12.1	Procedure for Amendment.....	71
9.12.2	Notification Mechanism and Period	71
9.12.3	Circumstances under Which OID Must be changed.....	71
9.13	Dispute Resolution Provisions.....	72
9.13.1	Disputes among ADACOM, Affiliates, and Customers	72
9.13.2	Disputes with Subscribers or Relying Parties	72
9.14	Governing Law	72
9.15	Compliance with Applicable Law and Standards.....	72
9.16	Miscellaneous Provisions	73

9.16.1	Entire Agreement	73
9.16.2	Assignment	73
9.16.3	Severability	73
9.16.4	Enforcement (Attorney's Fees and Waiver of Rights)	73
9.16.5	Force Majeure	73
9.17	Other Provisions	73
Appendix A. Table of Acronyms and definitions.....		74
	Table of Acronyms	74
	Definitions.....	74

1. INTRODUCTION

This document is the ADACOM Certification Practice Statement (“CPS”) for Qualified Certificates. It states the practices that ADACOM as a Trusted Service Provider (TSP) employs in providing certification services for Qualified Certificates for electronic signatures and Qualified Certificates for electronic seals in accordance but not limited to Articles 19, 24, 28, 38 and 45 of Regulation (EU) N° 910/2014 [eIDAS] and with the specific requirements of the DigiCert Certificate Policy (“CP”) regarding (public) Primary Certification Authorities. ADACOM also provides Qualified Certificates for electronic seals, compliant with eIDAS and ETSI TS 119 495 in order to meet the requirements of PSD2.

The CP is the principal statement of policy which defines the procedural and operational requirements that DigiCert requires entities to adhere to when issuing and managing digitally signed objects within DigiCert’s PKI. It establishes the business, legal, and technical requirements for approving, issuing, managing, using, revoking, and renewing, digital Certificates within the DigiCert PKI and providing associated trust services. These requirements apply to all Certificate Authorities (CAs), Registration Authorities (RAs), Processing Centers, Affiliates, Subscribers, Relying Parties, and other PKI entities that interoperate with or within the DigiCert PKI, and thereby provide assurances of uniform trust throughout DigiCert’s PKI. More information concerning the DigiCert PKI is available in the DigiCert CP.¹

ADACOM has authority over a portion of the DigiCert PKI called its “Sub CA” of the DigiCert PKI. ADACOM’s PKI includes entities subordinate to it such as its Customers, Subscribers, and Relying Parties.

While the CPs set forth requirements that ADACOM must meet, this CPS describes how ADACOM meets these requirements in accordance with Regulation (EU) N° 910/2014 and describes the practices that ADACOM employs for:

- Securely managing the related infrastructure that supports the DigiCert PKI, and
- Issuing, maintenance and life-cycle management of Qualified Certificates as defined in Regulation (EU) N° 910/2014

This CPS conforms to the Internet Engineering Task Force (IETF) RFC 3647 for Certificate Policy and Certification Practice Statement construction.

Management may make exceptions to this Certification Practice Statement on a case-by-case basis to mitigate material, imminent impacts to customers, partners, relying parties, and/or others within the certificate ecosystem where practical workarounds do not exist. Any such management exceptions are documented, tracked, and reported as part of the audit process.

1.1 Overview

This CPS describes the practices and procedures used to address all the requirements identified by Regulation (EU) N° 910/2014, for issuing, maintenance and lifecycle management of Qualified Certificates for electronic signatures and Qualified Certificates for electronic seals.


These practices and procedures are compliant with:

- ETSI EN 319 411-2 Policies:
 - QCP-n-qscd for Qualified Certificates for electronic signatures; and
 - QCP-I / QCP-I-qscd for Qualified Certificates for electronic seals,

¹ The current version of DigiCert CP can be found at <https://pki.adacom.com/repository>

- ETSI EN 319 411-1 Policies:
 - Normalized Certificate Policy (NCP)
 - extended Normalized Certificate Policy (NCP+)
- ETSI TS 119 495 for “PSD2” Certificates for electronic seals.

ADACOM is currently using the following certificate chain:



ADACOM has established a secure facility housing, among other things, CA systems, including the cryptographic modules holding the private keys used for the issuance of Certificates. ADACOM acts as a CA within DigiCert’s PKI and performs all Certificate lifecycle services of issuing, managing, revoking, and renewing Qualified Certificates.

This CPS is specifically applicable to:

- ADACOM’s Issuing CAs, who issue Qualified Certificates for electronic signatures and electronic seals

Private CAs and other hierarchies that are managed by ADACOM but are not mentioned in this document are outside the scope of this CPS. The practices relating to services provided by other Organizations or services provided by ADACOM to other Organizations are beyond the scope of this CPS.

The CAs managed by other Organizations are also outside the scope of this CPS.

ADACOM publishes the Certificate Practices Statement in order to comply with the specific policy requirements of the applicable legislation, or other industry standards and requirements.

The CPS is only one of a set of documents relevant to ADACOM’s Trust Services. These other documents include:

- Ancillary confidential security and operational documents³ that supplement the CPS by providing more detailed requirements, such as:

- Key Ceremony Reference Guide, which presents detailed key management operational requirements.
- The ADACOM Physical Security Policy which sets forth security principles governing ADACOM infrastructure,
- The ADACOM Information System Security Policy that states the requirements for Information System infrastructure in order to operate securely and according to relative legislative and contractual requirements.
- ADACOM Cryptographic Key Management Policy, which presents detailed key management operational requirements.
- ADACOM General Terms and Conditions for the Use of Qualified Trust Services. These General Terms and Conditions bind Customers, Subscribers and Relying Parties of ADACOM. Among other things, the General Terms and conditions cover a broad range of commercial terms or ADACOM Trust Services specific terms.

In many instances, the CPS refers to these ancillary documents for specific, detailed practices implementing ADACOM and DigiCert Policies where including the specifics in the CPS could compromise the security of ADACOM's Sub CA of the DigiCert PKI.

1.2 Document name and Identification

This document is the ADACOM Certification Practice Statement for Qualified Certificates and contain object identifier values corresponding to the applicable STN Class of Certificate according to DigiCert CP § 1.2. Therefore, ADACOM has not assigned this CPS an object identifier value.

ADACOM CA Certificates are issued according to the following certificate policies:

OID 2.16.840.1.113733.1.7.23.2 joint-iso-itu-t(2) country(16) us(840) organization(1) symantec(113733) pki(1) policies(7) vtn-cp(23) class2(2)	Maps to OID 2.16.840.1.114412.4.2 or 2.16.840.1.114412.5.2
---	--

Certificate Policy Object Identifiers are used in accordance with Section 7.1.

1.3 PKI Participants

1.3.1 Certification Authorities

The authority trusted by the users of the certification services (i.e. subscribers as well as relying parties) to create and assign certificates, is called the Certification Authority (CA). The CA has overall responsibility for the provision of the certification services.

The CA term encompasses a subcategory of issuers called Primary Certification Authorities (PCA). PCAs act as roots. Each PCA is a DigiCert entity. Subordinate to the PCAs are ADACOM Certification Authorities that issue Qualified Certificates to Subscribers.

ADACOM operates as a Certification Authority that issues Qualified Certificates under the following CA hierarchy:

³ Although these documents are not publicly available their specifications are included in ADACOM's Conformity Assessment Report for Trust Service Providers issuing Qualified certificates and may be made available to customer under special agreement,

Root CA	
CA Certificate Common Name	Symantec Class 2 Public Primary Certification Authority - G6
CA Certificate Serial Number	64829efc371e745dfc97ff97c8b1ff41
CA Certificate Subject Key Identifier	878c2095c8984ad1d680064a903444df1c4dbfb0
CA Certificate Fingerprint (SHA256)	cb627d18b58ad56dde331a30456bc65c601a4e9b18dedcea08e7daaa07815ff0

Issuing CAs	
Issuing CA for Electronic Signatures	
CA Certificate Common Name	ADACOM CA for EU Qualified e-Signatures
CA Certificate Serial Number	73680ebd27ba6dc4df1ee2fbd900f565
CA Certificate Subject Key Identifier	8d9f06f4baa8cb961946f9afad14be5350c50288
CA Certificate Fingerprint (SHA256)	027466ad7f9063e00be76126ab870035c20e1fcb89b3247766c841bd5272326f
Issuing CA for Electronic Seals	
CA Certificate Common Name	ADACOM CA for EU Qualified e-Seals
CA Certificate Serial Number	0a80bc749f3fc8f6c50bde231af701a6
CA Certificate Subject Key Identifier	6e33ffccd5908e5bbe5ccb23d0cf213c51e6b720
CA Certificate Fingerprint (SHA256)	dce5ab8fddd1a3cd890e79013a3c01cb22bafc12fe1dc16f9f423a36dae747c7

1.3.2 Registration Authorities

A Registration Authority is an entity that performs identification and validation of Subscribers for issuing Certificates, initiates or passes along revocation requests for Certificates, and approves applications for re-keying certificates on behalf of the CA. ADACOM acts as an RA for the Qualified Certificates it issues.

ADACOM may enter into a contractual relationship with one or more third parties, in order to outsource part of RA responsibilities, especially regarding the validation of the Subscriber. In this case, the third party constitutes a Local Registration Authority (LRA). LRA performs its responsibilities in full compliance with this CPS, the respective Validation plans and the terms of the LRA Agreement signed between LRA and ADACOM.

ADACOM may also enter into a contractual relationship with one or more third parties, in order to outsource all RA responsibilities. In this case, the third party becomes a RA and performs its responsibilities in full compliance with this CPS, the respective Validation plans and the terms of the RA Agreement signed between RA and ADACOM.

Validation of domain portion of the email address cannot be delegated to a third party and is only validated by the RA of the Issuer CA.

ADACOM trains LRA's authorized employees on validation process and security procedures, prior starting LRA's related operations. Thereafter, ADACOM re-trains yearly LRA's authorized employees.

ADACOM performs yearly audits to the RA/LRA operations and procedures in order to ensure compliance with this CPS, the Validation Plans and the RA/LRA Agreement.

1.3.3 Local Registration Authorities

A Local Registration Authority is an entity that performs the identification and validation of Subscribers and Subjects and the initial examination of their respective documents for the issuance, re-keying and revocation of Certificates. The relationship between LRA and RA is described in the LRA's contract agreement and includes, but not limited, the following:

- Full details of LRA's authorized employees, that will perform LRA's duties and activities;
- LRA's obligation to receive yearly training of LRA's authorized employees from ADACOM regarding LRA's duties and activities and to accept yearly audits by ADACOM regarding LRA operations and procedures;
- LRA's authorized employees' obligation to use credentials issued by ADACOM RA to ensure secure communications between both parties;
- LRA's obligation to process Subscribers' applications exclusively through LRA's authorized employees

Local Registration Authority is responsible for delivering the Qualified Signature Creation Device (QSCD) or authentication credentials in case of Remote Qualified Certificate to the Subscriber or Subject.

Local Registration Authority passes all Subscriber's applications or requests accompanied by the related documents to the Registration Authority for approval or rejection of Certificate issuance, re-keying or revocation.

1.3.4 Subscribers

Two different terms are used in this CPS to distinguish between these two roles: "Subscriber", is the entity which contracts with ADACOM for the issuance of credentials and; "Subject", is the person to whom the credential is bound. The Subscriber bears ultimate responsibility for the use of the credential but the Subject is the individual that is authenticated when the credential is presented.

Subscriber means a natural or legal person to whom ADACOM provides the Trust Services according to this CPS.

The subject means:

- a natural person
- a natural person who is identified in association with a legal person
- a legal person

The Subscriber may or may not be the Subject of a certificate. The link between the subscriber and the subject is one of the following:

- To request a certificate for natural person the subscriber is:
 - a) the natural person itself;
 - b) a natural person mandated to represent the subject; or
 - c) any entity with which the natural person is associated.
- To request a certificate for legal person the subscriber is:
 - a) any entity as allowed under the relevant legal system to represent the legal person; or
 - b) a legal representative of a legal person subscribing for its subsidiaries or units or departments.

1.3.5 Relying Parties

A Relying Party is an individual or entity that acts in reliance of a certificate and/or a digital signature issued under the CA. A Relying party may, or may not also be a Subscriber. Relying parties must check the appropriate CRL or OCSP response prior to relying on information featured in a Certificate. The location of the CRL distribution point is detailed within the Certificate.

1.3.6 Other Participants

Other Participants include the ADACOM Policy Management Authority (PMA) which is responsible for amendments to this CPS.

1.4 Certificate Usage

A digital Certificate is formatted data that cryptographically binds an identified Subscriber with a Public Key. A digital Certificate allows an entity taking part in an electronic transaction to prove its identity to other participants in such transaction.

Qualified Certificates for electronic signatures are normally used by individuals to sign and encrypt e-mail and for authentication purposes, provided that the usage is not otherwise prohibited by law, by this CPS and any agreements with Subscribers.

Qualified Certificates for electronic seals are issued to organizations after authentication that the Organization legally exists and that other Organization attributes included in the certificate are authenticated. A Qualified Certificate for electronic seal is normally used to ensure the integrity and the origin of that data to which it is linked, or for other purposes, provided that the usage is not otherwise prohibited by law, by this CPS and any agreements with Subscribers.

1.4.1 Appropriate Certificate Usages

1.4.1.1 Certificates Issued for electronic signature

Certificates are compliant with NCP+ and QCP-n-qscd.

Certificates issued under these requirements are aimed to support qualified electronic signatures with the use of a Qualified Signature Creation Device (QSCD) such as defined in article 3 (12) of the Regulation (EU) N° 910/2014 [i.1].

1.4.1.2 Certificates Issued for electronic seals

Certificates are compliant with NCP, NCP+, QCP-I and QCP-I-qscd.

Certificates issued under these requirements are aimed to support qualified electronic seals with the use of a Qualified Signature Creation Device (QSCD) such as defined in article 3 (27) of the Regulation (EU) N° 910/2014 [i.1] and advanced electronic seals without the use of a QSCD such as defined in article 3 (26) of the same Regulation.

1.4.2 Prohibited Certificate Uses

Certificates shall be used only to the extent the use is consistent with applicable law, and in particular shall be used only to the extent permitted by applicable export or import laws.

CA Certificates may not be used for any functions except CA functions. In addition, Subscriber Certificates shall not be used as CA Certificates. Usage of Certificates, other than to support applications identified in Section 1.4.1 of the present CPS or in the applicable CP, is prohibited.

DigiCert and ADACOM periodically rekey Intermediate CAs. Third party applications or platforms that have an Intermediate CA embedded as a root certificate may not operate as designed after the Intermediate CA has been rekeyed. ADACOM therefore does not warrant the use of Intermediate CAs as root certificates and recommends that Intermediate CAs not be embedded into applications and/or platforms as root certificates. ADACOM recommends the use of PCA Roots as root certificates.

1.5 Policy Administration

1.5.1 Organization Administering the Document

This CPS and the relevant documents referenced herein are maintained by the ADACOM Policy Management Authority, which can be contacted at:

ADACOM S.A.
25, Kreontos Street
10442, Athens
Greece

1.5.2 Contact Person

PKI Policy Manager
ADACOM Policy Management Authority
c/o ADACOM SA
25, Kreontos Street,
10442, Athens,
Greece
phone number +30 210 5193750
fax number: +30 210 5193555

1.5.2.1 Revocation Contact Person

For Certificate revocation requests, refer to paragraph 4.9.3.

1.5.3 Person Determining CP Suitability for the Policy

The ADACOM Policy Management Authority (PMA) determines the suitability and applicability of this CPS based on the results and recommendations from compliance audits.

1.5.4 CPS Approval Procedure

Approval of this CPS and subsequent amendments are made by the PMA. Amendments are either in the form of a document containing an amended form of the CPS or an update notice. Amended versions or updates shall be linked to the ADACOM Repository located at: <https://pki.adacom.com/repository>.

Updates supersede any designated or conflicting provisions of the referenced version of the CPS. The PMA shall determine whether changes to the CPS require a change in the Certificate policy object identifiers of the Certificate policies.

1.6 Definitions and Acronyms

See Appendix A for a table of acronyms and definitions.

1.7 References

Name of Policy/Guideline/Requirement Standard	Location of Source Document
DigiCert Certificate Policy version 5.0	https://pki.adacom.com/repository
DigiCert Certification Practices Statement version 5.0	https://www.digicert.com/legal-repository/
The Certification Authority / Browser Forum ("CAB Forum") Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates	https://cabforum.org/baseline-requirements-document/
Mozilla Root Store Policy v.2.7 ("Mozilla")	https://www.mozilla.org/en-US/about/governance/policies/security-group/certs/policy/
Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC ("eIDAS Regulation")	https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=uriserv%3AOJ.L_.2014.257.01.0073.01.ENG
ETSI standards:	https://www.etsi.org/

<ul style="list-style-type: none"> a. ETSI EN 319 401 Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers; b. ETSI EN 319 411-1 Electronic Signatures and Infrastructures (ESI); Policy and Security requirements for Trust Service Providers issuing certificates; Part 1: General requirements; c. ETSI EN 319 411-2 Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Policy requirements for certification authorities issuing qualified certificates; d. ETSI TS 119 495 Electronic Signatures and Infrastructures (ESI); Sector Specific Requirements; Qualified Certificate Profiles and TSP Policy Requirements under the payment services Directive (EU) 2015/2366. 	
---	--

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1 *Repositories*

ADACOM is responsible for the repository functions for its own CAs. ADACOM publishes the issued Certificates in the repository in accordance with section 2.2.

Upon revocation of a Subscriber's Certificate, ADACOM publishes notice of such revocation in the repository. ADACOM issues Certificate Revocation Lists (CRLs) and provides OCSP services pursuant to the provisions of this CPS.

ADACOM shall ensure that its repository is available 24 hours a day, 7 days a week, with a minimum of 99,00% availability overall per year with a scheduled down-time that does not exceed 0,3% annually.

Upon system failure, service or other factors which are not under the control of ADACOM, ADACOM shall apply best endeavours to ensure that this information service is not unavailable for longer than above time.

2.2 *Publication of Certificate Information*

ADACOM maintains a web-based repository in a public data communications network (<https://pki.adacom.com/repository>) that permits Relying Parties to make online inquiries regarding revocation and other Certificate status information. ADACOM provides Relying Parties with information on how to find the appropriate repository to check Certificate status and how to find the right OCSP responder.

ADACOM publishes in its public information repository at least the following information:

- Overview of the certification hierarchy
- Certification Practice Statement
- Audit results
- Insurance Policies
- Certification Policies
- Certificates, including root and issuing CAs
- Profiles
- General Terms and Conditions for use of Qualified Trust Services
- Certificate Revocation Lists
- Certificate search
- Privacy Policies

2.2.1 Publication and Notification Policies

This ADACOM CPS is published in ADACOM's public information repository. ADACOM CPS along with the enforcement dates is published no less than 30 days prior taking effect.

2.2.2 Items not published in the Certification Practice Statement

Refer to Section 9.3.1 of this CPS.

2.3 Time or Frequency of Publication

Certificate status information is published in accordance with the provisions of this CPS. Refer to section 2.2.1 of current CPS for updates to this CPS. Updates to General Terms and Conditions are published as necessary. Certificates are published upon issuance.

2.4 Access Controls on Repositories

Information published in the repository portion of the ADACOM web site is publicly-accessible information. Read only access to such information is unrestricted. ADACOM requires persons to agree to General Terms and Conditions as a condition to accessing Certificates, Certificate status information, or CRLs. ADACOM has implemented logical and physical security measures to prevent unauthorized persons from adding, deleting, or modifying repository entries according to the applicable ADACOM security policies. ADACOM makes its repository publicly available in a read only manner, and specifically at the link <https://pki.adacom.com/repository>.

3. IDENTIFICATION AND AUTHENTICATION

3.1 Naming

Naming in certificates are as specified in Recommendation ITU-T X.509 [6] or IETF RFC 5280 [7] and the appropriate part of ETSI EN 319 412

3.1.1 Type of Names

Type of names assigned to the CA and to the Subscriber is described in the relevant Certificate Profile documentation published in ADACOM's repository.

ADACOM CA and Subscriber Certificates contain X.501 Distinguished Names in the Issuer and Subject fields.

3.1.2 Need for Names to be Meaningful

Subscriber Certificates contain names with commonly understood semantics permitting the determination of the identity of the individual or organization that is the Subject of the Certificate. ADACOM CA certificates contain names with commonly understood semantics permitting the determination of the identity of the CA that is the Subject of the Certificate.

3.1.3 Anonymity or Pseudonymity of Subscribers

Not applicable.

3.1.4 Rules for Interpreting Various Name Forms

No stipulation.

3.1.5 Uniqueness of Names

ADACOM ensures that Subject Distinguished Names (DN) of Subscriber are unique within the domain of a specific CA through automated components of the Subscriber enrollment process. The uniqueness of the Distinguished Name for electronic signatures and authentication is ensured by the Serial Number attribute value in the Subject field of the certificate. For electronic seals it is ensured by the Organizational Identifier attribute value in the Subject field of the certificate.

3.1.6 Recognition, Authentication, and Role of Trademarks

Certificate applicants are prohibited from using names in their Certificate Applications that infringe upon the Intellectual Property Rights of others. ADACOM, however, does not verify whether a Certificate Applicant has Intellectual Property Rights in the name appearing in a Certificate Application or arbitrate, mediate or otherwise resolve any dispute concerning the ownership of any domain name, trade name, trademark, or service mark. ADACOM is entitled, without liability to any Certificate Applicant, to reject or suspend any Certificate Application because of such dispute.

3.2 Initial Identity Validation/Authentication

ADACOM may use the following methods described in this Section to ascertain the identity of a Subscriber. ADACOM may refuse to issue a Certificate at its sole discretion if identity validation is not successful.

Identity validation is part of the process of the certificate application certificate issuance and device provisioning.

In case the individual requesting the Certificate is an RA or LRA authorized employee, the identity validation of this very individual must not be conducted by herself/himself and must involve one of her/his RA/LRA peers.

3.2.1 Method to Prove Possession of Private Key

The Certificate applicant must demonstrate that he/she rightfully holds the private key corresponding to the public key to be listed in the Certificate. The method to prove possession of a private key shall be PKCS #10, another cryptographically equivalent demonstration or another approved method by ADACOM and DigiCert. This requirement does not apply where a key pair is generated by ADACOM on behalf of a Subscriber, for example where pre-generated keys are placed on a QSCD.

3.2.2 Authentication of Organization identity (Legal Person)

3.2.2.1 Legal person's identity verification

The legal person's identity who is the Subscriber of a Qualified Certificate is verified by ADACOM's RA/LRA pursuant to current legislation either:

- a) by the physical presence of Subscriber's Legal Representative (Art. 24 par.1a of the eIDAS Regulation), who submits the acceptable official documents proving his identity and official documents of the legal person proving its registration details in the Business registry, as well as proof of his/her authorization to represent the legal person;

OR

- b) remotely, by means of a Qualified Certificate for electronic signature or electronic seal (Art.24 par.1c of the eIDAS Regulation);

OR

- c) by equivalent to physical presence Remote ID verification using video conference (Art.24 par.1d of the eIDAS Regulation), where the legal representative shall provide proof of his/her identity, as well as proof of his/her authorization to represent the legal person.

3.2.2.2 Additional verification for PSD2 certificates

In case of a Payment Service Provider (PSP) applying for a Qualified Certificate for Electronic Seal compliant with ETSI TS 119 495 in order to meet the requirements of PSD2, the following shall apply:

Additional information will be provided, that is:

- the authorization number of the PSP issued by the National Competent Authority (NCA) supervising the payment services of the PSP, or any other registration number recognized by the NCA;
- the role of the PSP (PSP_AS, PSP_PI, PSP_AI, PSP_IC); and
- the name of the NCA, as well as the abbreviated unique identifier of the NCA.

Additional verification will be performed by ADACOM consisting of:

- Validation of the PSP authorization number or any other registration number provided against NCA/EBA registry
- Validation of the role of PSP (PSP_AS, PSP_PI, PSP_AI, PSP_IC) against the NCA/EBA registry.

3.2.3 Authentication of Individual Identity (Natural Person)

3.2.3.1 Natural person identity verification

The natural person's identity who is the Subscriber of a Qualified Certificate is verified by ADACOM's RA/LRA pursuant to current legislation:

- a) by the physical presence of Subscriber, who shall submit the acceptable official documents proving his identity, (Art.24 par.1a of the eIDAS Regulation);
- OR
- b) remotely, by means of a Qualified Certificate for electronic signature or electronic seal (Art.24 par.1c of the eIDAS Regulation);
- OR
- c) by equivalent to physical presence Remote ID verification using video conference, where the Subscriber shall provide proof of his/her identity (Art.24 par.1d of the eIDAS Regulation).

3.2.3.2 Natural person associated with legal person identity verification

In case of a natural person who is the Subject of a Qualified Certificate associated with a Subscriber who is a legal person, identity is verified pursuant to current legislation:

- a) by the physical presence of the Subject and the Subscriber's Legal Representative (Art.24 par.1a of the eIDAS Regulation), who submit the acceptable official documents proving their identity and official documents of the legal person which prove its registration details in the Business registry, Legal Representative's authorization to represent the legal person, as well as his/her association with the legal person in case he/she is not the Legal Representative;
- OR
- b) remotely, by means of a Qualified Certificate for electronic signature or electronic seal (Art.24 par.1c of the eIDAS Regulation);
- OR
- c) by equivalent to physical presence Remote ID verification using video conference (Art.24 par.1d of the eIDAS Regulation), where the Subject shall provide proof of his/her identity, as well as proof of his/her association with the legal person.

3.2.3.3 Domain Email validation

ADACOM verifies a Subscriber's right to use or control an email address to be contained in a Certificate that will have the "Secure Email" ECU by sending an approval email message to the email address to be included in the Certificate and by sending a unique Random Value by SMS to the mobile number provided in the signed application form by the Subscriber.

3.2.4 Non-Verified Subscriber information

Non-verified subscriber information includes:

- Organization Unit (OU) attributes
- Any other information designated as non-verified in the Certificate

3.2.5 Validation of Authority

Whenever a natural person's name is associated with a legal person's name in a certificate in such a way to indicate the individual's affiliation or authorization to act on behalf of the legal person ADACOM's RA:

- Determines that the legal person exists by using at least one third party identity proofing service or database, or alternatively, organizational documentation issued by or filed with the applicable government that confirms the existence of the legal person, and
- Uses information contained in the business records or databases of business information (employee or customer directories) of an RA approving certificates to its own affiliated individuals or confirms by telephone, confirmatory postal mail, or comparable procedure to the legal person, the employment with the legal person of the individual submitting the Certificate Application and, when appropriate, his/her authority to act on behalf of the legal person.

3.2.6 Criteria for Interoperation

No stipulation.

3.3 Identification and Authentication for Re-key Requests

Prior to the expiration of an existing Qualified Certificate, it is necessary for the Subscriber to obtain a new certificate to maintain continuity of Certificate usage. ADACOM generally requires that the Subscriber generate a new key pair to replace the expiring key pair (technically defined as "rekey"). Please refer to Sections 3.2.2 and 3.2.3 of this CPS.

In addition, all documents required can be sent electronically digitally signed by an existing Qualified Certificate for electronic signatures.

3.3.1 Identification and Authentication for Routine Re-key

Not applicable

3.3.2 Identification and Authentication for Re-key After Revocation

Subscriber must undergo the initial registration process as per Sections 3.2.2 and 3.2.3 of this CPS.

3.4 Identification and Authentication for Revocation Request

RA authenticates all revocation requests.

Prior to the revocation of a Certificate, RA verifies that the revocation has been requested by the Certificate's Subscriber or the entity that approved the Certificate Application.

Acceptable procedures for authenticating the revocation requests of a Subscriber include one or more of the following:

- Having the Subscriber submit the Subscriber's Challenge Phrase and revoking the Certificate automatically if it matches the Challenge Phrase on record
- Receiving a message from the Subscriber that requests revocation and contains a qualified electronic signature verifiable with reference to the Certificate to be revoked
- Communication with the Subscriber providing reasonable assurances, that the natural or legal person requesting revocation is, in fact the Subscriber or has the duly authorization to do so. Such communication, depending on the circumstances, may include one or more of the following: telephone, facsimile, e-mail, postal mail, or courier service.

ADACOM RA Administrators are entitled to request the revocation of Certificates. ADACOM authenticates the identity of Administrators via access control using SSL and client authentication before permitting them to perform revocation functions.

4. CERTIFICATE LIFE-CYCLE OPERATIONAL

4.1 Certificate Application

4.1.1 Who Can Submit a Certificate Application

Application for Qualified Certificates may be submitted by a natural or legal person, who is the Subscriber of the Certificate, provided that they are legally eligible. Applicants are responsible for any data that the Applicant or any authorized person by the Applicant supplies to ADACOM.

4.1.2 Enrollment Process and Responsibilities

All Certificate Subscribers shall manifest assent to the relevant General Terms and Conditions that contain representations and warranties described in Section 9.6.3 and undergo an enrollment process consisting of:

- Accepting the Terms and Conditions regarding the use of the certificate
- Completing and signing a Certificate Application form by providing true and correct information in accordance with the requirements of this policy
- Provide relevant validation documents
- Generating, or arranging to have a key pair generated
- Receiving his, her, or its certificate, directly or through the RA
- Demonstrating possession and/or exclusive control of the private key corresponding to the public key
- Paying any applicable fees if required.

4.2 Certificate Application Processing

4.2.1 Performing Identification and Authentication Functions

ADACOM performs identification and authentication of all required Subscriber information either a) by physical presence, or b) remotely by means of a Qualified Certificate, or c) by using a method equivalent to physical presence in accordance with Section 3.2.

If an LRA/RA assists in the verification, the LRA/RA must create and maintain records sufficient to establish that it has performed its required verification tasks and communicate the completion of such performance to ADACOM. After verification is complete, ADACOM evaluates the information and decides whether or not to issue the Certificate. As part of this evaluation, ADACOM RA may check the Certificate against an internal database of previously revoked Certificates and rejected certificate requests to identify suspicious certificate requests.

4.2.2 Approval or Rejection of Certificate Applications

ADACOM approves an application for a certificate only if the following criteria are met:

- Successful identification and authentication of all required Subscriber information according to Section 3.2
- Payment has been received

ADACOM rejects a certificate application if:

- Identification and authentication of all required Subscriber information according to Section 3.2 cannot be completed, or
- The Subscriber fails to furnish supporting documentation upon request, or
- The Subscriber fails to respond to notices within a specified time, or
- Payment has not been received, or
- ADACOM believes that issuing a certificate to the Subscriber may bring ADACOM into disrepute.

Upon certificate application rejection, Subscriber has the right either to return the QSCD in accordance with Section 9.1.5 or to keep it for future usage under his own full responsibilities. In case ADACOM rejects a certificate application related to a Remote QSCD, the relevant Subscriber account is not created and no other actions are required from Subscriber.

4.2.3 Time to Process Certificate Applications

ADACOM begins processing certificate applications within a reasonable time of receipt. Issuance time frames are greatly dependent on when the Subscriber provides the details and documentation necessary to complete validation. There is no time stipulation to complete the processing of an application unless otherwise indicated in the relevant General Terms and Conditions, CPS or other agreement. A certificate application remains active until the enrollment procedure is completed, which cannot exceed one (1) month from the date of submission of the Application Form for Certificate issuance.

4.3 Certificate Issuance

4.3.1 CA Actions during Certificate Issuance

A Certificate is created and issued following the approval of a Certificate Application by ADACOM, based on the information in a Certificate Application

Databases and CA processes occurring during certificate issuance are protected from unauthorized modification. After issuance is complete, the Certificate is stored in a database and sent to the Subscriber.

4.3.2 Notifications to Subscriber by the CA of Issuance of Certificate

ADACOM notifies Subscribers that the Certificates have been created, and provides Subscribers with access to the Certificates by notifying them that their Certificates are available. Certificates are made available to Subscribers, by informing them via an e-mail message.

4.3.3 Registration and issuance of Qualified Certificates for Electronic Seal compliant with ETSI TS 119 495 under PSD2

Before the issuance process can start, the PSP needs to be registered by an NCA and all relevant information needs to be available in the NCA/EBA register. The PSP submits the certificate application and provides all necessary documentation containing PSD2 specific attributes (PSD2 Authorization Number or other recognized identifier, roles, name of the NCA) to ADACOM, ADACOM performs identity validation as required by par.3.2.2.2 of this CPS. ADACOM validates PSD2 specific attributes using information provided by the NCA/EBA register. ADACOM issues the Qualified Certificate for Electronic Seal in compliance with the profile requirements given in ETSI TS 119 495.

4.4 Certificate Acceptance

4.4.1 Conduct Constituting Certificate Acceptance

The following conduct constitutes certificate acceptance:

- Downloading a Certificate constitutes the Subscriber's acceptance of the Certificate
- Failure of the Subscriber to object to the Certificate or its content within 24 hours from downloading it, constitutes Certificate acceptance.

4.4.2 Publication of the Certificate by the CA

ADACOM publishes the Certificates it issues in its publicly accessible repository.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities

RAs and LRAs may receive notification of the issuance of certificates they approve.

4.5 Key Pair and Certificate Usage

4.5.1 Subscriber Private Key and Certificate Usage

Use of the private key corresponding to the public key in the Certificate is only permitted once the Subscriber has agreed to the General Terms and Conditions and accepted the Certificate. The Certificate shall be used lawfully in accordance with ADACOM's General Terms and Conditions, the terms of the DigiCert CP and this CPS. Certificate use must be consistent with the KeyUsage field extensions included in the Certificate. Certificate key usage is of type B as specified in clause 4.3.2 of ETSI EN 319 412-2.

Subscribers shall maintain their private keys under their sole control, protect their private keys from unauthorized use and shall discontinue use of the private key following expiration or revocation of the certificate. Parties other than the Subscriber shall not archive the Subscriber Private Key.

4.5.2 Relying Party Public Key and Certificate Usage

Relying parties shall assent to ADACOM's General Terms and Conditions as a condition of relying on the Certificate.

Reliance on a Certificate must be reasonable under the circumstances. If the circumstances indicate a need for additional assurances, the Relying Party must obtain such assurances for such reliance to be deemed reasonable.

Before any act of reliance, Relying Parties shall independently assess:

- The appropriateness of the use of a Certificate for any given purpose and determine that the Certificate will, in fact, be used for an appropriate purpose that is not prohibited or otherwise restricted by this CPS. ADACOM is not responsible for assessing the appropriateness of the use of a Certificate.
- That the certificate is being used in accordance with the KeyUsage field extensions included in the certificate.
- The status of the certificate and all the CAs in the chain that issued the certificate. If any of the Certificates in the Certificate Chain have been revoked, the Relying Party is solely responsible to investigate whether reliance on a digital signature performed by an end-user

Subscriber Certificate prior to revocation of a Certificate in the Certificate chain is reasonable. Any such reliance is made solely at the risk of the Relying party.

Assuming that the use of the Certificate is appropriate, Relying Parties shall utilize the appropriate software and/or hardware to perform signature verification or other cryptographic operations they wish to perform, as a condition of relying on Certificates in connection with each such operation. Such operations include identifying a Certificate Chain and verifying the digital signatures on all Certificates in the Certificate Chain.

4.6 Certificate Renewal

Not applicable.

4.7 Certificate Re-Key

Certificate rekey is the application for the issuance of a new certificate that certifies the new public key.

4.7.1 Circumstances for Certificate Re-Key

Prior to the expiration of an existing Subscriber's Certificate, it is necessary for the Subscriber to re-key the certificate to maintain continuity of Certificate usage. A certificate may also be re-keyed after expiration.

4.7.2 Who May Request Certification of a New Public Key

Only the Subscriber may request Certificate re-keying.

4.7.3 Processing Certificate Re-Keying Requests

Re-keying procedures ensure that the Subscriber seeking to re-key a Subscriber Certificate is in fact the Subscriber (or authorized by the Subscriber) of the Certificate.

The Subscriber submits a re-keying application to ADACOM RA or to an LRA and ADACOM RA or the LRA, reconfirms the identity of the Subscriber in accordance with the identification and authentication requirements, as described in Section 3.3.1.

Other than this procedure or another ADACOM -approved procedure, the requirements for the authentication of an original Certificate Application shall be used for re-keying an end-user Subscriber Certificate.

4.7.4 Notification of New Certificate Issuance to Subscriber

Notification of issuance of a re-keyed certificate to the Subscriber is in accordance with Section 4.3.2.

4.7.5 Conduct Constituting Acceptance of a Re-Keyed Certificate

Conduct constituting Acceptance of a re-keyed certificate is in accordance with Section 4.4.1.

4.7.6 Publication of the Re-Keyed Certificate by the CA

The re-keyed certificate is published in ADACOM's publicly accessible repository.

4.7.7 Notification of Certificate Issuance by the CA to Other Entities

RAs and LRAs may receive notification of the issuance of Certificates they approve.

4.8 Certificate Modification

4.8.1 Circumstances for Certificate Modification

Certificate modification refers to the application for the issuance of a new certificate due to changes in the information in an existing certificate (other than the subscriber's public key).

Certificate modification is considered a Certificate Application according to Section 4.1.

4.8.2 Who May Request Certificate Modification

See Section 4.1.1.

4.8.3 Processing Certificate Modification Requests

ADACOM performs identification and authentication of all required Subscriber information in terms of Section 3.2.

4.8.4 Notification of New Certificate Issuance to Subscriber

See Section 4.3.2.

4.8.5 Conduct Constituting Acceptance of Modified Certificate

See Section 4.4.1.

4.8.6 Publication of the Modified Certificate by the CA

See Section 4.4.2.

4.8.7 Notification of Certificate Issuance by the CA to Other Entities

See Section 4.4.3.

4.9 Certificate Revocation and Suspension

Revocation of a Certificate permanently ends the operational period of the Certificate prior to the Certificate reaching the end of its stated validity period. Prior to revoking a Certificate, all revocation requests are authenticated as per Section 3.4.

Revocation of certificates is performed according to the following sections.
For certificates including email address, certificate revocation and suspension is compliant with Mozilla Requirements.

4.9.1 Circumstances for Revocation

The ADACOM's General Terms and Conditions provide the obligation and/or right of the Subscriber to request revocation of a Certificate. Only in the circumstances listed below, will a Subscriber Certificate be revoked by ADACOM (or by the Subscriber) and published on a CRL.

A Subscriber Certificate is revoked if:

- ADACOM or a Subscriber has reason to believe or strongly suspects that there has been a Compromise of a Subscriber's private key. In case a compromise is reported by a third party ADACOM requires respective confirmation from the Subscriber.
- ADACOM has reason to believe that the Subscriber has breached a material obligation, representation, or warranty under the applicable General Terms and Conditions for Use of Qualified Trust Services,
- ADACOM has reason to believe that the Certificate was issued in a manner not materially in accordance with the procedures required by this CPS, was issued to a person other than the one named as the Subject of the Certificate, or the Certificate was issued without the authorization of the person named as the Subject of such Certificate;
- For Certificates including an email address, if they no longer comply with the requirements of the CA/B forum baseline requirements or any section of the Mozilla Root Store policy;
- ADACOM is aware of changes which impact the validity of the certificate;
- the used cryptography is no longer ensuring the binding between the Subject and the public key.
- ADACOM has reason to believe that a material fact in the Certificate Application is false,
- ADACOM determines that a material prerequisite to Certificate issuance was neither satisfied nor waived,
- Subscriber loses the legal eligibility, is declared in absence or death, is dissolved or declared bankrupted, taking into consideration that each certificate is non-transferable in any case,
- Subscriber loses ability to use the local QSCD or mobile device required to access a remote QSCD
- In case the Subject of the Certificate is a natural person associated with the Subscriber-legal person and the Subscriber requires the revocation.
- A final court judgment requires the relevant revocation or cancellation
- The private key of the CA has been compromised.
- The Supervisory Body requests the revocation according to the law
- The Subscriber identity has not been successfully re-verified
- The Subscriber has not submitted payment, when due
- The continued use of that certificate is harmful to ADACOM and/or DigiCert.
- The PSP authorization has been revoked.
- The PSP role included in the certificate has been revoked.

When considering whether Certificate usage is harmful to ADACOM and/or DigiCert, ADACOM considers, among other things, the following:

- The nature and number of complaints received
- The identity of the complainant(s)
- Relevant legislation in force
- Responses to the alleged harmful use from the Subscriber

ADACOM may also revoke an Administrator Certificate if the Administrator's authority to act as Administrator has been terminated or otherwise has ended.

ADACOM General Terms and Conditions for Use of Qualified Trust Services require Subscribers to immediately notify ADACOM of a known or suspected compromise of its private key.

After the approval of a revocation request by the CA, the revoked certificate cannot be re-entered into force.

4.9.2 Who Can Request Revocation

Request for revocation of a Qualified Certificate may be submitted by:

- RA or LRA
- a natural or legal person, or their legal representatives, who is the Subscriber of the Certificate, or a successor who wishes to request revocation in case of a deceased Subscriber (natural person), provided that is legally eligible
- a competent court or authority
- the Supervisor Body
- the NCA which has authorized or registered the PSP

Request for revocation of a CA Certificate may be submitted by:

- a legal person, who is the Subscriber of the Certificate, provided that is legally eligible,
- a competent court or authority
- the Supervisor Body

4.9.3 Procedure for Revocation Request

4.9.3.1 Procedure for Requesting the Revocation of a Subscriber Certificate

A Subscriber or Subscriber's successor who wishes to request revocation is required to send a request to ADACOM either by e-mail at revoke@adacom.com or communicate by telephone at +30 210 9577255, or, alternatively, via ADACOM's Self Service Web Portal. ADACOM will promptly initiate revocation of the certificate.

Communication of such revocation request shall be in accordance with Section 3.4.

In case of Short-lived Certificate, revocation by Subscriber is not available.

4.9.3.2 Procedure for Requesting Revocation in case of Qualified Certificates for Electronic Seal compliant with ETSI TS 119 495 under PSD2

The NCA, as the owner of the PSD2 specific information, may submit a certificate revocation request via email at psd2@adacom.com.

- The request is required to have some form of authentication of the NCA making the request. ADACOM shall revoke the certificate once it authenticates the revocation request. If it is not clearly indicated or implied why the revocation is requested or the reason is not in the area of responsibility of the NCA then ADACOM may decide to not take action.
- If the NCA notifies ADACOM that information which can affect the validity of the certificate has changed, but without a properly authenticated request with an acceptable reason why the certificate should be revoked, ADACOM shall investigate this notification regardless of its content and format, and shall revoke the affected certificate(s) if necessary. This notification need not be processed within 24 hours.

If ADACOM is notified of an email address where it can inform the NCA identified in a revoked certificate, then ADACOM shall send to that email address information about the certificate revocation.

4.9.4 Revocation Request Grace Period

Revocation requests shall be submitted as promptly as possible within a commercially reasonable time.

4.9.5 Time within Which CA Must Process the Revocation Request

ADACOM takes commercially reasonable steps to process revocation requests without delay and in any case the maximum delay from the time ADACOM receives a revocation request in accordance with Section 4.9.3 and the decision to change its status information being available to all relying parties shall be at most 24 hours. If the revocation request cannot be confirmed within 24 hours then the status need not be changed.

Right after the approval of a revocation request, the CA informs, where possible, the Subscriber and the Subject of the certificate for the revocation via e-mail for this event.

4.9.6 Revocation Checking Requirements for Relying Parties

Relying Parties shall check the status of Certificates on which they wish to rely. One method by which Relying Parties may check Certificate status is by consulting the most recent CRL from the CA that issued the Certificate on which the Relying Party wishes to rely. Alternatively, Relying Parties may meet this requirement by checking Certificate status using the ADACOM web-based repository or by using OCSP. CAs shall provide Relying Parties with information on how to find the appropriate CRL, web-based repository or OCSP responder to check for revocation status.

Due to the numerous and varying locations for CRL repositories, relying parties are advised to access CRLs using the URL(s) embedded in a certificate's CRL Distribution Points extension.

The proper OCSP responder for a given certificate is placed in its Authority Information Access extension.

Revocation status information shall be made available beyond the validity period of the certificate.

4.9.7 CRL Issuance Frequency

ADACOM uses its offline root CAs to publish CRLs for its intermediate CAs at least every 6 months but also whenever a CA Certificate is revoked. CRLs for Subscriber Certificates are issued at least once per day.

4.9.8 Maximum Latency for CRLs

CRLs are posted to the repository within a commercially reasonable time after generation. This is generally done automatically within minutes of generation.

4.9.9 On-Line Revocation/Status Checking Availability

Online revocation and other Certificate status information are available via a web-based repository and OCSP. In addition to publishing CRLs, ADACOM provides Certificate status information through query functions in the ADACOM repository.

Certificate status information for Qualified Certificates is available at the ADACOM Repository at: <https://pki.adacom.com/repository>

OCSP responses are provided within a commercially reasonable time and no later than ten seconds after the request is received, subject to transmission latencies over the Internet.

OCSP responses conform to RFC 5019 and/or RFC 6960. OCSP responses either:

1. Are signed by the CA that issued the Certificates whose revocation status is being checked, or
2. Are signed by an OCSP Responder whose Certificate is signed by the CA that issued the Certificate whose revocation status is being checked.

In the latter case, the OCSP signing Certificate contains an extension of type id-pkix-ocsp-nocheck, as defined by RFC 6960.

The maximum delay between the confirmation of the revocation of a certificate to become effective and the actual change of the status information of this certificate being made available to relying parties is at most 60 minutes. If though the revocation request requires revocation in advance (e.g. Subject's planned cessation from his/her duties at a certain date), then the scheduled date may be considered as the confirmation time.

4.9.10 On-Line Revocation Checking Requirements

A relying party must check the status of a certificate on which he/she/it wishes to rely. If a Relying Party does not check the status of a Certificate on which the Relying Party wishes to rely by consulting the most recent relevant CRL, the Relying Party shall check Certificate status by consulting the ADACOM repository or by requesting Certificate status using the applicable OCSP responder.

4.9.11 Other Forms of Revocation Advertisements Available

Not applicable.

4.9.12 Special Requirements regarding Key Compromise

ADACOM uses commercially reasonable efforts to notify potential Relying Parties if it discovers, or have reason to believe, that there has been a compromise of the private key of one of its own CAs.

4.9.13 Circumstances for Suspension

Not applicable.

4.9.14 Who Can Request Suspension

Not applicable.

4.9.15 Procedure for Suspension Request

Not applicable.

4.9.16 Limits on Suspension Period

Not applicable.

4.10 Certificate Status Services

4.10.1 Operational Characteristics

Certificate status information is available via CRL and OCSP responder. The serial number of a revoked Certificate remains on the CRL until one additional CRL is published after the end of the Certificate's validity period. OCSP information for subscriber Certificates is updated as per section 4.9.9.

4.10.2 Service Availability

ADACOM shall ensure that its Certificate Status Services are available 24 hours a day, 7 days a week with a minimum of 99% availability overall per year with a scheduled downtime that does not exceed 0.1% annually.

4.10.3 Optional Features

Not applicable.

4.11 End of Subscription

A Subscriber may end a subscription for an ADACOM Qualified Certificate by:

- Allowing the Qualified Certificate to expire without re-keying that Certificate,
- Revoking the Qualified Certificate before Certificate expiration without replacing it

4.12 Key Escrow and Recovery

Not applicable.

4.12.1 Key Escrow and Recovery Policy and Practices

Not applicable.

4.12.2 Session Key Encapsulation and Recovery Policy and Practices

Not applicable.

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

5.1 Physical Controls

ADACOM has implemented the ADACOM Physical Security Policy which supports the security requirements of this CPS. Compliance with these policies is included in ADACOM's audit requirements described in section 8. ADACOM Physical Security Policy contains sensitive security information and is only available upon agreement with ADACOM. An overview of the requirements is described below.

5.1.1 Site Location and Construction

ADACOM CA and RA operations are conducted within a physically protected environment that deters, prevents, and detects unauthorized use of, access to, or disclosure of sensitive information and systems whether covert or overt.

ADACOM also maintains Disaster Recovery facilities for its CA operations. ADACOM's Disaster Recovery facilities are protected by multiple tiers of physical security comparable to those of ADACOM's primary facility.

5.1.2 Physical Access

ADACOM CA systems are protected by seven (7) tiers of physical security, with access to the lower tier required before gaining access to the higher tier.

Progressively restrictive physical access privileges control access to each tier. Sensitive CA operational activity, any activity related to the lifecycle of the certification process such as authentication, verification, and issuance, occur within very restrictive physical tiers. Access to each tier requires the use of a proximity card employee badge. Physical access is automatically logged and video recorded. Some tiers enforce individual access control through the concurrent use of proximity cards and biometrics (two factor authentication). Unescorted personnel, including untrusted employees or visitors, are not allowed into such secured areas.

The physical security system includes tiers for key management security which serves to protect both online and offline storage of Cryptographic Signing Unit (CSUs) and keying material. Areas used to create and store cryptographic material enforce dual control, each through the concurrent use of proximity cards and biometrics. Online CSUs are protected through the use of locked cabinets. Offline CSUs are protected through the use of locked safes, cabinets and containers. Access to CSUs and keying material is restricted in accordance with ADACOM's segregation of duties requirements. The opening and closing of cabinets or containers in these tiers is logged for audit purposes.

ADACOM RA operations are protected using physical access controls making them accessible only to appropriately authorized individuals. Access to secure areas of buildings requires the use of an "access" or "pass" card. Access card use is logged by the building security system.

Access card logs and video records are reviewed on a regular basis. ADACOM securely stores all removable media and paper containing sensitive plain-text information related to its RA operations in secure containers.

ADACOM securely stores the Cryptographic Signing Units (CSU) used to generate and store the Subscribers Private Keys for remote signature. Access to the rooms used for key storage and key generation activities is controlled and logged by the building access card system. Access card logs and video records are reviewed on a regular basis.

5.1.3 Power and Air Conditioning

ADACOM's secure facilities are equipped with primary and backup:

- Power systems to ensure continuous, uninterrupted access to electric power and
- Heating/ventilation/air conditioning systems to control temperature and relative humidity.

5.1.4 Water Exposures

ADACOM has taken reasonable precautions to minimize the impact of water exposure to ADACOM systems

5.1.5 Fire Prevention and Protection

ADACOM has taken reasonable precautions to prevent and extinguish fires or other damaging exposure to flame or smoke. ADACOM's fire prevention and protection measures have been designed to comply with local fire safety regulations.

5.1.6 Media Storage

All media containing production software and data, audit, archive, or backup information is stored within ADACOM facilities or in a secure off-site storage facility with appropriate physical and logical access controls designed to limit access to authorized personnel and protect such media from accidental damage (e.g., water, fire).

5.1.7 Waste Disposal

Sensitive documents and materials are shredded before disposal. Media used to collect or transmit sensitive information are rendered unreadable before disposal. Cryptographic devices are physically destroyed or zeroized in accordance the manufacturers' guidance prior to disposal. Other waste is disposed of in accordance with ADACOM's normal waste disposal requirements.

5.1.8 Off-Site Backup

ADACOM performs routine backups of critical system data, audit log data, and other sensitive information. Offsite backup media are stored in a physically secure manner using the secure off-site Disaster Recovery facility in accordance with "ADACOM Disaster Recovery Plan".

5.2 Procedural Controls

5.2.1 Trusted Roles

Trusted Persons include all employees that have access to or control authentication or cryptographic operations that may materially affect:

- The validation of information in Certificate Applications;
- The acceptance, rejection, or other processing of Certificate Applications, revocation requests, re-key requests, or enrollment information;
- The issuance, or revocation of Certificates, including personnel having access to restricted portions of its repository;
- The handling of Subscriber information or requests.

Trusted Persons include, but are not limited to:

- Customer service personnel,
- RA/LRA personnel,
- Cryptographic business operations personnel,
- Security personnel,
- Internal auditors,
- System administration personnel,
- Designated engineering personnel, and
- Executives that are designated to manage infrastructural trustworthiness.

ADACOM considers the categories of personnel identified in this section as Trusted Persons having a Trusted Position. Persons seeking to become Trusted Persons by obtaining a Trusted Position must successfully complete the screening requirements set out in this CPS. The functions and duties performed by persons in trusted roles are distributed so that one person alone cannot circumvent security measures or subvert the security and trustworthiness of the PKI operations. Trusted roles are appointed by senior management. A list of personnel appointed to trusted roles is maintained and reviewed annually.

5.2.2 Number of Persons Required per Task

ADACOM has established, maintains, and enforces rigorous control procedures to ensure the segregation of duties based on job responsibility and to ensure that multiple Trusted Persons are required to perform sensitive tasks.

Policy and control procedures are in place to ensure segregation of duties based on job responsibilities. The most sensitive tasks, such as access to and management of CA cryptographic hardware (cryptographic signing unit or CSU) and associated key material, require multiple Trusted Persons.

These internal control procedures are designed to ensure that at a minimum, two trusted personnel are required to have either physical or logical access to the device. Access to CA cryptographic hardware is strictly enforced by multiple Trusted Persons throughout its lifecycle, from incoming receipt and inspection to final logical and/or physical destruction. Once a module is activated with operational keys, further access controls are invoked to maintain split control over both physical and logical access to the device. Persons with physical access to modules do not hold "Secret Shares" and vice versa.

5.2.3 Identification and Authentication for Each Role

For all personnel seeking to become Trusted Persons, verification of identity is performed through the ADACOM HR process based on check of well-recognized forms of identification (e.g., passports or identification cards). Identity is further confirmed through the background checking procedures in Section 5.3.2.

ADACOM ensures that personnel have achieved Trusted Status and departmental approval has been given before such personnel are:

- Issued access devices and granted access to the required facilities;
- Issued electronic credentials to access and perform specific functions on ADACOM CA, RA, or other IT systems.

ADACOM has implemented an access control system, which identifies authorities and registers all the ADACOM information system users in a trustworthy manner.

User accounts are created for personnel in specific roles that need access to the system in question. All users must log in with dedicated account, and administrative commands are only available with explicit permission and auditing of the execution. File system permissions and other features available in the operating system security model are used to prevent any other use.

User accounts are locked as soon as possible when the role change dictates. Access rules are audited annually.

5.2.4 Roles Requiring Separation of Duties

Roles requiring Separation of duties include, but are not limited to those performing:

- the validation and handling of information in Certificate Applications;
- the acceptance, rejection, or other processing of Certificate Applications, revocation requests, or re-keying requests, or enrollment information;
- the issuance, or revocation of Certificates, including personnel having access to restricted portions of the repository;
- the generation, issuing or destruction of a CA certificate;
- the loading of a CA to a Production environment.
- the access to the Remote QSCD

- backups, recording, and record keeping functions;
- audit, review, oversight, or reconciliation functions.

To accomplish this separation of duties, ADACOM designates individuals to the trusted roles, restricting an employee from assuming multiple roles, and thus preventing an employee from having more than one identity.

5.3 Personnel Controls

Personnel seeking to become Trusted Persons must present proof of the requisite background, qualifications, and experience needed to perform their prospective job responsibilities competently and satisfactorily, as well as proof of any government clearances, if any, necessary to perform certification services under government contracts. Background checks are repeated at least every 5 years for personnel holding Trusted Positions.

5.3.1 Qualifications, Experience, and Clearance Requirements

ADACOM requires that personnel seeking to become Trusted Persons present proof of the requisite background, qualifications, and experience needed to perform their prospective job responsibilities, as specified in the employment contract, job description and Roles and Responsibilities documents, competently and satisfactorily as well as proof of any government clearances, if any, necessary to perform certification services under government contracts, before they perform any operational or security functions.

The employment contracts signed by the employees of ADACOM provide for the following obligations:

- To maintain the secrecy of confidential information that has come to their knowledge in the course of their performance,
- To prevent them from holding business interests in a company, which may affect their judgment in the supply of the service and - to ensure that they have not been punished for a willful crime.
- All personnel in Trusted Roles are free from any interests that may affect their impartiality regarding ADACOM operations.

5.3.2 Background Check Procedures

Prior to commencement of employment in a Trusted Role, ADACOM conducts background checks which include the following:

- Verification of identity
- Check of previous employment and professional reference (if available);
- Confirmation of the highest or most relevant educational degree obtained;
- Search of national criminal records;
- Check of financial records.

To the extent that any of the requirements imposed by this section cannot be met due to a prohibition or limitation in local law or other circumstances, ADACOM will utilize a substitute investigative technique permitted by law that provides substantially similar information.

The factors revealed in a background check that may be considered grounds for rejecting candidates for Trusted Positions or for taking action against an existing Trusted Person generally include (but are not limited to) the following:

- Misrepresentations made by the candidate or Trusted Person;
- Highly unfavorable or unreliable professional references;
- Certain criminal convictions, and

- Indications of a lack of financial responsibility.

Reports containing such information are evaluated by human resources and security personnel, who determine the appropriate course of action in light of the type, magnitude, and frequency of the behavior uncovered by the background check. Such actions may include measures up to and including the cancellation of offers of employment made to candidates for Trusted Positions or the termination of existing Trusted Persons.

The use of information revealed in a background check to take such actions is subject to the applicable laws.

5.3.3 Training Requirements

ADACOM provides all its personnel involved with PKI operations with training upon hire as well as the requisite on-the-job training needed for them to perform their job responsibilities competently and satisfactorily. ADACOM maintains records of such training. ADACOM periodically reviews and enhances its training programs as necessary.

ADACOM's training programs are tailored to the individual's responsibilities and include the following as relevant:

- Basic PKI concepts,
- Job responsibilities,
- ADACOM security and operational policies and procedures,
- Use and operation of deployed hardware and software,
- Incident and Compromise reporting and handling, and
- Disaster recovery and business continuity procedures.

5.3.4 Retraining Frequency and Requirements

ADACOM provides refresher training and updates to their personnel to the extent and frequency required to ensure that such personnel maintain the required level of proficiency to perform their job responsibilities competently and satisfactorily.

5.3.5 Job Rotation Frequency and Sequence

No rotation used.

5.3.6 Sanctions for Unauthorized Actions

Appropriate disciplinary actions are taken for employees and agents failing to comply with this CPS, unauthorized actions or other violations of ADACOM policies and procedures. Disciplinary actions may include measures up to and including termination of employment and are commensurate with the frequency and severity of the unauthorized actions.

5.3.7 Independent Contractor Requirements

In limited circumstances, independent contractors or consultants may be used to fill Trusted Positions. Any such contractor or consultant is held to the same functional and security criteria that apply to ADACOM employees in a comparable position.

Independent contractors and consultants who have not completed or passed the background check procedures specified in Section 5.3.2 are permitted access to ADACOM's secure facilities only to the extent they are escorted and directly supervised by Trusted Persons at all times.

5.3.8 Documentation Supplied to Personnel

ADACOM provides its employees the requisite training and other documentation needed to perform their job responsibilities competently and satisfactorily, including a copy of the DigiCert CP, this CPS and other technical and operational documentation needed to maintain the integrity of ADACOM's CA operations. Employees are also given access to information on internal systems and security documentation, identity verification procedures and other relevant information.

5.4 Audit Logging Procedures

5.4.1 Types of Events Recorded

ADACOM ensures that all relevant information concerning the operation of the Trust Services is recorded for providing evidence for the purpose of legal proceedings. This information includes the archive records that are required for proving the validity of the Trust Service operation.

ADACOM manually or automatically logs the following significant events:

- CA certificate and key life cycle management events, including:
 - Key generation, backup, storage, recovery, archival, and destruction
 - Changes to CA details or keys
 - Cryptographic device life cycle management events.
- Subscriber certificate and key life cycle management events, including:
 - Certificate Applications, issuance, re-key, and revocation
 - Key generation, backup, storage, recovery, archival, and destruction
 - Successful or unsuccessful processing of requests
 - Changes to certificate creation policies
 - Generation and issuance of Certificates and CRLs.
- Trusted Employee Events, including:
 - Logon and logoff attempts
 - Attempts to create, remove, set passwords or change the system privileges of any privileged users
 - Personnel changes.
- All significant security-related events including:
 - Successful and unsuccessful PKI system access attempts
 - Start-up and shutdown of systems and applications
 - Possession of activation data for CA private key operations
 - System configuration changes and maintenance
 - PKI and security system actions performed by ADACOM personnel
 - Security sensitive files or records read, written or deleted
 - Security policy settings changes
 - System crashes, hardware failures and other anomalies
 - Firewall and router activity
 - CA facility visitor entry/exit.
 - Remote QSCD facility access entry/exit

Log entries include the following elements:

- Date and time of the entry
- Serial or sequence number of entry, for automatic journal entries
- Identity of the entity making the journal entry
- Kind of entry.

ADACOM RA and LRA log Certificate Application information including:

- Kind of identification document(s) presented by the Certificate Applicant

- Record of unique identification data, numbers, or a combination thereof (e.g., Certificate Applicant's identification card number) of identification documents, if applicable. Storage location of copies of applications and identification documents for Qualified Certificates
- Any specific choices in the Certificate Application
- Identity of entity accepting the application and in case of Qualified e-Seals identity of the natural person representing the legal person to whom the Qualified Certificate for the electronic seal is provided
- Method used to validate identification documents, if any
- Name of receiving CA or submitting RA and LRA, if applicable.

5.4.2 Frequency of Processing Log

ADACOM systems are continuously monitored to provide real time alerts of significant security and operational events for review by designated system security personnel. Monthly reviews of the audit logs include verifying that the logs have not been tampered with and thoroughly investigating any alerts or irregularities detected in the logs. Actions taken based on audit log reviews are also documented.

5.4.3 Retention Period for Audit Log

Audit logs shall be retained for at least two (2) months after processing and thereafter archived in accordance with Section 5.5.

Physical or digital archive records about certificate applications, registration information and requests or applications for revocation are retained for at least seven (7) years after any certificate based on these records ceases to be valid.

In case of CA termination ADACOM audit logs and archive records are retained and accessible until abovementioned term for retention in accordance with Section 5.8.

The individuals who remove audit logs from ADACOM's CA systems are different than the individuals who control signature keys.

5.4.4 Protection of Audit Log

Audit logs are protected with an electronic audit log system that includes mechanisms to protect the log files from unauthorized viewing, modification, deletion, or other tampering.

5.4.5 Audit Log Backup Procedures

Incremental backups of audit logs are created daily and full backups are performed weekly.

5.4.6 Audit Collection System (Internal vs. External)

Automated audit data is generated and recorded at the application, network and operating system level. Manually generated audit data is recorded by ADACOM personnel in Trusted Roles.

5.4.7 Notification to Event-Causing Subject

Where an event is logged by the audit collection system, no notice is required to be given to the individual, organization, device, or application that caused the event, unless such notice is compulsory according to the law.

Should the records concerning the operation of services be required for the purposes of providing evidence of the correct operation of the services and for the purpose of legal proceedings, they are made available to legal authorities and/or persons who have a legal right of access.

5.4.8 Vulnerability Assessments

Events in the audit process are logged, in part, to monitor system vulnerabilities. Vulnerability Assessments are performed and reviewed annually in order to identify and assess reasonably foreseeable internal and external threats that could result in unauthorized access, disclosure, misuse, alteration, or destruction of any certificate data or certificate issuance process. ADACOM also routinely assesses the sufficiency of the policies, procedures, information systems, technology, and other arrangements that it has in place to control such risks. The Vulnerability Assessment and Risk Assessment are an input to ADACOM's annual conformity assessment audit.

5.5 Records Archival

5.5.1 Types of Records Archived

ADACOM archives:

- All audit data collected according to Section 5.4
- Certificate application information
- Documentation supporting certificate applications
- Certificate lifecycle information
- Approval or rejection of a revocation request
- CP and CPS versions
- Conformity assessment audit reports
- ADACOM Certifications
- Appointment of an individual to a trusted role.

5.5.2 Retention Period for Archive

The retention period for archive is described in Section 5.4.3.

5.5.3 Protection of Archive

ADACOM protects the archive so that only authorized Trusted Persons are able to obtain access to the archive. The archive is protected against unauthorized viewing, modification, deletion, or other tampering by storage within a trustworthy system. The media holding the archive data and the applications required to process the archive data shall be maintained to ensure that the archive data can be accessed for the time period set forth in this CPS.

5.5.4 Archive Backup Procedures

ADACOM incrementally backs up electronic archives on a daily basis and performs full backups on a weekly basis. Electronic copies of paper-based records are maintained on ADACOM's off-site secure facility.

5.5.5 Requirements for Time-Stamping of Records

Certificates, CRLs, and other revocation database entries contain time and date information. Such time information need not be cryptographic-based.

5.5.6 Archive Collection System (Internal or External)

ADACOM uses an internal archive collection system.

5.5.7 Procedures to Obtain and Verify Archive Information

Only authorized Trusted Personnel are able to obtain access to the archive. The integrity of the information is verified when it is restored.

Should the records concerning the operation of services be required for the purposes of providing evidence of the correct operation of the services and for the purpose of legal proceedings, they are made available to legal authorities and/or persons who have a legal right of access.

5.6 Key Changeover

ADACOM CA key pairs are retired from service at the end of their respective maximum lifetimes as defined in this CPS. ADACOM CA Certificates may be renewed as long as the cumulative certified lifetime of the CA key pair does not exceed the maximum CA key pair lifetime. New CA key pairs are generated as necessary, for example to replace CA key pairs that are being retired, to supplement existing, active key pairs and to support new services.

Towards the end of a CA Private Key's lifetime, ADACOM ceases using the expiring CA Private Key to sign Certificates and uses the old Private Key only to sign CRLs and OCSP responder Certificates. A new CA signing Key Pair is commissioned and all subsequently issued Certificates and CRLs are signed with the new private signing key. Both the old and the new Key Pairs may be concurrently active. This key changeover process helps minimize any adverse effects from CA certificate expiration. The corresponding new CA Public Key Certificate is provided to subscribers and relying parties through the delivery methods detailed in Section 6.1.4.

Where ADACOM has cross-certified another CA that is in the process of a key rollover, ADACOM obtains a new CA Public Key (PKCS#10) or new CA Certificate from the other CA and distributes a new CA cross Certificate following the procedures described above.

5.7 Compromise and Disaster Recovery

5.7.1 Incident and Compromise Handling Procedures

Backups of the following CA information are kept in off-site storage and made available in the event of a Compromise or disaster: Certificate Application data, audit data, and database records for all Certificates issued. Back-ups of CA private keys are generated and maintained in accordance with this CPS.

5.7.2 Computing Resources, Software, and/or Data Are Corrupted

In the event of the corruption of computing resources, software, and/or data, such an occurrence is reported to ADACOM Security and ADACOM's incident handling procedures are enacted. Such procedures require appropriate escalation, incident investigation, and incident response. If necessary, ADACOM's key compromise or disaster recovery procedures will be enacted.

5.7.3 Entity Private Key Compromise Procedures

Upon the suspected or known Compromise of an ADACOM CA, ADACOM follows the plan of actions as described within the Security Incident Management procedure.

If CA Certificate revocation is required, the following procedures are performed:

- The Certificate's revoked status is communicated to Relying Parties through the ADACOM repository in accordance with Section 4.9.9,
- Commercially reasonable efforts will be made to provide additional notice of the revocation to all affected Participants, and
- The CA will generate a new key pair in accordance with Section 5.6, except where the CA is being terminated in accordance with Section 5.8.

This paragraph is also applicable in case PKI algorithms or associated parameters become insufficient for its remaining intended usage.

5.7.4 Business Continuity Capabilities after a Disaster

ADACOM maintains a Business Continuity Plan (BCP) in order to establish procedures to recover the ADACOM critical business functions following a disaster.

The following objectives have been established for this plan:

- Maximize the effectiveness of contingency operations through an established plan that consists of the following phases:
 - Notification/Activation phase to detect and assess damage and activate the plan.
 - Recovery phase to restore temporary IT operations and recover damage done to the original system.
- Identify the activities, resources, and procedures needed to carry out ADACOM CA and Certificate functions during prolonged interruptions to normal operations.
- Assign responsibilities to designated ADACOM personnel and provide guidance for recovering ADACOM procedures during prolonged periods of interruption to normal operations.
- Ensure coordination with other ADACOM staff who will participate in the contingency planning strategies. Ensure coordination with external points of contact and vendors who will participate in the contingency planning strategies.

ADACOM has the capability to restore or recover essential operations within twenty-four (24) hours following a disaster with, at a minimum, support for the following functions:

- Certificate issuance,
- Certificate revocation,
- Publication of revocation information.

ADACOM maintains redundant hardware and backups of its CA and infrastructure system software at its Disaster Recovery facility. In addition, CA private keys are backed up and maintained for disaster recovery purposes in accordance with Section 6.2.4.

5.8 CA or RA Termination

The CA is terminated:

- with a decision of the ADACOM's Board of Directors;
- with a decision of the authority exercising supervision over the supply of the service;
- with a judicial decision;
- Upon the liquidation or termination of the operations of ADACOM.

ADACOM ensures that potential disruptions to Subscribers and Relying Parties are minimized as a result of the cessation of ADACOM's services, and in particular, it ensures the continued maintenance of information required to verify the correctness of Trust Services.

In the event that it is necessary for an ADACOM CA, to cease operation, ADACOM makes a commercially reasonable effort to notify Subscribers, Relying Parties, and other affected entities of such termination in advance of the CA termination. Where CA termination is required, where applicable, ADACOM will transfer its obligations to another TSP and will activate the documented "ADACOM Termination Plan" to minimize disruption to Customers, Subscribers, and Relying Parties. This termination plan may address the following, as applicable:

- Provision of notice to parties affected by the termination, such as Subscribers, Relying Parties, and Customers, informing them of the status of the CA,
- Handling the cost of such notice,
- The revocation of the Certificate issued to the CA by ADACOM,
- The preservation of the CA's archives and records for the time periods required in this CPS,
- The continuation of Subscriber and customer support services,
- The continuation of revocation services, such as the issuance of CRLs or the maintenance of online status checking services,
- The revocation of unexpired unrevoked Certificates of end-user Subscribers and subordinate CAs, if necessary,
- Refunding (if necessary) Subscribers whose unexpired unrevoked Certificates are revoked under the termination plan or provision, or alternatively, the issuance of replacement Certificates by a successor CA,
- Disposition of the CA's private key, including backup key, and the hardware tokens containing such private key,
- Provisions needed for the transition of the CA's services to a successor CA where possible,
- Provision notice to relevant authorities such as supervisory bodies,
- Transfer of obligations to a reliable party for maintaining all information necessary to provide evidence of the Trust Services operation for a reasonable period, unless it can be demonstrated that ADACOM does not hold such information,
- The submission of the ADACOM CA's archives and records to another contracting Trust Service Provider for Qualified Certificates, for the time periods required by the law.

Upon termination of ADACOM CA's operations, any contracts assigning part of the TSP responsibilities to third parties, i.e. outsourced Subscriber validation responsibilities to a Registration Authority, shall expire automatically. To this end, third parties shall secure the transfer of the records and documents related to the assigned responsibilities, according to applicable law.

6. TECHNICAL SECURITY CONTROLS

6.1 Key Pair Generation and Installation

6.1.1 Key Pair Generation

CA key pair generation is performed by multiple pre-selected, trained and trusted individuals using trustworthy systems and processes that provide for the security and required cryptographic strength for the generated keys. The cryptographic modules used for key generation meet the requirements of FIPS 140-2 level 3.

All CA key pairs are generated in pre-planned Key Generation Ceremonies in accordance with the requirements of the Key Ceremony Reference Guide and the CA Key Management Tool User's Guide. The activities performed in each key generation ceremony are recorded, dated and signed by all individuals involved. These records are kept for audit and tracking purposes for a length of time deemed appropriate by ADACOM Management.

Generation of end-user Subscriber key pairs is generally performed by the Subscriber. The Subscriber uses a QSCD certified cryptographic module compliant with eIDAS Regulation requirements.

For EU Remote Qualified Certificates, the generation of keys, their storage and subsequent use, is performed by ADACOM using exclusively devices certified specifically in accordance with the applicable requirements per Article 30.3 of the eIDAS and, thus included in the list of qualified devices maintained by the European Commission in compliance with Articles 30, 31 and 39 of eIDAS.

6.1.2 Private Key Delivery to Subscriber

When Subscriber key pairs are generated on QSCD by the Subscriber, private key delivery to the Subscriber is not applicable.

When Subscriber key pairs are pre-generated by ADACOM on QSCD, such device is delivered to the Subscriber using a commercial registered mail delivery service. The data required to activate the device is communicated to Subscriber using an out of band process. The distribution of such devices is monitored by ADACOM.

When Subscriber key pairs are generated on a remote QSCD by the Subscriber, private key delivery to the Subscriber is performed inside the remote QSCD.

6.1.3 Public Key Delivery to Certificate Issuer

Subscribers submit their public key to ADACOM for certification electronically through the use of a PKCS#10 Certificate Signing Request (CSR) or other digitally signed package in a session secured by Secure Sockets Layer (SSL). Where Subscriber key pairs are pre-generated by ADACOM, this requirement is not applicable.

6.1.4 CA Public Key Delivery to Relying Parties

ADACOM makes the Root CA Certificates available to Subscribers and Relying Parties through their inclusion in web browser software. As new Root CA Certificates are generated, DigiCert

provides such new Certificates to the browser manufacturers for inclusion in new browser releases and updates.

ADACOM generally provides its own full certificate chain (including the issuing CA and any CAs in the chain) to the Subscriber upon Certificate issuance.

Subscribers, during the certificate pick-up process, automatically download and install into their computer, the intermediate and issuing CA's public keys. In any case if a user needs to verify and/or download the public key of the CA, he can do so by accessing the ADACOM's web-based repository (<https://pki.adacom.com/repository>).

6.1.5 Key Sizes

Key pairs shall be of sufficient length to prevent others from determining the key pair's private key using cryptanalysis during the period of expected utilization of such key pairs. The ADACOM Standard for minimum key sizes is the use of key pair equivalent in strength to minimum 2048 bit RSA for CAs and Subscriber certificates.

Currently, ADACOM generates and uses at least the following minimum key sizes, signature algorithms, and hash algorithms for signing Certificates, CRLs, and certificate status server responses:

- RSA keys whose modulus size in bits is divisible by 8, and is at least 2048;
- Digest algorithms: SHA-256, SHA-384, or SHA-512.

6.1.6 Public Key Parameters Generation and Quality Checking

The quality of Public Keys is guaranteed by using secure random number generation and on-board generation of Public Keys. Key Pairs are generated using secure algorithms and parameters based on current research and industry standards following the recommendations of ETSI TS 119 312.

6.1.7 Key Usage Purposes (as per X.509 v3 Key Usage Field)

Refer to Section 7.

6.2 Private Key Protection and Cryptographic Module Engineering Controls

ADACOM has implemented a combination of physical, logical, and procedural controls to ensure the security of ADACOM CA private keys. Subscribers are also required to take necessary precautions to prevent the loss, disclosure, modification, or unauthorized use of private keys.

6.2.1 Cryptographic Module Standards and Controls

For CA key pair generation and CA private key storage, ADACOM uses hardware cryptographic modules that are certified at or meet the requirements of FIPS 140-2 Level 3.

Subscriber Private Keys are generated on QSCD compliant to eIDAS Regulation requirements.

ADACOM monitors QSCD certification status until the end of the validity period of the certificate associated with the relevant QSCD. In case of a modification of the certification status of the QSCD, ADACOM will stop issuing certificates on these devices.

6.2.2 Private Key (m out of n) Multi-Person Control

ADACOM has implemented technical and procedural mechanisms that require the participation of multiple trusted individuals to perform sensitive CA cryptographic operations. ADACOM uses "Secret Sharing" to split the activation data needed to make use of a CA private key into separate parts called "Secret Shares" which are held by trained and trusted individuals called "Shareholders." A threshold number of Secret Shares (m) out of the total number of Secret Shares created and distributed for a particular hardware cryptographic module (n) is required to activate a CA private key stored on the module.

The threshold number of shares needed to sign a CA certificate is three (3). It should be noted that the number of shares distributed for disaster recovery tokens may be less than the number distributed for operational tokens, while the threshold number of required shares remains the same. Secret Shares are protected in accordance with this CPS.

No Multi-Person control is applied to Subscriber Private keys.

6.2.3 Private Key Escrow

ADACOM CA and Subscribers private keys are not escrowed.

6.2.4 Private Key Backup

ADACOM creates backup copies of CA private keys and Subscriber private keys generated and stored by a Remote QSCD, for routine recovery and disaster recovery purposes. Such keys are stored in encrypted form within hardware cryptographic modules and associated key storage devices. Cryptographic modules used for private key storage meet the requirements of this CPS. Private keys are copied to backup hardware cryptographic modules in accordance with this CPS.

Modules containing onsite backup copies of CA private keys are subject to the requirements of this CPS. Modules containing disaster recovery copies of CA private keys are subject to the requirements of this CPS.

In case of a local QSCD the Subscriber Private Keys cannot be extracted or restored from the QSCD and are not backed up.

6.2.5 Private Key Archival

Upon expiration of an ADACOM CA Certificate, the key pair associated with the certificate is securely retained for a period of at least 5 years using hardware cryptographic modules that meet the requirements of this CPS. These CA key pairs are not used for any signing events after their expiration date of the corresponding CA Certificate, unless the CA Certificate has been renewed in terms of this CPS.

The Subscriber Private Keys cannot be extracted or restored from the QSCD and are not archived.

6.2.6 Private Key Transfer into or from a Cryptographic Module

ADACOM generates CA key pairs on the hardware cryptographic modules in which the keys will be used. In addition, ADACOM makes copies of such CA key pairs for routine recovery and disaster recovery purposes. Where CA key pairs are backed up to another hardware cryptographic module, such key pairs are transported between modules in encrypted form.

ADACOM generates Subscriber key pairs on the hardware cryptographic modules in which the keys will be used. In addition, ADACOM makes copies of such Subscriber key pairs for high availability and disaster recovery purposes. Where Subscriber key pairs are backed up to another hardware cryptographic module, such key pairs are transported between modules in encrypted form.

6.2.7 Private Key Storage on Cryptographic Module

Private keys held on hardware cryptographic modules are stored in encrypted form.

6.2.8 Method of Activating Private Key

All ADACOM Subscribers shall protect the activation data for their private keys against loss, theft, modification, unauthorized disclosure, or unauthorized use.

Activation data generation is described in Section 6.4.1

The Subscriber Private Keys on Local QSCD are protected by PIN codes. The following rules apply:

- Subscriber needs to enter the PIN code to the QSCD for each transaction.
- Subscriber is obligated to change the PIN and PUK code prior the initial registration process
- In case the Subscriber enters a wrong PIN code 5 times in a row, the QSCD is blocked
- PIN can be unblocked using an admin PIN code
- The usage of admin PIN code will be blocked after 3 consecutive incorrect tries
- User can change the PIN and PUK codes.

The Subscriber Private Keys on Remote QSCD are protected by username, password and OTP codes. The following rules apply:

- Subscriber needs to enter the username, password and OTP code to the QSCD for each transaction.
- In case the Subscriber enters a wrong username, password and OTP code 5 times in a row, the Remote QSCD account is locked
- Remote QSCD account cannot be password reset
- User can change the password.

An online CA's private key shall be activated by a threshold number of Shareholders, as defined in Section 6.2.2, supplying their activation data (stored on secure media). Once the private key is activated, the private key may be active for an indefinite period until it is deactivated when the CA goes offline. Similarly, a threshold number of Shareholders shall be required to supply their activation data in order to activate an offline CA's private key. Once the private key is activated, it shall be active only for one time.

6.2.9 Method of Deactivating Private Key

ADACOM CA private keys are deactivated upon power off of the cryptographic module.

Subscriber private keys may be deactivated after each operation, upon logging off their system, upon removal of the Local QSCD from the system, or upon logging off of the Remote QSCD. In all cases, Subscribers have an obligation to adequately protect their private key(s) in accordance with this CPS.

6.2.10 Method of Destroying Private Key

Where required, ADACOM destroys CA and Subscriber private keys in a manner that reasonably ensures that there are no residuals remains of the key that could lead to the reconstruction of the key. ADACOM utilizes the zeroization function of its hardware cryptographic modules and other appropriate means to ensure the complete destruction of CA private keys. When performed, key destruction activities are witnessed.

The Subscriber Private Keys of a Local QSCD can be destroyed by physically destroying or damaging the QSCD.

6.2.11 Cryptographic Module Rating

See Section 6.2.1.

6.3 Other Aspects of Key Pair Management

6.3.1 Public Key Archival

ADACOM CA, RA and Subscriber Certificates are backed up and archived as part of ADACOM's routine backup procedures.

All the Subscriber Public Keys are kept in database of ADACOM and may be archived for at least seven (7) years after expiration of the CA that has issued the certificates.

6.3.2 Certificate Operational Periods and Key Pair Usage Periods

The Operational Period of a Certificate ends upon its expiration or revocation. The Operational Period for key pairs is the same as the Operational Period for the associated Certificates, except that they may continue to be used for signature verification. The maximum Operational Periods for ADACOM Certificates issued on or after the effective date of this CPS are set forth in the following table below.

<i>Certificate Issued By:</i>	<i>Private Key Use</i>	<i>Validity Period</i>
Publicly Trusted Root CA (PCA)	No stipulation	Normally up to 25 years
ADACOM Issuing CA	No stipulation	Normally up to 15 years
Long-lived Certificate	No stipulation	Normally 1-3 years
Short-lived Certificate	No stipulation	Normally 24 - 72 hours

In addition, ADACOM CAs stop issuing new Certificates at an appropriate date (60 days plus maximum validity period of issued Certificates) prior to the expiration of the CA's Certificate such that no Certificate issued by a Subordinate CA expires after the expiration of any Superior CA Certificates. The lifetime of Subscriber's certificates will not exceed the lifetime of the CA's signing certificate.

Subscribers shall cease all use of their key pairs after their usage periods have expired.

If an algorithm or the appropriate key length offers no sufficient security during the validity period of the certificate, the concerned certificate will be revoked and a new certificate application will be initiated. The applicability of cryptographic algorithms and parameters is constantly supervised by the ADACOM management.

6.4 Activation Data

6.4.1 Activation Data Generation and Installation

Activation data (Secret Shares) used to protect HSM containing ADACOM CA private keys are generated in accordance with the requirements of Section 6.2.2 and the Key Ceremony Reference Guide. The creation and distribution of Secret Shares is logged.

Activation data used (PINs) to protect Local QSCD containing Subject's private keys are generated in accordance with the user manual of the QSCD.

- Where Subscriber key pairs are pre-generated by ADACOM, activation data are delivered to the Subscriber using a commercial registered mail delivery service.
- Where Subscriber key pairs are generated by the Subscriber, pre-defined activation data must be changed immediately before the key generation.

Activation data used (username, password and OTP code) to protect Remote QSCD containing Subject's private keys are generated in accordance with the compliance requirements of the QSCD. ADACOM will only transmit activation data via an appropriately protected channel and at a time and place that is distinct from the delivery of the associated cryptographic module.

6.4.2 Activation Data Protection

ADACOM protects data used to unlock Private Keys from disclosure using a combination of control mechanisms. ADACOM Shareholders are required to safeguard their Secret Shares and remote QSCD Secret Shares and sign an agreement acknowledging their Shareholder responsibilities.

ADACOM personnel and Subscribers are instructed to use strong passwords and to protect PINs and passwords. Subscribers are also instructed to memorize their activation credentials (PIN, PUK, username, password, OTP) and not share them with anyone else.

ADACOM enforces multi-factor authentication for all accounts capable of causing certificate issuance or performing Registration Authority or delegated third party functions, or implement technical controls operated by the CA to restrict certificate issuance through the account to a limited set of pre-approved domains or email addresses.

6.4.3 Other Aspects of Activation Data

6.4.3.1 Activation Data Transmission

To the extent activation data for private keys are transmitted, Participants shall protect the transmission using methods that protect against the loss, theft, modification, unauthorized disclosure, or unauthorized use of such private keys.

6.4.3.2 Activation Data Destruction

Activation data for CA private keys are decommissioned using methods that protect against the loss, theft, modification, unauthorized disclosure, or unauthorized use of the private keys protected by such activation data. After the record retention periods in section 5.5.2 lapse, ADACOM destroys activation data by overwriting and/or physical destruction.

6.5 Computer Security Controls

ADACOM performs all CA and RA functions using trustworthy systems that meet the requirements of ADACOM Information Security Management System (ISMS).

6.5.1 Specific Computer Security Technical Requirements

ADACOM ensures that the systems maintaining CA software and data files are trustworthy systems secure from unauthorized access. In addition, ADACOM limits access to production servers to those individuals with a valid business reason for such access. General application users do not have accounts on production servers.

ADACOM's production network is logically separated from other components. This separation prevents network access except through defined application processes. ADACOM uses firewalls to protect the production network from internal and external intrusion and limit the nature and source of network activities that may access production systems.

All critical software components are installed and updated from trusted sources only. There are also internal procedures to protect the integrity of certification service components against viruses, malicious and unauthorized software.

ADACOM personnel are authenticated before using critical applications related to the services. User accounts are created for personnel in specific roles that need access to the system in question. File system permissions and other features available in the operating system security model are used to prevent any other use. User accounts are removed as soon as possible when the role change dictates. Access rules are audited annually.

ADACOM requires the use of passwords that have a minimum character length and a combination of alphanumeric and special characters. ADACOM requires that passwords be changed on a periodic basis.

Direct access to ADACOM databases supporting ADACOM's CA Operations is limited to Trusted Persons having a valid business reason for such access.

The ADACOM certification services system components are managed in accordance with defined change management procedures. These procedures include system testing in an isolated test environment and the requirement that change must be approved by the Information Security Officer. The approval is documented for further reference.

All media containing production environment software and data, audit, archive, or backup information are stored within ADACOM with appropriate physical and logical access controls. Media containing Sensitive Information are securely disposed of when no longer required.

Incident response and vulnerability management procedures are documented in an internal document. Monitoring system detects and alarms of abnormal system activities that indicate potential security violation, including intrusion into the network.

Paper documents and materials with Sensitive Information are shredded before disposal. Media used to collect or transmit Sensitive Information are rendered unreadable before disposal.

RAs must ensure that the systems maintaining software and data files are trustworthy systems, secure from unauthorized access and logically separated from other components. RAs must use firewalls to protect the network from internal and external intrusion and limit the nature and source of activities that may access such systems and information.

6.5.2 Computer Security Rating

No stipulation.

6.6 Life Cycle Technical Controls

6.6.1 System Development Controls

New versions of software are developed and implemented in accordance to change management procedure.

New or updated software, when first loaded provides a method to verify that the software on the system originated from trust source, has not been modified prior to installation, and is the version intended for use.

6.6.2 Security Management Controls

ADACOM has mechanisms and/or policies in place to control and monitor the configuration of its CA systems. DigiCert creates a hash of all software packages and DigiCert software updates. This hash is used to verify the integrity of such software manually. Upon installation and periodically thereafter, ADACOM validates the integrity of its CA systems. Only the software directly used for performing the tasks is used in the information system.

6.6.3 Life Cycle Security Controls

ADACOM policies and assets are reviewed at planned intervals, or when significant changes occur to ensure their continuing suitability, adequacy and effectiveness.

The configurations of ADACOM systems are checked at least annually for changes that violate the ADACOM security policies. Changes that have an impact on the level of security provided are reviewed by the Information Security Officer and approved by the Management.

ADACOM has procedures for ensuring that security patches are applied to the certification system within a reasonable time period after they become available, but not later than six months following the availability of the security patch. The reasons for not applying any security patches will be documented.

ADACOM manages the registration of information assets and classifies all information assets into security classes according to the results of the regular security analysis consistent with the risk assessment.

6.7 Network Security Controls

ADACOM performs all its CA and RA functions using networks secured in accordance with the ADACOM ISMS to prevent unauthorized access and other malicious activity. ADACOM protects its communications of sensitive information through the use of encryption and digital signatures.

The security level of the internal network and external connections is constantly monitored to prevent all access to protocols and services not required for the operation of the Trust Services.

ADACOM performs a vulnerability assessment periodically on public and private IP addresses as well as penetration tests on the PKI systems.

6.8 Time-Stamping

Certificates, CRLs, and other revocation database entries contain time and date information. The system time on ADACOM's computers is updated using the Network Time Protocol (NTP) to synchronize system clocks at least once every one hour.

7. CERTIFICATE, CRL, AND OCSP PROFILES

7.1 Certificate Profile

Certificate profile is in accordance with the X.509 version 3, the IETF RFC 5280 and clause 6.6.1 of ETSI EN 319 411-1.

7.1.1 Version Number

All Certificates are X.509 version 3 Certificates.

7.1.2 Certificate Extensions

Every issued certificate includes extensions as they are defined for X.509v3 Certificates.

ADACOM's Technically Constrained Issuing CA Certificates include an Extended Key Usage (EKU) extension specifying all extended key usages for which the Issuing CA Certificate is authorized to issue certificates. The anyExtendedKeyUsage KeyPurposeId does not appear in the EKU extension of ADACOM trusted certificates.

Below is a list of extensions used by ADACOM for each type of certificate.

7.1.2.1 For Natural Person electronic signatures

Standard Extension	Field	Value
Authority Key Identifier	Key Identifier	<i>This field contains the Subject Key Identifier of the issuer's Certificate.</i>
Basic Constraint	End Entity	Yes
	Maximum Path Length	None
Certificate Policies	Cert Policy ID	2.16.840.1.113733.1.7.23.2
	Cert Policy Qualifier ID	1.3.6.1.5.5.7.2.1 (CPS Pointer)
	Cert Qualifier	https://pki.adacom.com/cps
	Cert Policy ID	0.4.0.194112.1.2
	Cert Policy ID	1.3.6.1.4.1.15976.1.1.1.3, or 1.3.6.1.4.1.15976.1.1.1.4
CRL Distribution Point	Distribution Point	Full Name
	Uniform Resource ID	http://crl.adacom.com/ADACOMSANaturalPersonSignature/LatestCRL.crl
Key Usage	Non-Repudiation	Set
	Digital Signature	Set
Qualified Certificate	etsiQcsCompliance	0.4.0.1862.1.1
	etsiQcsQcSSCD	0.4.0.1862.1.4
	etsiQcPDS	0.4.0.1862.1.5

Statements	PDS Location (en)	https://pki.adacom.com/repository/PKIPDS-EN.pdf
	PDS Location (el)	https://pki.adacom.com/repository/PKIPDS-EL.pdf
	etsiQcType	0.4.0.1862.1.6
	etsiQcTypeEsign	0.4.0.1862.1.6.1
Authority Information Access	Access Method	1.3.6.1.5.5.7.48.1
	Access Location	http://ocsp.adacom.com
	Access Method	1.3.6.1.5.5.7.48.2
	Access Location	https://pki.adacom.com/repository/en/certs/production/file_s/ca-esignature.crt
Subject Key Identifier	Key Identifier	<i>This field contains the ID of the Certificate Holder's key.</i>
Enhanced Key Usage	Secure Email	1.3.6.1.5.5.7.3.4
	Client Authentication	1.3.6.1.5.5.7.3.2
Subject Alternative Name	RFC822 Name	<i>Email address of Subject</i>

7.1.2.2 For Natural Person in association with a Legal Person electronic signatures

<i>Standard Extension</i>	<i>Field</i>	<i>Value</i>
Authority Key Identifier	Key Identifier	<i>This field contains the Subject Key Identifier of the issuer's Certificate.</i>
Basic Constraint	End Entity	Yes
	Maximum Path Length	None
Certificate Policies	Cert Policy ID	2.16.840.1.113733.1.7.23.2
	Cert Policy Qualifier ID	1.3.6.1.5.5.7.2.1 (CPS Pointer)
	Cert Qualifier	https://pki.adacom.com/cps
	Cert Policy ID	0.4.0.194112.1.2
	Cert Policy ID	1.3.6.1.4.1.15976.1.1.1.3, or 1.3.6.1.4.1.15976.1.1.1.4
CRL Distribution Point	Distribution Point	Full Name
	Uniform Resource ID	http://crl.adacom.com/ADACOMSALegalPersonSignature/LatestCRL.crl
Key Usage	Non-Repudiation	Set
	Digital Signature	Set
Qualified Certificate	etsiQcsCompliance	0.4.0.1862.1.1
	etsiQcsQcSSCD	0.4.0.1862.1.4
	etsiQcPDS	0.4.0.1862.1.5

Statements	PDS Location (en)	https://pki.adacom.com/repository/PKIPDS-EN.pdf
	PDS Location (el)	https://pki.adacom.com/repository/PKIPDS-EL.pdf
	etsiQcType	0.4.0.1862.1.6
	etsiQcTypeEsign	0.4.0.1862.1.6.1
Authority Information Access	Access Method	1.3.6.1.5.5.7.48.1
	Access Location	http://ocsp.adacom.com
	Access Method	1.3.6.1.5.5.7.48.2
	Access Location	https://pki.adacom.com/repository/en/certs/production/files/ca-esignature.crt
Subject Key Identifier	Key Identifier	<i>This field contains the ID of the Certificate Holder's key.</i>
Enhanced Key Usage	Secure Email	1.3.6.1.5.5.7.3.4
	Client Authentication	1.3.6.1.5.5.7.3.2
Subject Alternative Name	RFC822 Name	<i>Email address of Subject</i>

7.1.2.3 For Legal Person electronic seals

Standard Extension	Field	Value
Authority Key Identifier	Key Identifier	<i>This field contains the Subject Key Identifier of the issuer's Certificate.</i>
Basic Constraint	End Entity	Yes
	Maximum Path Length	None
Certificate Policies	Cert Policy ID	2.16.840.1.113733.1.7.23.2
	Cert Policy Qualifier ID	1.3.6.1.5.5.7.2.1 (CPS Pointer)
	Cert Qualifier	https://pki.adacom.com/cps
	Cert Policy ID	0.4.0.194112.1.3
CRL Distribution Point	Distribution Point	Full Name
	Uniform Resource ID	http://crl.adacom.com/ADACOMSALegalPersonSeal/LatestCRL.crl
Key Usage	Non-Repudiation	Set
	Digital Signature	Set
Qualified Certificate	etsiQcsCompliance	0.4.0.1862.1.1
	etsiQcsQcSSCD	0.4.0.1862.1.4 (N/A for advanced eSeals)
	etsiQcPDS	0.4.0.1862.1.5
	PDS Location (en)	https://pki.adacom.com/repository/PKIPDS-EN.pdf

Statements	PDS Location (el)	https://pki.adacom.com/repository/PKIPDS-EL.pdf
	etsiQcType	0.4.0.1862.1.6
	etsiQcTypeEseal	0.4.0.1862.1.6.2
Authority Information Access	Access Method	1.3.6.1.5.5.7.48.1
	Access Location	http://ocsp.adacom.com
	Access Method	1.3.6.1.5.5.7.48.2
	Access Location	https://pki.adacom.com/repository/en/certs/production/files/ca-eseal.crt
Subject Key Identifier	Key Identifier	<i>This field contains the ID of the Certificate Holder's key.</i>
Enhanced Key Usage	Client Authentication	1.3.6.1.5.5.7.3.2

7.1.2.4 For PSD2 electronic seals

Standard Extension	Field	Value
Authority Key Identifier	Key Identifier	<i>This field contains the Subject Key Identifier of the issuer's Certificate.</i>
Basic Constraint	End Entity	Yes
	Maximum Path Length	None
Certificate Policies	Cert Policy ID	2.16.840.1.113733.1.7.23.2
	Cert Policy Qualifier ID	1.3.6.1.5.5.7.2.1 (CPS Pointer)
	Cert Qualifier	https://pki.adacom.com/cps
	Cert Policy ID	0.4.0.194112.1.3
CRL Distribution Point	Distribution Point	Full Name
	Uniform Resource ID	http://crl.adacom.com/ADACOMSALegalPersonSeal/LatestCRL.crl
Key Usage	Non-Repudiation	Set
	Digital Signature	Set
Qualified Certificate Statements	etsiQcsCompliance	0.4.0.1862.1.1
	etsiQcsQcSSCD	0.4.0.1862.1.4 (N/A for advanced eSeals)
	etsiQcPDS	0.4.0.1862.1.5
	PDS Location (en)	https://pki.adacom.com/repository/PKIPDS-EN.pdf
	PDS Location (el)	https://pki.adacom.com/repository/PKIPDS-EL.pdf
	etsiQcType	0.4.0.1862.1.6

	etsiQcTypeEseal	0.4.0.1862.1.6.2
	etsi-psd2-qcStatement	0.4.0.19495.2
	id-psd2-role-psp-as	0.4.0.19495.1.1
	id-psd2-role-psp-pi	0.4.0.19495.1.2
	id-psd2-role-psp-ai	0.4.0.19495.1.3
	id-psd2-role-psp-ic	0.4.0.19495.1.4
	NCAName	NCA Long Name (English Language) Registered name
	NCAId	NCA Identifier composed of the same values as in the equivalent fields of the authorization number defined in ETSI TS 119 495 clause 5.2.1
Authority Information Access	Access Method	1.3.6.1.5.5.7.48.1
	Access Location	http://ocsp.adacom.com
	Access Method	1.3.6.1.5.5.7.48.2
	Access Location	https://pki.adacom.com/repository/en/certs/production/files/ca-eseal.crt
Subject Key Identifier	Key Identifier	This field contains the ID of the Certificate Holder's key.
Enhanced Key Usage	Secure Email	1.3.6.1.5.5.7.3.4
	Client Authentication	1.3.6.1.5.5.7.3.4

7.1.3 Algorithm Object Identifiers

The signature algorithms follow the specifications described in sections 6.1.5 and 6.1.6. All algorithms used for CAs and Subscriber follow current research and industry standards to deliver reasonable security for the intended purposes they are being used.

7.1.4 Name Forms

Each Certificate includes a unique serial number that is never reused
The content of the Certificate Issuer Distinguished Name field matches the Subject DN of the Issuer CA to support name chaining as specified in RFC 5280, section 4.1.2.4.

7.1.4.1 For Natural Person electronic signatures

Field	Value	
Issuer	For Issuing CA certificates, the commonName attribute is present and the contents is an identifier that uniquely identifies the CA and distinguishes it from other CAs.	
Subject DN	Common Name	Space separated Person Given name and Surname.
	givenName	Person given name in UTF8 format according to RFC5280
	sureName	Person surname in UTF8 format according to RFC5280
	serialNumber	Tax Identification Number with the following semantics: "TINGR-123456789" Social Security Number with the following semantics: "PNOGR-12345678"

		Personal Identification Card with the following semantics: "IDCGR-AK1234567"
		Passport Number with the following semantics: "PASGR-1231232"
	Country	2-character ISO 3166 country code
Version	3	
Serial number	Unique serial number of the certificate	
Key Size	2048	
Validity Start	First date of certificate validity	
Validity End	Last date of certificate validity	
Signature Algorithm	Sha256withRSAEncryption	

7.1.4.2 For Natural Person in association with a Legal Person electronic signatures

Field	Value	
Issuer	For Issuing CA certificates, the commonName attribute is present and the contents is an identifier that uniquely identifies the CA and distinguishes it from other CAs.	
Subject DN	Common Name	Space separated Person Given name and Surname.
	givenName	Person given name in UTF8 format according to RFC5280
	sureName	Person surname in UTF8 format according to RFC5280
	serialNumber	Tax Identification Number with the following semantics: "TINGR-123456789"
		Social Security Number with the following semantics: "PNOGR-12345678"
		Personal Identification Card with the following semantics: "IDCGR-AK1234567"
		Passport Number with the following semantics: "PASGR-1231232"
	Organization	Issuer organization name who made subscriber identification.
	Organizational Unit	Issuer organization unit name (optional)
	OrganizationIdentifier	Legal Entity's Identification Number from a national trade register with the following semantics: "NTRGR-123456789".
		Legal Entity's Tax Identification Number with the following semantics: "VATGR-123456789"
	Country	2-character ISO 3166 country code
Version	3	
Serial number	Unique serial number of the certificate	
Key Size	2048	
Validity Start	First date of certificate validity	
Validity End	Last date of certificate validity	
Signature Algorithm	Sha256withRSAEncryption	

7.1.4.3 For Legal Person electronic seals

Field	Value
-------	-------

Issuer	<i>For Issuing CA certificates, the commonName attribute is present and the contents is an identifier that uniquely identifies the CA and distinguishes it from other CAs.</i>	
	Common Name	<i>Legal Person's name</i>
Subject DN	Organization	<i>Issuer organization name who made subscriber identification.</i>
	Organizational Unit	<i>Issuer organization unit name (optional)</i>
	OrganizationIdentifier	<i>Legal Entity's Identification Number from a national trade register with the following semantics: "NTRGR-123456789".</i>
		<i>Legal Entity's Tax Identification Number with the following semantics: "VATGR-123456789"</i>
	Country	<i>2-character ISO 3166 country code</i>
Version	3	
Serial number	<i>Unique serial number of the certificate</i>	
Key Size	2048	
Validity Start	<i>First date of certificate validity</i>	
Validity End	<i>Last date of certificate validity</i>	
Signature Algorithm	Sha256withRSAEncryption	

7.1.4.4 For PSD2 electronic seals

Field	Value	
Issuer	<i>For Issuing CA certificates, the commonName attribute is present and the contents is an identifier that uniquely identifies the CA and distinguishes it from other CAs.</i>	
Subject DN	Common Name	<i>Legal Person's name</i>
	Organization	<i>Issuer organization name who made subscriber identification.</i>
	Organizational Unit	<i>Issuer organization unit name (optional)</i>
	OrganizationIdentifier	<i>PSD2 Authorization Number issued by the NCA encoded as defined in ETSI TS 119 495 clause 5.2.1</i>
	Country	<i>2-character ISO 3166 country code</i>
Version	3	
Serial number	<i>Unique serial number of the certificate</i>	
Key Size	2048	
Validity Start	<i>First date of certificate validity</i>	
Validity End	<i>Last date of certificate validity</i>	
Signature Algorithm	Sha256withRSAEncryption	

7.1.5 Name Constraints

ADACOM may include name constraints in the nameConstraints field when appropriate. If an Issuing CA Certificate includes the extended key usage "id-kp-emailProtection" it is treated as technically constrained and audited as described in section 8.

7.1.6 Certificate Policy Object Identifier

According to each certificate type, the following recognized OIDs can be added in the certificatePolicies extension:

- **QCP-n**: 0.4.0.194112.1.0 as described in ETSI EN 319 411-2
- **QCP-I**: 0.4.0.194112.1.1 as described in ETSI EN 319 411-2
- **QCP-n-qscd**: 0.4.0.194112.1.2 as described in ETSI EN 319 411-2
- **QCP-I-qscd**: 0.4.0.194112.1.3 as described in ETSI EN 319 411-2
- **NCP**: 0.4.0.2042.1.1 as described in ETSI EN 319 411-1
- **NCP+**: 0.4.0.2042.1.2 as described in ETSI EN 319 411-1

ADACOM is also adding the following OIDs in the Certificate Policies extension, to identify when the private key of a qualified certificate resides on a Local QSCD device whose management for the creation of this private key has the Subscriber/Subject and when the private key of a qualified certificate resides on a Remote QSCD device whose management for the creation of this private key has the QTSP on behalf of the Subscriber.

- 1.3.6.1.4.1.15976.1.1.1.3. The private key is on a Local QSCD
- 1.3.6.1.4.1.15976.1.1.1.4. The private key is on a Remote QSCD

ADACOM has registered the 1.3.6.1.4.1.15976 private identification number to IANA.

7.1.7 Usage of Policy Constraints Extension

Not applicable.

7.1.8 Policy Qualifiers Syntax and Semantics

The policy qualifier is the URI which points to the published ADACOM CPS.

7.1.9 Processing Semantics for the Critical Certificate Policies Extension

No stipulation.

7.2 CRL Profile

CRL profile is in accordance with the X.509 version 2 and the IETF RFC 5280.

7.2.1 Version number

ADACOM issues version 2 CRLs that contain the following fields:

Field	Value
Issuer Signature Algorithm	sha-256WithRSAEncryption [1 2 840 113549 1 1 11]
Issuer Distinguished Name	ADACOM Issuing CA SubjectDN
thisUpdate	CRL issue date in UTC format
nextUpdate	Date when the next CRL will issue in UTC format.
Revoked Certificates List	List of revoked Certificates, including the serial number and revocation date

Signature	The signature algorithm MUST follow the requirements described in sections 6.1.5 and 6.1.6
-----------	--

7.2.2 CRL and CRL Entry Extensions

CRLs have the following extensions:

Extension	Value
CRL Number	Never repeated monotonically increasing integer
Authority Key Identifier	Same as the Authority Key Identifier listed in the Certificate
Invalidity Date	Optional date in UTC format
Reason Code	Optional reason for revocation

7.3 OCSP Profile

7.3.1 Version Number

ADACOM's OCSP responders conform to version 1 of RFC 6960.

7.3.2 OCSP Extensions

Standard Extension	Field	Value
Authority Key Identifier	Key Identifier	<i>This field contains the Subject Key Identifier of the issuer's Certificate.</i>
Basic Constraint	End Entity	Yes
	Maximum Path Length	None
Certificate Policies	Cert Policy ID	2.16.840.1.113733.1.7.23.2
	Cert Policy Qualifier ID	1.3.6.1.5.5.7.2.1 (CPS Pointer)
	Cert Qualifier	https://pki.adacom.com/cps
	Cert Policy Qualifier ID	1.3.6.1.5.5.7.2.2 (User Notice)
Key Usage	Digital Signature	Set
OCSP No Revocation Checking	ocsp-nocheck	Set
Enhanced Key Usage	OCSP Signing	Set
Subject Key Identifier	RFC822 Name	<i>This field contains the ID of the Certificate Holder's key.</i>

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

The conformity of information system, policies and practices, facilities, personnel, and assets of ADACOM are assessed by a conformity assessment body pursuant to the eIDAS regulation, the corresponding legislation and standards, CA/B Forum requirements, or whenever a major change is made to Trust Service operations, based on ETSI standards listed in Section 9.15.

In addition to compliance audits, ADACOM is entitled to perform other reviews and investigations to ensure the trustworthiness of ADACOM's Certification Services. ADACOM is entitled to delegate the performance of these audits, reviews, and investigations to a third party audit firm.

ADACOM is entitled to perform second party audits to contractors that are under a relationship with ADACOM to operate as Local Registration Authorities (LRAs).

8.1 Frequency and Circumstances of Assessment

ADACOM Compliance Audits are conducted at least annually. Audits are conducted over unbroken sequences of audit periods with each period no longer than one-year duration.

8.2 Identity/Qualifications of Assessor

ADACOM's CA compliance audits are performed by:

- Internal Auditors,
- A conformity assessment body which is accredited in accordance with Regulation EC no 765/2008, the ETSI standards (i.e. ETSI EN 319 403) and the CA/B Forum Baseline Requirements (section 8.2).
- The Supervisory Body

8.3 Assessor's Relationship to Assessed Entity

The auditor of the conformity assessment body shall be independent from ADACOM and ADACOM's assessed systems.

The internal auditor shall not audit his/her own areas of responsibility.

8.4 Topics Covered by Assessment

The conformity assessment covers the conformity of ADACOM's information system, policies and practices, facilities, personnel, and assets with eIDAS regulation, respective legislation and standards. The Conformity assessment body audits the parts of information system used to provide Trust Services.

The areas of activity subject to conformity assessment audit are indicatively the following:

- Quality of service;
- Security of service;
- Integrity and security of operations and procedures;
- Protection of the data of Subscribers and security policy,
- performance of work procedures and contractual obligations, as well as compliance with the CP and service-based Policies and Practice statements.

The Conformity Assessment Body and the Internal Auditor also audit these parts of the information system, policies and practices, facilities, personnel, and the assets of sub-contractors that are related to providing ADACOM Trust Services (e.g. including LRAs).

8.5 Actions Taken as a Result of Deficiency

With respect to compliance audits of ADACOM's operations, significant exceptions or deficiencies identified during the Compliance Audit will result in a determination of actions to be taken. This determination is made by ADACOM management with input from the auditor. ADACOM management is responsible for developing and implementing a corrective action plan. If ADACOM determines that such exceptions or deficiencies pose an immediate threat to the security or integrity

of the Trust Services, a corrective action plan will be developed within 30 days and implemented within a commercially reasonable period of time. For less serious exceptions or deficiencies, ADACOM management will evaluate the significance of such issues and determine the appropriate course of action.

Additionally, in the event of a result of the assessment by the Conformity Assessment Body, showing deficiency, the Supervisory Body requires ADACOM to remedy any failure to fulfil requirements within a time limit (if applicable) set by the Supervisory Body. ADACOM makes efforts to stay compliant and fulfil all requirements of the deficiency on time. ADACOM's management is responsible to implement a corrective action plan. ADACOM evaluates the significances of deficiencies and prioritizes appropriate actions to be taken at least during the time limit declared by Supervisory Body or reasonable period of time.

Where personal data protection rules appear to have been breached, the Supervisory Body shall inform the data protection authority of the results of the compliance audit.

8.6 Communications of Results

Audit conclusions or certificate(s) for trust service(s), which are based on audit results of the conformity assessment body conducted pursuant to the eIDAS regulation, corresponding legislation and standards, may be published on ADACOM's website <https://pki.adacom.com/repository>.

In addition, ADACOM submits the resulting conformity assessment report to the Supervisory Body within at period of three (3) working days of receiving it. ADACOM submits the audit conclusions or certificate(s) for trust service(s) to maintainers of the Browsers Root Programs in which ADACOM is participating and other interested parties.

Results of the internal audits of ADACOM's operations may be released at the discretion of ADACOM Management.

8.7 Self-audits

ADACOM performs regular internal audits in order to ascertain compliance as per Section 8.4.

9. OTHER BUSINESS AND LEGAL MATTERS

9.1 Fees

9.1.1 Certificate Issuance or Renewal Fees

ADACOM charges Subscribers for the issuance, management, and re-key of Certificates.

9.1.2 Certificate Access Fees

ADACOM does not charge a fee as a condition of making a Certificate available in a repository or otherwise making Certificates available to Relying Parties.

9.1.3 Revocation or Status Information Access Fees

ADACOM does not charge a fee as a condition of OCSP services and making the CRLs required by this CPS available in a repository or otherwise available to Relying Parties. ADACOM does not permit access to revocation information or certificate status information in their repositories by third parties that provide products or services that utilize such Certificate status information without ADACOM's prior express written consent.

9.1.4 Fees for Other Services

ADACOM does not charge a fee for access to this CPS. Any use made for purposes other than simply viewing the document, such as reproduction, redistribution, modification, or creation of derivative works, shall be subject to a license agreement with ADACOM.

9.1.5 Refund Policy

9.1.5.1 Distant sales

In case the sale of the Certificate is effected via the internet or a phone call the Subscriber has the right, under Article 4 § 10 of L. 2251/1994, as amended, to withdraw from the sales contract without stating the reasons within an exclusive time limit of fourteen (14) calendar days from the date of purchase. The exercise of this right shall be made in writing by the Subscriber to ADACOM, sending an email to qc@adacom.com. Subsequently, and following communication, ADACOM is obliged to repay the money corresponding to the value of the sales contract to the Subscriber. Refund payment is effected with the same method as initial payment and the Subscriber is not entitled to use the Certificate. After that period, the right of withdrawal expires and ADACOM has no further obligation for the above cause.

9.1.5.2 Other cases

Subject to Section 9.1.5.1 ADACOM handles refund case-by-case.

To request a refund Subscriber should send a written application to ADACOM. This refund policy is not an exclusive remedy and does not limit other remedies that may be available to subscribers.

9.2 Financial Responsibility

9.2.1 Insurance Coverage

ADACOM maintains a commercially reasonable level of civil liability insurance coverage for errors and omissions through an errors and omissions insurance program with an insurance carrier.

A certificate of the insurance policy is available at the ADACOM public repository <https://pki.adacom.com/repository/en/insurance>.

9.2.2 Other Assets

ADACOM has sufficient financial resources to maintain its operations and perform its duties, and is reasonably able to bear the risk of liability to Subscribers and Relying Parties. Proof of financial resources is not made publicly available.

9.2.3 Insurance or Warranty Coverage for End-Entities

See Section 9.2.1 of this CPS.

9.3 Confidentiality of Business Information

9.3.1 Scope of Confidential Information

All information that has become known while providing services and that is not intended for publication (e.g. information that had been known to ADACOM because of operating and providing Trust Services) is confidential. Subscriber has a right to get information from ADACOM about him/herself according to the applicable laws.

9.3.2 Information Not Within the Scope of Confidential Information

Any information not listed as confidential or intended for internal use is public information. Information considered public in ADACOM is listed in section 2.2 of this CPS.

Additionally, non-personalised statistical data about ADACOM's services is also considered public information. ADACOM may publish non-personalised statistical data about its services.

9.3.3 Responsibility to Protect Confidential Information

ADACOM secures confidential information and information intended for internal use from compromise and disclosure to third parties by implementing different security controls.

Disclosure or forwarding of confidential information to a third party is permitted only with the written consent of the legal possessor of the information on the basis of a court order or in other cases provided by law.

9.4 Privacy of Personal Information

9.4.1 Privacy Plan

ADACOM has implemented a privacy policy, which is located at:
<http://pki.adacom.com/repository> in compliance with the applicable laws.

9.4.2 Information Treated as Private

Any information about Subscribers that is not publicly available through the content of the issued certificate, certificate directory and online CRLs is treated as private.

9.4.3 Information Not Deemed Private

Subject to applicable laws, all information made public in a certificate is deemed not private.

9.4.4 Responsibility to Protect Private Information

ADACOM secures private information from compromise and disclosure to third parties and complies with all applicable privacy laws.

9.4.5 Notice and Consent to Use Private Information

Unless where otherwise stated in this CPS, the applicable Privacy Policy or by agreement, private information is not used without the consent of the party to whom that information applies, in accordance with applicable privacy laws.

9.4.6 Disclosure Pursuant to Judicial or Administrative Process

ADACOM shall be entitled to disclose Confidential Information if, in good faith, ADACOM believes that:

- Disclosure is necessary in response to subpoenas and search warrants.
- Disclosure is necessary in response to judicial, administrative, or other legal process during the discovery process in a civil or administrative action, such as subpoenas, interrogatories, requests for admission, and requests for production of documents.

This section is subject to applicable privacy laws.

9.4.7 Disclosure upon Owner's Request

ADACOM's privacy policy contains provisions relating to the disclosure of private Information to the person disclosing it to ADACOM. This section is subject to applicable privacy laws.

9.4.8 Other Information Disclosure Circumstances

No stipulation.

9.5 *Intellectual Property rights*

The allocation of Intellectual Property Rights among ADACOM Participants other than Subscribers and Relying Parties is governed by the applicable agreements among such ADACOM PKI Participants. The following subsections apply to the Intellectual Property Rights in relation to Subscribers and Relying Parties.

9.5.1 Property Rights in Certificates and Revocation Information

CAs retain all Intellectual Property Rights in and to the Certificates and revocation information that they issue. ADACOM grants permission to reproduce and distribute Certificates on a nonexclusive royalty-free basis, provided that they are reproduced in full and that use of Certificates is subject to the General Terms and Conditions referenced in the Certificate. ADACOM grants permission to use revocation information to perform Relying Party functions subject to the applicable General Terms and Conditions, or any other applicable agreements.

9.5.2 Property Rights in the CPS

Subscribers acknowledge that ADACOM retains all Intellectual Property Rights in and to this CPS.

9.5.3 Property Rights in Names

A Certificate Applicant retains all rights it has (if any) in any trademark, service mark, or trade name contained in any Certificate Application and distinguished name within any Certificate issued to such Certificate Applicant.

9.5.4 Property Rights in Keys and Key Material

Key pairs corresponding to Certificates of CAs and Subscribers are property of the CAs and Subscribers that are the respective Subjects of these Certificates, regardless of the physical medium within which they are stored and protected, and such persons retain all Intellectual Property Rights in and to these key pairs. Without limiting the generality of the foregoing, DigiCert's

Root public keys and the Root Certificates containing them, including all PCA public keys and self-signed Certificates, are the property of DigiCert. DigiCert licenses software and hardware manufacturers to reproduce such root Certificates to place copies in trustworthy hardware devices or software. Finally, Secret Shares of a CA's private key are the property of the CA, and the CA retains all Intellectual Property Right in and to such Secret Shares even though they cannot obtain physical possession of those shares or the CA from DigiCert or ADACOM.

9.5.5 Violation of Property Rights

ADACOM does not knowingly violate the intellectual property rights of any third party.

9.6 Representations and Warranties

9.6.1 CA Representations and Warranties

ADACOM CA warrants that:

- Provides its services consistent with the requirements and the procedures defined in this CPS and related documents;
- Complies with eIDAS regulation and related legal acts defined in this CPS and related documents;
- Publishes its CPS and related documents and guarantees their availability in a public data communications network;
- Publishes and meet its claims in terms and conditions for subscribers and guarantees their availability and access in a public data communications network;
- Maintains confidentiality of the information which has come to its knowledge in the course of supplying the service and is not subject to publication;
- Keeps account of the Trust Service Tokens issued by it and their validity and ensure possibility to check the validity of certificates;
- Ensures the access to the private keys on the Remote QSCD to the authorized Subscriber of the keys
- Ensures the proper management and compliance of the Remote QSCD
- Informs the Supervisory Body of any changes to a public key used for the provision Trust Services;
- Without undue delay but in any event within 24 hours after having become aware of it, notify the Supervisory Body and, where applicable, other relevant bodies as national CERT or Data Inspectorate, of any breach of security or loss of integrity that has a significant impact on the Trust Service provided or on the personal data maintained therein;
- Where the breach of security or loss of integrity is likely to adversely affect a natural or legal person to whom the Trusted Service has been provided, notify the natural or legal person of the breach of security or loss of integrity without undue delay;
- Preserves all the documentation, records and logs related to Trust Services according to Sections 5.4 and 5.5;
- Ensures a conformity assessment according to requirements and present the conclusion of conformity assessment body to the Supervisory Body to ensure continual status of Trust Services in the Trusted List;
- Has the financial stability and resources required to operate in conformity with this CPS;
- Publishes the terms of the compulsory insurance policy and the conclusion of conformity assessment body in a public data communications network;
- Provides access to its services for persons with disabilities where feasible.
- There are no material misrepresentations of fact in the Certificate known to or originating from the entities approving the Certificate Application or issuing the Certificate,

- There are no errors in the information in the Certificate that were introduced by the entities approving the Certificate Application or issuing the Certificate as a result of a failure to exercise reasonable care in managing the Certificate Application or creating the Certificate,
- Revocation services and use of a repository conform to the applicable CPS in all material aspects.

ADACOM General Terms and Conditions for Use of Qualified Trust Services may include additional representations and warranties.

9.6.2 RA Representations and Warranties

ADACOM's RA warrants that:

- They have verified the Subscriber's identity through procedures approved by ADACOM.
- There are no material misrepresentations of fact in the Certificate known to or originating from the entities approving the Certificate Application or issuing the Certificate,
- There are no errors in the information in the Certificate that were introduced by the entities approving the Certificate Application as a result of a failure to exercise reasonable care in managing the Certificate Application,
- Their Certificates meet all material requirements of this CPS and
- Revocation services (when applicable) and use of a repository conform to the applicable CPS in all material aspects,

ADACOM General Terms and Conditions for Use of Qualified Trust Services may include additional representations and warranties.

9.6.3 Subscriber Representations and Warranties

Subscribers warrant that:

- Each e-Signature or e-Seal, created using the private key corresponding to the public key listed in the Qualified Certificate, is the Qualified e-Signature or e-Seal of the Subscriber and the Qualified Certificate has been accepted and is operational (not expired or revoked) at the time the Qualified e-Signature or e-Seal is created,
- The credentials (PIN, PUK, username, password, OTP) accessing the private key are protected and that no unauthorized person has ever had access to them,
- Qualified e-Signature is only created on a QSCD, whereas a Qualified e-Seal can be created either on a QSCD or not.
- All representations made by the Subscriber in the Certificate Application the Subscriber submitted are true, and the Subscriber is aware of the fact that ADACOM may refuse to provide the service if the Subscriber has intentionally presented false, incorrect or incomplete information in the application for the service;
- The Subscriber observes the requirements provided by ADACOM in this CPS and the related documents;
- All information supplied by the Subscriber and contained in the Certificate is true and in the event of a change in the data submitted, Subscriber shall notify the correct data in accordance with the rules established by this CPS and the related documents
- The Certificate is being used exclusively for authorized and legal purposes, consistent with this CPS
- The Subscriber is not a CA, and is not using the private key corresponding to any public key listed in the Certificate for purposes of digitally signing any Certificate (or any other format of certified public key) or CRL, as a CA or otherwise.
- The Subscriber shall notify ADACOM without any reasonable delay, if subject's private key or control to it has been lost, stolen, potentially compromised.

ADACOM General Terms and Conditions for Use of Qualified Trust Services may include additional representations and warranties.

9.6.4 Relying Party Representations and Warranties

ADACOM General Terms and Conditions for Use of Qualified Trust Services require Relying Parties to acknowledge that they have sufficient information to make an informed decision as to the extent to which they choose to rely on the information in a Certificate, that they are solely responsible for deciding whether or not to rely on such information, and that they shall bear the legal consequences of their failure to perform the Relying Party obligations in terms of this CPS.

ADACOM General Terms and Conditions for Use of Qualified Trust Services may include additional representations and warranties of Relying Parties.

9.6.5 Representations and Warranties of Other Participants

No stipulation.

9.7 Disclaimers of Warranties

To the extent permitted by applicable law, General Terms and Conditions for Use of Qualified Trust Services disclaim ADACOM's possible warranties, including any warranty of merchantability or fitness for a particular purpose.

ADACOM is not liable for:

- The secrecy of the credentials (PIN, PUK, username, password, OTP) that have access to the private keys of the Subscribers, possible misuse of the certificates or inadequate checks of the certificates or for the wrong decisions of a Relying Party or any consequences due to errors or omission in Trust Service validation checks;
- The non-performance of its obligations if such non-performance is due to faults or security problems of the Supervisory Body, Trusted List or any other public authority;
- Non-fulfilment of the obligations arising from this CPS and the related documents if such non-fulfilment is occasioned by Force Majeure.

9.8 Limitations of Liability

ADACOM provides limited warranties and disclaims all other warranties, including warranties of merchantability or fitness for a particular purpose, limits liability, and excludes all liability, except in case of willful misconduct or gross negligence, for any loss of profits, loss of data, or other indirect, consequential, or punitive damages arising from or in connection with the use, delivery, license, performance, nonperformance, or unavailability of certificates, electronic signatures, electronic seals, time stamps or any other transactions or services offered or contemplated herein, even if ADACOM has been advised of the possibility of such damages. In no event will the aggregate liability of ADACOM to all parties exceed the applicable liability cap for such qualified certificate set forth, below:

the combined aggregate liability of ADACOM to any and all persons concerning a specific qualified certificate shall be limited to an amount not exceeding five hundred (500.00) euro per certificate and a total maximum of claims of five hundred thousand (500,000) euro, regardless of the nature of the liability and the type, amount or extent of any damages suffered. The liability limitations provided in this paragraph shall be the same irrespective of the number of certificates, transactions, or claims related to such certificate.

The liability (and/or limitation thereof) of Subscribers and Relying Parties is as set forth in the applicable General Terms and Conditions for Use of Qualified Trust Services.

9.9 Indemnities

9.9.1 Indemnification by Subscribers

To the extent permitted by applicable law, Subscribers are required to indemnify ADACOM for:

- Falsehood or misrepresentation of fact by the Subscriber on the Subscriber's Certificate Application,
- Failure by the Subscriber to disclose a material fact on the Certificate Application, if the misrepresentation or omission was made negligently or with intent to deceive any party,
- The Subscriber's failure to protect the Subscriber's private key, to use a Trustworthy System, or to otherwise take the precautions necessary to prevent the compromise, loss, disclosure, modification, or unauthorized use of the Subscriber's private key, or
- The Subscriber's use of a name (including without limitation within a common name, domain name, or e-mail address) that infringes upon the Intellectual Property Rights of a third party.

The General Terms and Conditions for Use of Qualified Trust Services may include additional indemnity obligations.

9.9.2 Indemnification by Relying Parties

To the extent permitted by applicable law, ADACOM General Terms and Conditions for Use of Qualified Trust Services require Relying Parties to indemnify ADACOM for:

- The Relying Party's failure to perform the obligations of a Relying Party,
- The Relying Party's reliance on a Certificate that is not reasonable under the circumstances, or
- The Relying Party's failure to check the status of such Certificate to determine if the Certificate is expired or revoked.

The General Terms and Conditions for Use of Qualified Trust Services may include additional indemnity obligations.

9.10 Term and Termination

9.10.1 Term

The CPS becomes effective upon publication in the ADACOM repository. Amendments to this CPS become effective upon publication in the ADACOM repository.

9.10.2 Termination

This CPS as amended from time to time remains in force until it is replaced by a new version.

9.10.3 Effect of Termination and Survival

Upon termination of this CPS, ADACOM PKI Participants are nevertheless bound by its terms for all certificates issued for the remainder of the validity periods of such certificates.

9.11 Individual Notices and Communications with Participants

Unless otherwise specified by agreement between the parties, ADACOM PKI Participants shall use commercially reasonable methods to communicate with each other, taking into account the criticality and subject matter of the communication.

ADACOM will notify DigiCert and Mozilla according to the Mozilla notification requirements, in case of:

1. Changes in Certificate issuance procedures regarding certificates containing email address;
2. Terminations or transition of ownership of ADACOM CAs;
3. Ownership or control of the CA certificates changes;
4. There is a material change in ADACOM's operations (i.e. when the cryptographic hardware is consequently moved from one secure location to another.)

9.12 Amendments

9.12.1 Procedure for Amendment

Amendments to this CPS are made by the ADACOM Policy Management Authority (PMA). Amendments are either in the form of a document containing an amended form of the CPS or an update. Amended versions or updates are linked to ADACOM Repository located at: <https://pki.adacom.com/repository>. Updates supersede any designated or conflicting provisions of the referenced version of the CPS. The PMA shall determine whether changes to the CPS require a change in the Certificate policy object identifiers of the Certificate policies.

9.12.2 Notification Mechanism and Period

ADACOM's PMA reserves the right to amend the CPS without notification for amendments that are not material, including without limitation corrections of typographical errors, changes to URLs, and changes to contact information. The PMA's decision to designate amendments as material or non-material shall be within the PMA's sole discretion.

Proposed amendments to the CPS are linked to ADACOM Repository located at: <https://pki.adacom.com/repository>.

Notwithstanding anything in the CPS to the contrary, if the PMA believes that material amendments to the CPS are necessary immediately to stop or prevent a breach of the security of the TSP or any portion of it, ADACOM and the PMA shall be entitled to make such amendments by publication in the ADACOM Repository. Such amendments will be effective immediately upon publication. Within a reasonable time after publication, ADACOM provides notice to of such amendments to ADACOM PKI Participants.

At a minimum ADACOM and the PMA will update this CPS following CA/Browser Forum guidelines.

Amendments which do not change the meaning of this CPS, such as spelling corrections, translation activities and contact details updates are documented in the Version History section of the present document. In this case the fractional part of the document version number is enlarged.

In case of substantial changes, the new CPS version is clearly distinguishable from the previous ones and the serial number is enlarged by one.

9.12.3 Circumstances under Which OID Must be changed

If the PMA, in cooperation with DigiCert, determines that a change is necessary in the object identifier corresponding to a Certificate policy, the amendment contains new object identifiers for the Certificate policies. Otherwise, amendments shall not require a change in Certificate policy object identifier.

9.13 Dispute Resolution Provisions

9.13.1 Disputes among ADACOM, Affiliates, and Customers

Disputes among ADACOM PKI Participants are resolved pursuant to provisions in the applicable agreements among the parties.

9.13.2 Disputes with Subscribers or Relying Parties

ADACOM General Terms and Conditions for Use of Qualified Trust Services contain a dispute resolution clause. Disputes involving ADACOM require an initial negotiation period of sixty (60) days followed by litigation in the courts of Athens- Greece.

9.14 Governing Law

The law of Greece governs the enforceability, construction, interpretation, and validity of this CPS, irrespective of contract or other choice of law provisions and without the requirement to establish a commercial nexus in Greece. This choice of law is made to ensure uniform procedures and interpretation for all ADACOM PKI Participants, no matter where they are located.

This governing law provision applies only to this CPS. Agreements incorporating the CPS by reference may have their own governing law provisions, provided that this section 9.14 governs the enforceability, construction, interpretation, and validity of the terms of the CPS separate and apart from the remaining provisions of any such agreements, subject to any limitations appearing in applicable law.

9.15 Compliance with Applicable Law and Standards

ADACOM ensures compliance with the legal requirements to meet all applicable statutory requirements for protecting records from loss, destruction and falsification, and the requirements of the following:

- eIDAS - Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC;
- Personal Data laws and EU Regulations;
- Related European Standards:
 - e. ETSI EN 319 401 Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers;
 - f. ETSI EN 319 411-1 Electronic Signatures and Infrastructures (ESI); Policy and Security requirements for Trust Service Providers issuing certificates; Part 1: General requirements;
 - g. ETSI EN 319 411-2 Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Policy requirements for certification authorities issuing qualified certificates;
 - h. ETSI TS 119 495 Electronic Signatures and Infrastructures (ESI); Sector Specific Requirements; Qualified Certificate Profiles and TSP Policy Requirements under the payment services Directive (EU) 2015/2366.
- Mozilla Requirements

9.16 Miscellaneous Provisions

9.16.1 Entire Agreement

Not applicable.

9.16.2 Assignment

Any entities operating under this CPS may not assign their rights or obligations without the prior written consent of ADACOM. Unless specified otherwise in a contract with a party, ADACOM does not provide notice of assignment.

9.16.3 Severability

In the event that a clause or provision of this CPS is held to be unenforceable by a court of law or other tribunal having authority, the remainder of the CPS shall remain valid.

9.16.4 Enforcement (Attorney's Fees and Waiver of Rights)

ADACOM may claim indemnification and attorneys' fees from a party for damages, losses, and expenses related to that party's conduct. ADACOM's failure to enforce a provision of this CPS does not waive ADACOM's right to enforce the same provision later or right to enforce any other provision of this CPS. To be effective, waivers must be in writing and signed by ADACOM.

9.16.5 Force Majeure

Non-fulfilment of the obligations arising from the CPS and/or related documents is not considered a violation if such non-fulfilment is occasioned by Force Majeure. None of the parties shall claim damage or any other compensation from the other parties for delays or non-fulfilment of this CPS and/or related documents caused by Force Majeure.

9.17 Other Provisions

Not applicable.

Appendix A. Table of Acronyms and definitions

Table of Acronyms

Term	Definition
CA	Certification Authority.
CP	Certificate Policy.
CPS	Certification Practice Statement.
CRL	Certificate Revocation List.
CSR	Certificate Signing Request
EBA	European Banking Authority
FIPS	United State Federal Information Processing Standards.
LRA	Local Registration Authority
NCA	National Competent Authority
NCP	Normalized Certificate Policy
NCP+	Extended Normalized Certificate Policy
OCSP	Online Certificate Status Protocol.
OID	Object Identifier, a unique object identification code
PCA	Primary Certification Authority.
PDS	PKI Disclosure Statement
PIN	Personal identification number.
PKCS	Public-Key Cryptography Standard.
PKI	Public Key Infrastructure.
PMA	Policy Management Authority
PSD2	Payment Services Directive (EU) 2015/2366
PSP	Payment Service Provider
PSP_AS	Payment Service Provider Account Servicing
PSP_PI	Payment Service Provider Payment Initiation
PSP_AI	Payment Service Provider Account Information
PSP_IC	Payment Service Provider Issuing of card-based payment instruments
QSCD	Qualified Electronic Signature Creation Device
RA	Registration Authority.
RFC	Request for comment.
SSL	Secure Sockets Layer.
TSP	Trust Service Provider

Definitions

Term	Definition
ADACOM Repository	ADACOM's database of Certificates and other relevant ADACOM information accessible on-line.
Administrator	A Trusted Person within the organization that performs validation and other CA or RA functions.
Administrator Certificate	A Certificate issued to an Administrator that may only be used to perform CA or RA functions.
Advanced electronic seal	An electronic seal that meets the following requirements: <ul style="list-style-type: none"> • it is uniquely linked to the creator of the seal; • it is capable of identifying the creator of the seal; • it is created using electronic seal creation data that the creator of the seal can, with a high level of confidence under its control, use for electronic seal creation; and

Term	Definition
	<ul style="list-style-type: none"> it is linked to the data to which it relates in such a way that any subsequent change in the data is detectable.
Advanced electronic signature	<p>An electronic signature that meets the following requirements</p> <ul style="list-style-type: none"> it is uniquely linked to the signatory; it is capable of identifying the signatory; it is created using electronic signature creation data that the signatory can, with a high level of confidence, use under his sole control; and it is linked to the data signed therewith in such a way that any subsequent change in the data is detectable.
Certificate	Public key of a user, together with some other information, rendered unforgeable by encipherment with the private key of the certification authority which issued it
Certificate Applicant	An individual or organization that requests the issuance of a Certificate by a CA.
Certificate Application	A request from a Certificate to a CA for the issuance of a Certificate.
Certificate Chain	An ordered list of Certificates containing a Subscriber Certificate and CA Certificates, which terminates in a root Certificate.
Certificate Policy (CP)	Named set of rules that indicates the applicability of a certificate to a particular community and/or class of application with common security requirements
Certificate Revocation List (CRL)	Signed list indicating a set of certificates that have been revoked by the certificate issuer
Certificate Signing Request (CSR)	A message conveying a request to have a Certificate issued.
Certification Authority (CA)	An entity authorized to create and assign certificates
Certification Practice Statement (CPS)	Statement of the practices which a Certification Authority employs in issuing, managing, revoking, and renewing or re-keying certificates
Challenge Phrase	A secret phrase chosen by a Certificate Applicant during enrollment for a Certificate. When issued a Certificate, the Certificate Applicant becomes a Subscriber and a CA or RA can use the Challenge Phrase to authenticate the Subscriber when the Subscriber seeks to revoke the Subscriber's Certificate.
Compliance Audit	A periodic audit that a TSP, Processing Center, Service Center or Managed PKI Customer undergoes to determine its conformance with legislation, policies and standards that apply to it.
Compromise	A violation (or suspected violation) of a security policy, in which an unauthorized disclosure of, or loss of control over, sensitive information may have occurred. With respect to private keys, a Compromise is a loss, theft, disclosure, modification, unauthorized use, or other compromise of the security of such private key.
DigiCert	Means DigiCert Inc. and/or any wholly owned subsidiary responsible for the PKI operations
DigiCert PKI	The Certificate-based Public Key Infrastructure governed by DigiCert's CP and CPS, which enables the worldwide deployment and use of Certificates by DigiCert and its Affiliates, and their respective Customers, Subscribers, and Relying Parties
eIDAS	Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC.
Electronic Signature	Data in electronic form which are attached to or logically associated with other electronic data and which is used by the signatory to sign.
Electronic seal	Data in electronic form, which is attached to or logically associated with other data in electronic form to ensure the latter's origin and integrity.
Exigent Audit/Investigation	An audit or investigation by DigiCert or ADACOM where ADACOM has reason to believe that an entity failed to meet the DigiCert CP and CPS, an incident or Compromise relating to the entity, or an actual or potential threat to the security of the STN posed by the entity has occurred.

Term	Definition
General Terms and Conditions for Use of Qualified Trust Services	A binding document setting forth the terms and conditions under which an a natural or legal person acts as a Subscriber or as a Relying Party and ADACOM provides the corresponding Trust Services.
Intellectual Property Rights	Rights under one or more of the following: any copyright, patent, trade secret, trademark, and any other intellectual property rights.
Intermediate Certification Authority (Intermediate CA)	A Certification Authority whose Certificate is located within a Certificate Chain between the Certificate of the root CA and the Certificate of the Certification Authority that issued the end-user Subscriber's Certificate.
Key Generation Ceremony	A procedure whereby a CA's or RA's key pair is generated, its private key is transferred into a cryptographic module, its private key is backed up, and/or its public key is certified.
Local QSCD	USB token or smart card of QSCD
Long-lived Certificate	A Qualified Certificate which is valid for 1 to 3 years.
Manual Authentication	A procedure whereby Certificate Applications are reviewed and approved manually one-by-one by an Administrator using a web-based interface.
National Competent Authority	Authority who ensures and monitors effective compliance with Directive (EU) 2015/2366 (Payment Services Directive II).
Non-repudiation	An attribute of a communication that provides protection against a party to a communication falsely denying its origin, denying that it was submitted, or denying its delivery. Denial of origin includes the denial that a communication originated from the same source as a sequence of one or more prior messages, even if the identity associated with the sender is unknown. Note: only adjudication by a court, arbitration panel, or other tribunal can ultimately prevent repudiation. For example, a digital signature verified with reference to a Qualified Certificate may provide proof in support of a determination of Non-repudiation by a tribunal, but does not by itself constitute Non-repudiation.
Offline CA	DigiCert PCAs Issuing Root CAs and other designated intermediate CAs that are maintained offline for security reasons in order to protect them from possible attacks by intruders by way of the network. These CAs do not directly sign end user Subscriber Certificates.
Online CA	CAs that sign end user Subscriber Certificates are maintained online so as to provide continuous signing services.
Online Certificate Status Protocol (OCSP)	A protocol for providing Relying Parties with real-time Certificate status information.
OTP	One Time Password
Operational Period	The period starting with the date and time a Certificate is issued (or on a later date and time certain if stated in the Certificate) and ending with the date and time on which the Certificate expires or is earlier revoked.
Participant	An individual or organization that is either DigiCert, an Affiliate, a Customer, a Reseller, a Certification Authority, A Registration Authority, a Subscriber, or a Relying Party.
PKCS #10	Public-Key Cryptography Standard #10 developed by RSA Security Inc., which defines a structure for a Certificate Signing Request.
PKCS #12	Public-Key Cryptography Standard #12 developed by RSA Security Inc., which defines a secure means for the transfer of private keys.
Policy Management Authority (PMA)	The organization within ADACOM responsible for promulgating this policy.
Practice Statement	A statement of the practices that a TSP employs in providing a Trust Service.
Private key	The key of a key pair that is kept secret by the holder of the key pair, and that is used to create a qualified certificate or to decrypt electronic records or files that were encrypted with the corresponding public key
Primary Certification Authority (PCA)	A CA that acts as a root CA and issues Certificates to CAs subordinate to it.
Processing Center	The ADACOM site that creates a secure facility housing, among other things, the cryptographic modules used for the issuance of Certificates.

Term	Definition
Public Key	The key of a key pair that may be publicly disclosed by the holder of corresponding private key and that is used by Relying Party to verify a qualified certificate created with the holder's corresponding private key and/or to encrypt messages so that they can be decrypted only with the holder's corresponding private key.
Public Key Infrastructure (PKI)	The architecture, organization, techniques, practices, and procedures that collectively support the implementation and operation of a Certificate-based public key cryptographic system. The DigiCert PKI consists of systems that collaborate to provide and implement the DigiCert PKI.
Qualified electronic seal	An advanced electronic seal that is created by a qualified electronic seal creation device and is based on a qualified certificate for electronic seals.
Qualified electronic Signature	An advanced electronic signature that is created by a qualified electronic signature creation device, and is based on a qualified certificate for electronic signatures;
Qualified Certificate	Qualified Certificate is a Certificate issued by a CA which has been accredited and supervised by authorities designated by an EU member state and meets the requirements of eIDAS.
Qualified Certificate for Electronic Signature	A certificate for electronic signatures, that is issued by a qualified trust service provider and meets the requirements laid down in Annex I of eIDAS Regulation.
Qualified Certificate for Electronic Seal	A certificate for an electronic seal, that is issued by a qualified trust service provider and meets the requirements laid down in Annex III of eIDAS Regulation.
Qualified signature creation device (QSCD)	A device that is responsible for qualifying digital signatures by using specific hardware and software that ensures that the signatory only has control of their private key. Qualified electronic signature or seal creation devices meet the requirements of eIDAS.
Qualified Trust Service Provider	A trust service provider who provides one or more qualified trust services and is granted the qualified status by the Supervisory Body.
Registration Authority (RA)	An entity approved by a CA that is responsible for identification and authentication of subjects of certificates. Additionally an RA can assist in the certificate application process or revocation process or both.
Relying Party	An individual or organization that acts in reliance on a certificate.
Remote QSCD	Server based HSM that is used for central generation and usage of Subscriber private keys.
Remote ID verification	The method/process by which the Subscriber is identified through a live video call session and is equivalent to validation through physical presence.
Root CA	Certification authority which is at the highest level within TSP's domain and which is used to sign subordinate CA(s).
RSA	A public key cryptographic system invented by Rivest, Shamir, and Adelman.
Secret Share	A portion of a CA private key or a portion of the activation data needed to operate a CA private key under a Secret Sharing arrangement.
Secret Sharing	The practice of splitting a CA private key or the activation data to operate a CA private key in order to enforce multi-person control over CA private key operations
Secure Sockets Layer (SSL)	The industry-standard method for protecting Web communications developed by Netscape Communications Corporation. The SSL security protocol provides data encryption, server authentication, message integrity, and optional client authentication for a Transmission Control Protocol/Internet Protocol connection.
Short-lived Certificate	A Qualified Certificate which is valid from 24 to 72 hours and can be used for one transaction.
Subordinate CA (Sub CA)	Certification authority who's Certificate is signed by the Root CA, or another Subordinate CA. A subordinate CA normally either issues end user certificates or other subordinate CA certificates.
Subject	The subject can be:

Term	Definition
	a) a natural person; b) a natural person identified in association with a legal person; c) a legal person (that can be an Organization or a unit or a department identified in association with an Organization);
Subscriber	An entity subscribing with Trust Service Provider who is legally bound to any Subscriber obligations.
Supervisory Body	The authority which is designated by member state to carry out the supervisory activities over Trust Services and Trust Service Providers under eIDAS in the territory of that member state.
Trust Service	Electronic service for: <ul style="list-style-type: none"> • creation, verification, and validation of digital signatures and related certificates; • creation, verification, and validation of time-stamps and related certificates; • registered delivery and related certificates; • creation, verification and validation of certificates for website authentication; or • preservation of digital signatures or certificates related to those services.
Trust Service Provider	An entity that provides one or more Trust Services.
Trusted Person	An employee, contractor, or consultant of an entity, responsible for managing infrastructural trustworthiness of the entity, its products, its services, its facilities, and/or its practices.
Trusted Position	The positions within ADACOM that must be held by a Trusted Person.
Trustworthy System	Computer hardware, software, and procedures that are reasonably secure from intrusion and misuse; provide a reasonable level of availability, reliability, and correct operation; are reasonably suited to performing their intended functions; and enforce the applicable security policy. A trustworthy system is not necessarily a “trusted system” as recognized in classified government nomenclature.
Valid Certificate	A Certificate that passes the validation procedure specified in RFC 5280.
Validity Period	The period of time measured from the date when the Certificate is issued until the Expiry Date.