How to Initialize SafeNet 5110cc



°°°°

1. Double click on the "Safenet Authentication Client Tools" icon at the right side of your computer screen



2. Select "Advanced View" by pressing on the gear icon as shown in the picture below.

SafeNet Authentication Client Tools	- 🗆 🗙		
	gemalto [×]		
SafeNet Authentication Client	()) © 1 ? ≜		
Card #706CEU8B6FC79875 Card #706CEU8B6FC79875 C2Mcro CCID SC Reader 0 ***** Change Token Passw Change Token Corte Delete Token Corte Corte Token Corte Corte Token Corte Corte Token Corte Corte Token Corte	vord mt al Token		°
-	→ GEMALTO.COM		
Kreontos 25, GR 10442 Athens, T: +30 210 5193740		Dese	
http: <u>www.adacom.com</u> email: <u>customer-support@adacom.com</u>		2 ^{Page}	

SECURITY BUILT ON TRUST

°°°°°

3 Page





4. Choose "Preserve the token settings and policies" and click Next.

Kreontos 25, GR 10442 Athens, T: +30 210 5193740

http: <u>www.adacom.com</u> email: <u>customer-support@adacom.com</u>

ADACOM		SECURITY BUILT ON TRUST
	S Initialize Token - Initialization Options	
	Warning! This operation will delete all token content. Please choose the way you want to initialize the token: Preserve the token settings and policies	
	Configure all initialization settings and policies	
5. Tick the boxes "Use signature PUK" and *(In case your have	e factory default administrator password" and "Use d click Next to the old firmware there might be only one box, just t	e factory default digital
5	SafeNet Authentication Client	
	Use Initialization key to initialize the Token Enter the current Administrator Password to initialize the Token Current Administrator password Administrator Password: Enter the current Digital Signature PUK to initialize the Token Current Digital Signature PUK	°
	Digital Signature PUK: Current Language: EN The default administrator password and digital signature PUK is a known value of 0's set on the standard profile.	°°
Kreo	For the non-default value, please enter it manually. < Back Next > Finish Cancel ntos 25, GR 10442 Athens, T: +30 210 5193740 0	Page
	http: <u>www.adacom.com</u> email: <u>customer-support@adacom.com</u>	4

6. Set your New Token Password and confirm it, <u>untick</u> the box of "Token password must be changed on first logon" and tick on the "Keep the current administrator password" click OK on the pop up window and then click Next

S Initialize Token - Password Settings	×	6	
SafeNet Authentication Client	THALES	•	
Token Name: Petros			
Create Token Password			
New Token Password:	•••••		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Confirm Password:	•••••		
create Administrator Password	t logon		
Create Administrator Password	****		
Confirm Password:	****	Exferile Automication Films Tank	
		Salever Authentication Chefit 10015	
	Current Language: EN	If the current password is the default password (48 0's), it is strongly recommended to update the administrator password to keep your token secure.	
< Back	Next > Finish Cancel	ОК	

 Set you New Digital Signature PIN and confirm it, and on the "New Digital Signature PUK" and the "Confirm PUK" set 6 times zero (000000) and click Finish.

Kreontos 25, GR 10442 Athens, T: +30 210 5193740

http: <u>www.adacom.com</u> email: <u>customer-support@adacom.com</u> 5 Page

			SECURITY BUILT ON TRUST
' Y 🖉			
	🕵 Initialize Token - IDPrime Comm	on Criteria Settings	×
	SafeNet Authentication	Client THAL	ES O
	Common Criteria Passwords: New Digital Signature PIN:	•••••	
	Confirm PIN:	•••••	
		PIN Polic	×
	New Digital Signature PUK: Confirm PUK:	•••••	
		PIN Polic	zy
		: Back Next > Finish Ca	ancel
			7
	nitialize Token Notification cli		
8. On the Ir			
8. On the Ir			° /
8. On the Ir			°°/
8. On the Ir			°
8. On the Ir			
8. On the Ir	Kreontos 25, GR 10442 Ath	ens, T: +30 210 5193740	6 Page
8. On the Ir	Kreontos 25, GR 10442 Ath http: <u>www.adaco</u> email: <u>customer-support@</u>	ens, T: +30 210 5193740 m.com @adacom.com	6 Page
8. On the Ir	Kreontos 25, GR 10442 Ath http: <u>www.adaco</u> email: <u>customer-support@</u>	ens, T: +30 210 5193740 m.com @adacom.com	6 Page

$\langle \rangle \rangle$	11230	551	8 L
ADACOM		SE	CURITY BUILT ON TRUST
	Initialize Token Notification	×	
	The token initialization proces and reset all token parameters	ss will delete all token content s. Click 'OK' to continue.	
		OK Cancel	°• \

°°°°°

7 Page

9. Finally, after the Initialization of the Token is completed click **OK** again.

Kreontos 25, GR 10442 Athens, T: +30 210 5193740

http: <u>www.adacom.com</u> email: <u>customer-support@adacom.com</u>